

# PRODUCT GUIDE **2019/2020**



going beyond your limits



## REMOVING FLOORING

Stripping	8
Cutting	23
Scraping	24



## PREPARING SUBFLOORS

Grinding	26
Milling	40
Suction	46
Stirring	52
Smoothing	54



## MEASURING INSTRUMENTS

Measuring devices	65
Test kit	70



## APPLYING FLOORS

Linoleum	75
Vinyl	77
Rubber	77
Milling	86
Welding	90
Textile floors	97



## USEFUL TOOLS

Knives	102
Straight edges	104
Work safety equipment	108



## CLEANING AND CARE

Cleaning	113
Care	114



## WOOD FLOORING

Parquet sanding machines	116
Abrasives	121



## SERVICE

Service	128
---------	-----

# Going beyond your limits.

For more than 60 years WOLFF has been manufacturing high-quality machines and tools for the flooring trade. Our core competence is stripping machines for removing floor coverings.



At our production site in Ilsfeld our machines are produced by using the most modern production methods. The in-house development and construction as well as the close cooperation with the craftsmen makes us unique. Hence we are able to achieve the highest quality standards.

Dear WOLFF customers,  
Dear craftsmen,

Over the years we have manufactured a wide range of machines and first class tools. We have perfected our products over the years and we have also introduced many new products to the market.

Among other things, we have been able to expand our range with the new BiTurbo. A machine that enables you to remove old coverings even more efficiently. By using the power reserves even better, the operator is relieved physically at the same time.

Our motivation is to make your working day easy and efficient. Convince yourself of our quality and competence and feel our passion, which we are happy to share with you. We are only satisfied when you are satisfied.

In our production facility in Ilsfeld with an area of more than 7,000 sqm we develop, manufacture and assemble more than 70 % of our products. Made in Germany - this is what more than 100 trained and motivated employees stand for.

The constant exchange and dialogue with you gives us a lot of pleasure. This enables us to be sure that we can take your requirements on board, understand them and start implementing them immediately.

We look forward to continuing our successful cooperation!

Jürgen Rehmann  
Head of Business Unit Wolff

Julian Utz  
Head of Business Unit Wolff





# REMOVING FLOORING



STRIPPING | CUTTING | SCRAPING



# ROBO-STRIPPER

The Power of WOLFF



#73888 - 230V **Robo-Stripper**

#74000 - 115V

- easy blade replacement (integrated lifting mechanism)
- quick to dismantle for easy transportation
- zero hand vibration
- 2-handed remote control via cable
- extremely maneuverable
- 3-position blade angle adjustment
- torsion joint to provide a stable and level blade
- integrated transport castors with directional lock
- anchor points for secure transport and lifting
- striking mechanism with adjustable rate of impact

**Technical specifications:**

supply voltage: 230 V/115V, 50 Hz, drive power: 2 x 0.9 kW, impact system power: 1.3 kW, impact system strokes: 3000 rpm, width of blade: 350 mm standard – 450 mm optional, weight: approx. 300 kg (can be disassembled), Speed: 0 to 30 m/min, performance: approx. 100-250 m²/h

**Includes:**

Robo-Stripper, protective gloves, 1 blade 350 x 60 x 1,0 mm, 1 U-blade edge top, 1 U-blade edge bottom, tool set, blade protection, goggles, hearing protection

**INFO**

**BLADES ROBO-STRIPPER SEE PAGE 16**

## ACCESSORIES FOR ROBO-STRIPPER

**Twin wheels**

Mountable with 3 screws to widen the track, for improved traction


#74215



**Deflector and oscillator set 450 mm**

Deflector and oscillator set 450 mm

#82333



**Spare blades**

450 x 120 x 1,5 mm

#75006

450 x 60 x 1,5 mm

#75007



**Special blade U-shape**

450 mm top cutting edge

#75010

450 mm bottom cutting edge

#75011



**Special blades for removing floors**

for multi-layer and solid parquet, with special deflector for the deflection of bigger pieces, only for ROBO-Stripper and BiTurbo-Stripper.

350 x 150 x 3,0 mm with deflector (Set)

#80359

spare blade 350x150x3mm


#79634

350 x 150 x 3,0 mm serrated, with deflector

#80358

spare blade 350x150x3mm serrated

#79635



**Locking device for torsion joint**

Prevents the lateral tilting of the oscillator with narrow blades

#80274



# BITURBO-STRIPPER

The new benchmark



## #85000 BiTurbo-Stripper

- the new benchmark in removing all elastic floor coverings including parquet
- high operating comfort due to self-propulsion (forwards and backwards)
- speed infinitely adjustable between 0 and 27 m/min
- adjustment to different floorings and working conditions by blade angle adjustment
- torsion compensation for efficient removal
- easy transport, as additional weights can be removed and the machine can be divided in the middle
- handle height adjustable in 3 steps
- optimal cutting results due to linear blade movement
- easily accessible cockpit controls

## Technical specifications:

Supply voltage: 230 V/115 V , 50 Hz, power consumption striking mechanism: 1.5 kW, power consumption drive: 1.5 kW, number of strokes: 3000 strokes/min, blade width: 350 mm, weight: approx. 260 kg (dismountable in 8 pieces), speed 0 to 27 m/min, working capacity: approx. 100 - 150 m²/h

## Includes:

BiTurbo stripper, 1 blade 350 x 60 x 1.0 mm, 1 blade 350 x 60 x 1.5 mm, 1 blade 350 x 120 x 1.5 mm , 1 blade 350/200 x 120 x 3.0 mm offset, 1 U-blade top cutting edge, 1 U-blade bottom cutting edge, additional weights, hearing protection, protective gloves, tool set, extension cable, grease gun, manual

## INFO

**BLADES BITURBO-STRIPPER SEE PAGE 16**

## ACCESSORIES FOR BITURBO-STRIPPER

### Special blades for parquet and flooring removal

with special deflector for better deflection of larger parquet pieces. Only suitable for ROBO and BiTurbo strippers!

350 x 150 x 3.0 mm with screwed on blade holder (in set)

#80359

Spare blade 350 x 150 x 3.0 mm


#79634

350 x 150 x 3.0 mm serrated with screwed on blade holder (in set)

#80358

Replacement blade serrated 350 x 150 x 3,0 mm

#79635



### Undercarriage

Suitable for BiTurbo, Turbo and Extro

#62227



**ADVICE: TEXTILE COVERINGS CAN BE PERFECTLY PRE-CUT WITH THE ERGO CUTTER PRO IN A STANDING POSITION.**

## Ergo Cutter Pro

The ideal tool for pre-cutting textile coverings while standing.

The long metal handle makes it quick and easy to push forward.

Ergo Cutter Pro

#88300

Replacement blades Ergo Cutter Pro

#13421





# TURBO-STRIPPER

THE ORIGINAL - THE WORLD'S NO. 1

Professional removal of any bonded floor covering

Control panel operation: All switches are easily accessible for more convenient operation

Angle and height adjustable handle

Weight can be adjusted into 3 positions

#43778 - 230V **Turbo-Stripper**

#39087 - 115V (UK)

#39086 - 115V (US)

- also suitable for studded rubber, sport flooring and wooden flooring (with additional parquet stripper set #63754)
- 2.6 kW motor with starting current limiter
- self-propelled with hand-operated clutch for more convenient operation
- emergency stop button for safe operation
- detachable weight and handle for easy transportation
- charging port for USB-devices in the switch housing

**Technical specifications:**

230 V/115 V, 2.600 W, starting current limiter, max. working width 150–350 mm, 5.000 strokes/min, weight: 157 kg, stripping capacity approx ca. 60–100 m²/h

**Includes:**

Turbo-Stripper, 1 blade 350 x 60 x 1 mm, 1 blade 350 x 60 x 1.5 mm, 1 blade 200 x 60 x 1.5 mm, 1 blade 150 x 60 x 1.5 mm, 1 U-shape blade with top cutting edge, 1 U-shape blade with bottom cutting edge, tool kit, hearing protection, safety gloves, blade cover, extension cable

**Accessories:**

Three-star grip screw M 10 x 80 for fixating the additional weight	#39234
Three-star grip nut D 80 x M 10 for fixating the hood	#39189

**INFO**

BLADES TURBO-STRIPPER SEE PAGE 16

## ACCESSORIES FOR TURBO-STRIPPER

**Leather blade cover**

for Turbo- and Extro-Stripper

#33204



**Additional weight, 30 kg**

for Turbo-Stripper

#38535



**Undercarriage**

suitable for BiTurbo, Turbo and Extro

#62227



**Special blade**

Heavy duty, angled, for heavy floorings, 350 mm.

For stripper versions 2

#39362

For stripper versions 1

#15532



**Wood flooring stripper set**

The perfect set for stripping wood flooring. An add-on to the Turbo Stripper

#63754

**Includes:**

Deflector for new Turbo version 2

#63752

Undercarriage protection

#53415

Blade for multi layer parquet

#13982

Blade holder for wood flooring stripper set

#73389

Special blade (heavy duty)

#39362

Blade holder for parquet deflector for Turbo2

#63753





# EXTRO-STRIPPER

Stripper with Pull-Back-System

Control panel:  
All switches are easily  
accessible for more  
convenient operation

Height-adjustable handle

With pull-back  
system

#38588 - 230V

## Extro-Stripper

#39121 - 115V (UK)

#39090 - 115V (US)

- perfect combination of impact power and self-propulsion for maximum efficiency
- charging port for USB-devices in the switch housing

### Technical specifications:

230 V/150 V, 2.600 W, 5.000 strokes/min, weight 112 kg, weight of detachable hood 42 kg, blade width 350 mm, stripping capacity approx. 80 m²/h

### Includes:

Extro-Stripper, 1 blade 350 x 60 x 1 mm, 1 blade 350 x 60 x 1.5 mm, 1 blade 200 x 60 x 1.5 mm, 1 blade 150 x 60 x 1.5 mm, 1 U-shape blade with top cutting edge, 1 U-shape blade with bottom cutting edge, tool kit, hearing protection, safety gloves, blade cover, extension cable

The **patented Pull-Back-System** automatically stops the machine when the handle is pulled back = fast and **efficient operation on large areas** + increased operating safety.

**Sophisticated gear technology** = extremely durable even under extreme working environments.

**Robust impact system** = accurate removal of flooring even under tough conditions.

### INFO

BLADES EXTRO-STRIPPER SEE PAGE 16

## ACCESSORIES FOR EXTRO-STRIPPER

### Three star handle nut D 80 x M 10

for fixating the hood

#39189

### Special blade

Heavy duty, angled, for heavy floorings, 350 mm.

for stripper versions 2

#39362

For stripper versions 1

#15532



### Leather blade cover

for Turbo- and Extro-Stripper


#33204



### Undercarriage

for Turbo- and Extro-Stripper

#62227



## PULL-BACK-SYSTEM

The Pull-Back System has been developed to make it easy to reverse the Extro-Stripper and Vario-Stripper Silent.

When you reach a wall or another obstacle while you are working, simply pull back the handle to raise the driving wheels. The machine stops although the wheels continue to rotate.

Pull the handle harder to pull the machine back to where you want to start the next line.

Push the handle forward to lower the driving wheels back to the ground and the machine will start to move forward again.

When working, push the handle forward slightly to raise the small transport wheels.



Experience the Pull-Back-System  
in action in the Vario Silent!

SPARE BLADES AND SPECIAL BLADES  
FOR ROBO-, BITURBO- AND EXTRO-STRIPPER



<b>Spare Blades</b>		
for textile		
350 x 60 x 1,0 mm	10 pcs.	#13978
for multi-layer parquet		
350 x 120 x 1,5 mm	1 pcs.	#13982
For linoleum, PVC and rubber floorings		
350 x 120 x 1,5 mm	1 pcs.	#13982
350 x 60 x 1,5 mm	10 pcs.	#13979
150 x 60 x 1,5 mm	10 pcs.	#13981
200 x 60 x 1,5 mm	10 pcs.	#13980
<b>Special 350 mm U-shape blade</b>		
To simultaneously pre-cut and strip flooring. Ground on one side.		
Top cutting edge		#13983
Angled		#38933
<b>Special blades</b>		
350 x 120 x 3,0 mm		#79636
<b>Special blades</b>		
350/200 x 120 x 3,0 mm		#79637
<b>Special blades</b>		
for strongly bonded flooring		
350/100 x 120 x 3,0 mm		#79638
<b>Special blades</b>		
for multi-layer parquet		
350 x 120 x 3,0 mm		#79639
<b>Special blades</b>		
for flooring with fleece backing		
350 x 60 x 1,5 mm		#81205

BLADE SELECTOR FOR  
ROBO-, BITURBO-, TURBO- AND EXTRO-STRIPPER

Blades	350 x 60 x 1,0	350 x 60 x 1,5	350 x 120 x 1,5	350 x 120 x 3,0	350/200 x 120 x 3,0	350/100 x 120 x 3,0	350 x 120 x 3,0	350 x 60 x 1,5
	#13978	#13979	#13982	#79636	#79637	#79638	#79639	#81205
		also available with U-shaped blades				serrated	serrated	serrated edge
<b>Floor covering</b>								
Textile flooring with SDB and woven goods	●							
Textile flooring with fleece- or foam backing								●
CV covering in sheets	●	●	●					●
Vinyl flooring in sheets and tiles		●						
Rubber flooring in sheets		●						
Linoleum up to 2.5 mm in sheets and tiles		●						
Linoleum with more than 2.5 mm				●	●			
Linoleum with more than 3.5 mm				●	●			
Solid wood flooring (10-22mm)					●	●		
Multilayer parquet with realwood stabilizing layer			●		●	●	●	
Two layer parquet with MDF or HDF						●		●
End grain wood block flooring					●	●		
Glued and nailed chipboards						●		
Sport-composite flooring		●		●	●			
Needle punch carpet		●						
Ceramic tile (small)						●		

Some of the blades with 1.5 mm thickness are also available in narrow sizes, especially for parts with strong bonding. This selector does not replace a detailed review of the circumstances on the construction site. Wolff does not claim any responsibilities for damages at the building or the tools that are based on incorrect use.

# VARIO-STRIPPER SILENT


Extremely quiet stripper for use on medium-sized areas

Vario drive:  
Variable speed control  
up to 16 m/min

Height adjustable handle

Extremely quiet motor

With pull-back system



#38764 - 230V

## Vario-Stripper Silent

#42453 - 115V (UK)

#50202 - 115V (US)

- removes PVC, linoleum and rubber floor coverings
- silent motor makes it possible to use the machine even during normal working hours (hospitals, office buildings)
- self-propelled machine and controls integrated into the top of the handle for great, convenient operation
- easy transportation thanks to detachable weight and handle
- Pull-Back-System for safe operation in corners and along walls
- Vario drive: variable speed control between 2.5 and 16 m/min
- interchangeable blade adapters can be used to adjust to different floorings and working conditions
- charging port for USB-devices in the switch housing

## Technical specifications:

230 V/115 V, 1.650 W, 3.000 strokes/min, basic weight 107 kg (weight of basic machine 60 kg, additional weight of detachable hood 30 kg, weight of detachable handle 17 kg), max. working width 250 mm, limiting speed 2,5–16 m/min, stripping capacity ca. 30–70 m<sup>2</sup>/h, with soft start

## Includes:

Vario-Stripper Silent, 1 blade 250 x 60 x 0.7 mm, 1 blade 250 x 60 x 1 mm, 1 blade 250 x 60 x 1.5 mm, 1 U-shape blade with top cutting edge, 1 U-shape blade with bottom cutting edge, tool kit, safety gloves, blade cover, extension cable

## ACCESSORIES FOR VARIO-STRIPPER

### Spare blades

For textile flooring.

250 x 60 x 0,7 mm VE 10 pcs.

#38765

For linoleum, PVC and rubber floorings.

250 x 60 x 1,5 mm VE 10 pcs.

#38767

250 x 60 x 1,0 mm VE 10 pcs.

#38766



### Serrated blades

To remove floors with felt or fleece backing.

The serrated blade cuts the fibres perfectly. The blades are made of high-quality hardened and specially coated spring band steel with CNC controlled sharpening.

250 x 60 x 1,0 mm

#48401



### Special U-shape blade, 250 mm

To pre-cut and strip floor coverings simultaneously (for PVC and linoleum). Angled on one side.

Top cutting edge

#38768

Bottom cutting edge

#38932



## PULL-BACK-SYSTEM

The Pull-Back System has been developed to make it easy to reverse the Extro-Stripper and Vario-Stripper Silent.

When you reach a wall or another obstacle while you are working, simply pull back the handle to raise the driving wheels. The machine stops although the wheels continue to rotate.

Pull the handle harder to pull the machine back to where you want to start the next line.

Push the handle forward to lower the driving wheels back to the ground and the machine will start to move forward again.

When working, push the handle forward slightly to raise the small transport wheels.




Experience the Pull-Back-System  
in action in the Vario Silent!



# DURO-STRIPPER 2.0

Best seller – Number 1 worldwide for universal use on small to medium-sized areas



## #84888 - 230V Duro-Stripper 2.0

#15540 - 115V (UK)

#50070 - 115V (US)

- complete with undercarriage for easier operation
- can be operated as a handheld machine with the removal of the handle.
- rugged metal casing for heavy-duty use
- special bearings to reduce vibrations

### Technical specifications:

230 V/115 V, 2.000 W, starting current limiter, working width 210 mm, 8.500 rpm, weight: 16 kg

### Includes:

Duro-Stripper, undercarriage, 1 blade 210 x 50 x 0.7 mm, 1 blade 210 x 60 x 1 mm, tool kit, hearing protection, safety gloves, blade cover

### Duro-Stripper VG (with adjustable grips)

Design with adjustable grips

#85652



## ACCESSORIES FOR DURO-STRIPPER

### Spare blades

For textile flooring.

210 x 60 x 0,7 mm

10 pcs.

#13344

for linoleum, vinyl, rubber.

210 x 60 x 1,0 mm

10 pcs.

#13345

210 x 60 x 1,5 mm

10 pcs.

#13346



### Serrated blades

To remove floors with felt or fleece backing.

The serrated blade cuts the fibres perfectly. The blades are made of high-quality hardened and specially coated spring band steel with CNC controlled sharpening.

210 x 60 x 1,0 mm

#48402



### Metal carrying case

Metal carrying case

#13349



### Undercarriage

(only for Duro-Stripper)

#16151



# PRIMO-STRIPPER

Well-priced machine for universal use on small to medium-sized areas


- Light and maneuverable
- 2.0 kW consumption
- Ideal for working close to walls



# JUNIO-STRIPPER

For removing small areas of textile floor coverings, foam or flooring residues and glass fibre wall coverings

- Robust device
- 1.010 W consumption
- Light and handy



Spare blade 200 mm

## #82348 Primo-Stripper

- Can be operated as a handheld machine with the removal of the handle.
- 2.0 kW motor with starting current limiter

### Technical specifications:

230V/115V, 2.000W, 6.600 rpm, working width 210 mm, weight 13,5 kg

### Includes:

Primo-Stripper, 1 blade 210 x 60 x 1 mm, tool kit, hearing protection, safety gloves, blade cover

### Spare blades:

210 x 60 x 0,7 mm (for Textile), 10 pcs.	#13344
210 x 60 x 1,0 mm (for Vinyl), 10 pcs.	#13345
210 x 60 x 1,5 mm (for Linoleum, Vinyl, Rubber), 10 pcs.	#13346

### Serrated blade for Primo-Stripper

To remove floorings with felt or fleece backing.

The serrated blade cuts the fibres perfectly. The blades are made of high-quality hardened and specially coated spring band steel with CNC controlled sharpening.

Serrated blade 210 x 60 x 1,0 mm	#48402
----------------------------------	--------

### Leather blade cover:

for Duro- and Primo-Stripper	#33203
------------------------------	--------

### Primo-Stripper VG

Design with adjustable grips	#82349
------------------------------	--------

## #16876 - 230V JUNIO-STRIPPER

#20819 - 115V (UK)

#50080 - 115V (US)

- allows you to work on areas which are hard to reach, - such as window sills, under radiators and on stairs
- perfect for areas near stairs or along walls
- includes carrying case

### Technical specifications:

230 V/115 V, 1.010 W, max. working width 120/200 mm, weight: 3,1 kg

### Includes:

Junio-Stripper, 1 blade 120 mm, tool kit, safety gloves, hearing protection, carrying case, blade cover

### Accessories:

Spare blade 120 mm, 10 pcs.	#13998
Ersatzmesser 200 mm, 10 pcs.	#14000
Leather blade cover	#33199
Combi blade	#15519

# WOOD SAW PS 230

For fast and precise cutting of wooden floors, while standing.

Adjustable cutting depth from 0 - 60 mm

Powerful engine allows non-stop working

Access for dust extraction



## #84919 Wood saw PS 230

- powerful engine allows non-stop working
- adjustable cutting depth from 0–60 mm
- access for dust extraction

### Technical specifications:

230 V, 2.600 W, 6.500 rpm, Saw-blade diameter 230 mm, cutting depth 0–60 mm, diameter of the access for dust extraction 50 mm, weight: 28 kg

### Includes:

HM-Blade Ø 230 mm, tools for the saw-blade-change

### Accessories:

Distance piece Wood Saw	#85141
HM-blade 230 mm	#85147
PCD blade 230 mm (for wood)	#85148
DIA blade 230 mm blue (for hard floors - concrete)	#85541
DIA blade 230 mm ( for soft floors - screed)	#85149




ACCESSORIES FOR REMOVING FLOORING

Ergo Cutter Pro

Ideal tool for precutting strips to prepare for stripping.

The long metal handle allows you to work while standing

Ergo Cutter Pro	#88300	Spare blades Ergo Cutter Pro	#13421
-----------------	--------	------------------------------	--------




Carpet clamp

A great aid when removing bonded floorings. Extremely strong and high-quality aluminium.

The ergonomic design protects hands and fingers. Tested to a pulling force of 200 kp

Carpet clamp	#13342
--------------	--------



Carpet clamp with wooden handle

Made of steel, with spring-loaded clamping jaw and rotatable wooden handle.

Width of wooden handle suitable for pulling with both hands.

Carpet clamp with wooden handle	#87918
---------------------------------	--------



Floor scraper

Very sturdy design, 300 mm wide, handle length 135 cm.


Floor scraper	#13934
Spare blade	#14001



Hand scraper WOLFF

Working width 10 cm, incl. 5 blades.


Hand scraper WOLFF	#51505
Spare blades, 10 pcs.	#13617
Replacement screws	#88367



Professional hand scraper WOLFF

Working width 52 mm. Supplied without blades.

Professional hand scraper WOLFF	#65500
Straight blades (100 pcs.)	#13419



PREPARING SUBFLOORS



GRINDING | MILLING | SUCTION



# MAMBO EVO

Grinding machine for all grinding and milling operations



# SAMBA

Single disc grinding machine for all grinding, cleaning and polishing work

- Handy machine with 1.700 W
- Also suitable for wet cleaning
- Ideal for small to medium-sized areas
- Metal wheels as standard



Illustration shows device with extraction (plastic)

#61804 - 230V	Monodisc grinding machine Mambo EVO
#62551 - 115V (UK)	
#68952 - 115V (US)	

- variable speed control from 100 to 400 rpm to match the abrasives perfectly to the surface
- internal dust ring
- Finishing grind on wooden floors
- high torque for effective and fast operation, with high abrasion and great power even at low speeds
- additional weight for increased abrasion
- folding handle and detachable weight for easy transportation (dimensions when folded 55 x 40 x 88 cm)
- shock-absorbing disc holder
- height adjustable wheels

Technical specifications:	
230 V/115 V, 2.000 W, adjustable speed 100–400 rpm, working width 375–400 mm, weight 52 kg + 18 kg additional weight, with starting current limiter	

Includes:	
Mambo grinding machine, protection- and dust ring, additional weight, extension cable, comes without disc and suction kit	

Accessories:	
Cleaning tank	#39709
Extension cable WOLFF (shown on p. 28)	#41811
Large dust ring	#20747
Large spare brush	#20993

#56364 - 230V	Monodisc grinding machine Samba 1.700 W
#65215 - 115V (UK)	
#63047 - 115V (US)	

- Versatile and very powerful machine for grinding screeds or compounds. Also suitable for wet cleaning carpet or for polishing hard floors
- thanks to the powerful motor and the attachable suction kit, subfloors can now be prepared without any problem
  - large range of discs and cleaning accessories provide the perfect solution for any task
  - specially reinforced handle
  - robust steel gearbox
  - metal rims

Technical specifications:	
230 V/115 V, 1.700 W, 154 rpm, weight: 44 kg, working width 375/400 mm, robust steel gearbox	

Includes:	
Grinding machine Samba, without suction and disc holder	

Accessories: see page 28

ACCESSORIES FOR SAMBA, FLAMENCO, JIVE UND TANGO:

Additional weight

Increases the stock removal rate

11 kg #34097



Suction kit plastic

Suction kit complete #13503

consisting of:

Vacuum with holding basket #35082

Hose set with T-piece #14038

Dust ring #14039

Brush ring #15353



Suction kit metal

Suction kit complete #74177

consisting of:

Vacuum with holding basket #35082

Dust ring with extraction device #72462

Hose kit for dust ring #73385



Paper filter bags 40 cm

40 cm, 10 pcs. (for machines built before 2004) #13504



Paper filter bags 80 cm

80 cm, 5 pcs. (for machines built from 2004 onwards) #37299



Extension cable WOLFF

25m 3Gx2,5² Schuko #41811



Cleaning tank

For wet cleaning with pads and brushes. The cleaning tank is attached to the guide rod of the grinding machine. Tank volume approx. 12 l.

Cleaning tank #59831



Wheels with metal rims

For retrofitting older models that are equipped with plastic rims.

Wheels with metal rims #83950



FLAMENCO

- Powerful machines with 2.200 W
- Also suitable for wet cleaning
- Ideal for small to medium-sized areas



JIVE

- Powerful machine up to 1.000 W
- Ideal for smal areas
- Also suitable for wet cleaning



TANGO

- Light machine with 1.000 W
- Ideal for small areas
- Also suitable for wet cleaning



#56365 Monodisc grinding machine Flamenco 2.200 W / 154 rpm

Versatile and very powerful machine for grinding screeds or compounds.

- thanks to the powerful motor and the attachable suction kit, subfloors can now be prepared without any problem
- low operating weight
- large range of discs and cleaning accessories provide the perfect solution for any task
- specially reinforced handle
- durable steel gearbox

Technical specifications:

230 V/115 V, 2.200 W, 154 rpm, weight: 44 kg, working width 375/400 mm

Includes:

Grinding machine Flamenco, without suction kit and disc holder

Accessories: shown on page 28

#56363 Monodisc grinding machine Jive 2.200 W / 230 rpm

For wet cleaning of carpets and polishing of hard floors

Technical specifications:

230 V/115 V, 2.200 W, 230 rpm, weight: 44 kg, working width 375/400 mm

Includes:

Grinding machine Jive, without suction kit and disc holder

Accessories: shown on page 28

#56366 Monodisc grinding machine Tango 1.000 W

Versatile 1.0 kW machine with a broad range of applications

- grinding screeds and brushing screed or compounds
- sanding wood flooring and cork
- wet cleaning and polishing hard floors
- polishing of oiled and waxed floors

Technical specifications:

230 V/115 V, 1.000 W, 154 rpm, weight: 41 kg, working width 375/400 mm

Includes:

Grinding machine, without suction kit and disc holder

Accessories: shown on page 28



GRINDING PLATES FOR MONODISC GRINDING MACHINES  
SUITABLE FOR OUR MODELS MAMBO, SAMBA, TANGO, FLAMENCO, AND JIVE

Disc holder with sponge padding

For abrasive paper, HM grinding disc and abrasive gauze.


Diameter 375 mm	#13299	Diameter 400 mm	#13327
Spare sponge padding:			
Diameter 375 mm	#13500	Diameter 400 mm	#13328



Disc holder with felt

Diameter 375 mm

For abrasive paper	#13501	Felt padding	#13526
--------------------	--------	--------------	--------



Disc holder accessories

Bolt with left-handed thread	#14044	Spring washer	#14043
Allen key SW 8	#14959		

Abrasive gauze, 10 pcs.

Diameter	150 mm	406 mm
Grit 60	#33511	#12665
Grit 80	#33513	#12666
Grit 100	#33514	#12667
Grit 120	#33515	#12668
Grit 150	#33516	#12669
Grit 180	#33517	#13549



Abrasive paper discs, double-sided, 10 pcs.


Diameter	380 mm	400 mm
Perforation	40 mm	25 mm
Grit 16	#50820	#51243
Grit 24	#13527	#13329
Grit 40	#13528	#13330
Grit 60	#13529	#13534
Grit 80	#13530	#13535
Grit 100	#13532	#13536
Grit 120	#13533	#13537



HM grinding disc, double-sided

For grinding screed or compounds and for removing paint or floor residues. High grinding capacity.

Diameter	375 mm	400 mm
Grit 12	#33291	#33292
Grit 14	#50849	#50850
Grit 16	#13510	#13515
Grit 24	#13517	#13518
Grit 36	—	#38197




GRINDING PLATES FOR MONODISC GRINDING MACHINES  
SUITABLE FOR OUR MODELS MAMBO, SAMBA, TANGO, FLAMENCO, AND JIVE

Grinding plate with hard metal ring

The hard metal ring has the same function as the hard metal discs. However, the ring has a longer service life and offers more aggressive grinding. Well suited to removing old fleece residues.

Grit 16	#14254	Grit 24	#14255
<b>Accessories:</b>			
Hard metal ring, grit 16	#14256	Hard metal ring, grit 24	#14257




Flat steel brush disc

For scraping foam, felt or jute residues.

For roughening self-spreading anhydrite screed and for industrial floor cleaning.

Wire length 45 mm

Flat steel brush disc	#15738
-----------------------	--------



Brush cup plate

For removing the sintered layer of new anhydrite and magnesite screed	#15735
---	--------

**Accessories:**

Brush cup set, 6 pcs.	#15736
Mounting kit for brush cup set	#15737



Multi grinding plate

For final polishing of wood floors and intermediate grinding of floor sealings.

For 4 grinding discs, 150 mm. Incl. extra high brush ring (#40982),

for use with grinding machine Mambo

Multi grinding plate	#14023
----------------------	--------

**Accessories:**

Brush ring	#40982
------------	--------



Holding kit for perforated pads

**Diameter 410 mm**

For face grinding freshly installed wooden floors, intermediate grinding of varnish, renovating oiled surfaces and treating sealed wood floors (to remove dirt & dust). Also for matting varnished surfaces and treating engineered stone floors.

Holding kit incl.

Holding kit, complete 410 mm	#40607
Dust absorbing pad 410 mm	#42796
velcro pad	#41043





DISC HOLDERS, BRUSH ATTACHMENTS AND CLEANING PADS


Perforated pads, 10 pcs.

Diameter	150 mm	410 mm
Grit 36	—	#40720
Grit 40	#40775	#40741
Grit 60	#40776	#40742
Grit 80	#40777	#40743
Grit 100	#70754	#40744
Grit 120	—	#40745
Grit 150	—	#40746
Grit 220	—	#40747
Grit 320	#40778	#40748
Grit 400	—	#40749



Disc holder for pads

Diameter 400 mm		
Disc holder for pads	#13300	Spare pad #15739



Cleaning pads

Diameter		150 mm	410 mm	410 mm
Material thickness		10 mm	10 mm	20 mm
Items		10 pcs.	10 pcs.	5 pcs.
For high gloss polishing:	white	#33510	#12679	#12693
For waxing and polishing:	beige	#33509	#12676	#12680
For PU coated vinyl	grey	—	—	#80718
For cleaning:	red	#33507	#34300	#34298
For basic/maintenance cleaning:	green	#33506	#12677	#12691
For abrasive cleaning of resilient floorings:	brown	—	—	#65080
For abrasive cleaning of ceramic floorings:	black	#33505	#12678	#12692
For oiling:		#33525	#33524	—



\*150 mm pads for multi grinding plate (shown on p. 31)

Perlon brush, hard, Not shown

With hard Perlon bristles for rough cleaning of hard flooring (linoleum, PVC, stone, ceramics)	#13507
--	--------

Shampooing brush

With soft bristles to clean carpets	#13506
-------------------------------------	--------



Corrugated wire brush

For brushing and precleaning surfaces	#13539
---------------------------------------	--------



Polishing brush, coir, Not shown

For brushing and polishing hard flooring (linoleum, PVC, stone, ceramics)	#13505
---	--------



Disc for natural stone

For cleaning natural stone floors. <b>Not to be used on the monodisc grinding machine Mambo!</b>	
Plate for natural stone	#33209



Scrub brush, Not Shown

For maintenance cleaning of hard flooring with coarse or caked soiling	#13508
--	--------

GRINDING PLATES FOR MONO DISC GRINDING MACHINES FROM 1.7 KW

Grinding disc with 6 stones, grit 20


For grinding screed or compounds and for removing unevenness, paint or plaster residues.

**Not suitable for grinding machines < 1.7 kW**

Sanding disc with 6 stones grit 20	#13540
------------------------------------	--------

**Accessories:**

Stone, grit 20	#13490
----------------	--------



Milling disc with rotation principle

For preparing substrates of any kind. **Not suitable for grinding machines < 1.7 kW**

Milling disc with rotation principle	#34284
--------------------------------------	--------

**Accessories:**

Single milling module	#34285
-----------------------	--------

Gliding disc	#34286
--------------	--------

Wheel set per module, 12 pcs.	#34288
-------------------------------	--------



Hard metal (HM) milling plate disc

HM milling plates for removing thick layers of adhesive with fibre, felt or foam residues.


**Not suitable for grinding machines < 1.7 kW**

Hard metal (HM) milling plate disc	#13569
------------------------------------	--------

**Accessories:**

Milling module with HM plate	#13550
------------------------------	--------

HM Plate (1pc.)	#13566
-----------------	--------



Star wheel grinding disc

For roughening coatings and concrete as well as stripping sintered layers. For removing compounds on floorboards. With 3 milling heads. **Not suitable for grinding machines < 1.7 kW**

Star wheel grinding disc	#14243
--------------------------	--------

**Accessories:**

Star wheels (set of 42 pcs.)	#14244
------------------------------	--------

Milling head	#14245
--------------	--------



Grinding disc with diamond grinding heads

For grinding all common coatings, compounds and, in particular, concrete floors.

Even extremely hard compounds can be grinded without any problem.

**Not suitable for grinding machines < 1.7 kW**

Grinding disc with diamond grinding heads	#14248
---	--------

**Accessories:**

Diamond grinding head, fan-type helical design	#14249
--	--------



Basic grinding disc for diamond segments

400 mm diameter complete with segment holders for diamond segments.

	#51840
--	--------



# DIAMOND GRINDING DISC NINJA

Effective, simple and proven

- Extremely effective diamond grinding plate for all kind of subfloors
- Segments are easy to change due to slide-in system
- Safe and easy application thanks to the diamond segment selector



### Diamond grinding disc Ninja

- extremely effective grinding disc for monodisc grinding machines
- high quality and long lasting segments
- easy change of the segments due to a slide-in system
- diamond segments for several applications
- unique WOLFF design

#### Versions

Ninja complete with PCD Split segments	#68867
Ninja complete with PCD Scraper segments	#68866
Ninja complete with ES K20 segments	#68869
Ninja complete with BT K20 segments	#68868

## SEGMENT-SELECTOR – DIAMOND DISCS ARE SUITABLE FOR MONODISC GRINDING MACHINES 150-500 RPM.



#### Product

#### BT K20

#68390

#### ES K20

#68391

#### PCD Split

#68389

#### PCD Scraper

#68388

#### Please choose the right segments for your surface\*

Allround segment for medium to hard and hard floors

Allround segment for soft to very soft floors

Removes adhesives and thin layers of levelling compounds and coatings

Aggressive segment with 3 PCD teeth for removal of thick adhesives, tile adhesives, jute and fleece backing, thicker layers of levelling compounds

Hard concrete or similar

●

Cement screed

●

Anhydrite screed

●

Mastic asphalt

●

Magnesia screed

●

Epoxy layer, thin

●

PU coatings

●

Synthetic resin floorings

●

Adhesive layers, thin, < 1 mm

●

Adhesive layers, thick, > 1 mm

●

Dispersion tackifier

●

Tile adhesives

●

Insulated cardboard

●

Foam and fleece backing

●

●

Jute and synthetic secondary backing

●

●

\* Please read the instructions within the operating manual upon receipt of the goods.



# HANDHELD GRINDING MACHINE BS 125

- Excellent grinding capabilities
- Spindle lock for easy disc replacement
- Anti-vibration handle



# FLOOR GRINDING MACHINE BS 180

- Works up to the edge
- 180 mm working width
- Versatile machine



#80582

## Handheld grinder BS 125

The compact floor grinding machine from WOLFF

- excellent grinding capabilities
- soft start electronic and self-cutout carbonbrushes
- adjustable cover for detailed edge work and dust-free working
- dust-proof rubber housing
- anti-vibration handle
- spindle lock for easy disc replacement

### Technical specifications:

230 V, 50 Hz, 1,5 kW, rotational speed: 11,000 rpm, discs Ø: 125 mm, weight: 2.6 kg

### Includes:

Grinding wheel Ø 125 ES K20 black, carrying case, hearing protectors, safety goggles

#15930 - 230V

## Floor grinding machine BS 180

#20724 - 115V (UK)

Hand-operated grinder for preparing subfloors. Can work directly along walls

Versatile machine to grind stairs, platforms or rail systems near edges, and along walls.

- comes with suction hood to work directly along walls
- removes unevenness as well as adhesive and paint residues
- comes with suction outlet and spring-loaded suction hood
- ensures high suction capacity
- incl. grinding disc ES K20

### Technical specifications:

230 V/115 V, 2.200 W, 6.600 rqm, working width 180 mm, weight 9,5 kg

### Includes:

Floor grinding machine BS 180, tool kit, hearing protection, safety goggles, carrying case, 1 grinding disc ES K20 #75407

### Accessories:

Brush BS 180	#82650
Grinding disc ES K20	#75407

## BLADE-SELECTOR



### Product

#### BT K20 gold

#72984	125 mm
#75406	180 mm

#### ES K 20 black

#72983	125 mm
#75407	180 mm

#### PCD Split, silver

#75404	125 mm
#75408	180 mm

#### PCD Scraper, silver

#75405	125 mm
#75409	180 mm

Please choose the right segments for your surface\*

Allround segment for medium to hard and hard floors

Allround segment for soft to very soft floor

Flakes of PCD remove adhesives and thin layers of levelling compounds and coatings

Aggressive segment with half-round PCD teeth, for aggressive removal of thick adhesives, tile adhesives, jute and fleece backing, thicker layers of levelling compounds

Hard concrete or similar	●			
Cement screed		●		
Anhydrite screed		●		
Mastic asphalt		●		
Magnesia screed	●			
Epoxy layer, thin	●		●	
PU coatings			●	
Synthetic resin floorings			●	
Adhesive layers, thin, < 1 mm			●	●
Adhesive layers, thick, > 1 mm				●
Dispersion tackifier				●
Dispersion tackifier				●
Insulated cardboard			●	
Foam and fleece backing			●	●
Jute and synthetic secondary			●	●

\* Please read the instructions within the operating manual upon receipt of the goods.



ACCESSORIES FOR BS 125 AND BS 180

Grinding disc ES grit 20, black

For soft to very soft subfloors.

ø 125 mm	#72983
ø 180 mm	#75407



Grinding disc BT grit 20, gold

Allround segment for medium to hard and hard subfloors.

ø 125 mm	#72984
ø 180 mm	#75406



Grinding disc PCD Split, silver

For removal of adhesives as well as thin layers of levelling compounds and coatings.

ø 125 mm	#75404
ø 180 mm	#75408



Grinding disc PCD Scraper, silver

For aggressive removal of thick adhesives, tile adhesives, jute and fleece backing, thicker layers of levelling compounds.

ø 125 mm	#75405
ø 180 mm	#75409



ACCESSORIES FOR FLOOR GRINDING MACHINE BS 180

Diamond grinding disc

For repairing concrete and removing coatings.

Diamond grinding disc, single row	#15932	Diamond grinding disc, double row	#15933
-----------------------------------	--------	-----------------------------------	--------



Diamond grinding disc Raptor

Extremely aggressive diamond grinding disc to remove very tenacious old flooring residues #15953 such as epoxy and other coatings. **Suitable for removal only!**


Diamond grinding disc Raptor	#15953
------------------------------	--------



HM grinding disc

To remove adhesives and levelling compounds.

HM grinding disc, 180 mm, grit 16	#15934	HM grinding disc, 180 mm, grit 24	#15935
-----------------------------------	--------	-----------------------------------	--------



FLOOR GRINDING MACHINE NEO 230

Our bestseller for subfloor preparation



#74650 - 230V	Floor grinding machine Neo 230
#74895 - 115V (UK)	
#75382 - 115V (US)	

Floor grinding machine for small and medium surfaces

- ideal for surfaces from 30 to max. 50 m² and for working close to edges
- integrated skirt for dust-free operation
- three adjustable motor positions for working closer to the edge
- floating skirt follows the contours of the floor
- guard with pivoting segments for working close up to walls
- height adjustable and folding handle
- diamond segments easy to replace

Technical specifications:

Supply voltage:: 230 V/115 V, 50 Hz, motor output: 2,0 kW, speedl: 1500 rpm, working width: 230 mm, weight: 44 kg, suction connection: 50 mm

Includes:

Neo 230, disc holder for 4 diamond segments, hearing protection, extension cable, without grinding segments

# FLOOR GRINDING MACHINE NEO 400

The beast for large areas











#76970 - 230V  
#80765 - 60Hz (US)

**Floor grinding machine Neo 400**

- Floor grinding machine for medium and large areas
- for huge surfaces
  - efficient and aggressive removal
  - height adjustable
  - suction ring with brush
  - connecting piece Ø 50 mm
  - stabiliser wheel allows easy movement of the machine on soft surfaces
  - new with an additional inner brush ring and two suction nozzles

Technical specifications:	
Supply voltage: 400 V, 50 Hz, Motor output: 4,0 kW, Speed 1500 rpm, working width: 400 mm, total weight: 95 kg, suction connection: 50 mm	
Includes:	
Floor grinding machine Neo 400, 1 additional weight 15 kg, disc holder for 12 diamond segments, hearing protection, operating manual, spare parts list, spirit level, without grinding segments	
Accessories:	
Extension cable	#15960
Brush below for suction ring	#84810
Additional weight complete	#72225
Stabiliser wheel	#83702

## DIAMOND SEGMENTS FOR SPECIAL APPLICATIONS. ALL SEGMENTS SUITABLE FOR MONODISC GRINDING MACHINES UP TO 1500 RPM

Diamond grinding plate, ES - For preparing screed			
For grinding and removing sintered layers of screed and for removing thin paint layers on soft mineral substrates. Each of the diamond plates are 400 mm in diameter and are ready fitted with 6 diamond segments of one type.			
Diamond segment SC 20	#56306	Diamond segment SC 60	#56309
Diamond segment SC 40	#56308		
			
Diamond grinding plate, BT - For preparing concrete substrates			
For grinding concrete, coatings and high-grade compounds and for removing thin paint layers on hard substrates. Each of the diamond plates are 400 mm in diameter and are ready fitted with 6 diamond segments of one type.			
Diamond segment SS 20	#48038	Diamond segment SS 60	#56303
Diamond segment SS 40	#48041		
			
Diamond grinding plate, PCD			
For aggressive removal of polyurethane varnishes, compounds and tile adhesives. <b>Not suitable for rolled asphalt screeds.</b> Each of the diamond plates are 400 mm in diameter and are ready fitted with 6 diamond segments of one type.			
PKD-segment	#48028		
Diamond grinding plate, PCD splinter			
For removing thin epoxy resin layers, paint, synthetic resin, polyurethane and dispersion adhesives. Suitable for removing fleece backing and textile double backing. <b>Not suitable for soft screeds.</b> Each of the diamond plates are 400 mm in diameter and are ready fitted with 6 diamond segments of one type.			
PCD splinter segment	#48036		
Conversion kit for diamond grinding plates delivered up to 04/2008			
For diamond grinding plates delivered up to 04/08 when the above listed segments are used (5 sets are required normally). Includes: Segment holder complete with mounting elements			
Includes: Segment holder with mounting elements	#48957		
PCD Ultra XT			
Segment with 5 straight PCD, but without support segment. For extreme hard residues of levelling compounds, adhesives and coatings. More aggressive, especially for removing thick layers			
PCD Scraper XT	#75366		
PCD Ultra			
Segment with 5 straight PCD and support segment. For extreme hard levelling compounds, adhesive residues and coatings			
PCD Ultra	#75364		
PCD Scraper XT			
Segment with 2 round PCD. For easy removal of cementitious adhesives and levelling compounds			
PCD Scraper XT	#75365		



ACCESSORIES FOR SIGMA 550

Sigma PKD Segment Super A

With five straight PCD. For aggressive removal of adhesive residues and levelling compounds

Sigma PKD Segment Super A Protect (without image)	#72268
Sigma PKD Segment Super A Protect	#72269



Sigma PCD segment hard gold

For aggressive removal of adhesive residues and levelling compounds.

Provides a variety of options required for grinding.

Sigma PKD-Segment hard gold	#66214
-----------------------------	--------



Sigma PCD segment soft gold

For more careful removal of adhesive residues and levelling compounds.

Provides a variety of options required for grinding

Sigma PCD segment soft gold	#66213
-----------------------------	--------



Sigma diamond segment single, grit 6, purple

A rough segment to remove various polyurethane- or epoxy-based finishes

Works well on hard surfaces

Sigma diamond segment single, grit 6, purple	#66177
--	--------



Sigma diamond segment single BT, grit 16, silver

Standard segment for concrete. To remove thin layers of paint and adhesives.

The segment creates a coarse-textured surface

Sigma diamond segment single BT, grit 16, silver	#66178
--	--------



Sigma diamond segment single ES, grit 16, silver

Standard segment for soft to very soft surfaces (screed)

Sigma diamond segment single ES, grit 16, silver	#69452
--	--------



ACCESSORIES FOR SIGMA 550

Sigma diamond segment single BT, grit 25, gold

For efficient grinding of concrete flooring before applying primers and coats

Sigma diamond segment single BT, grit 25, gold	#66179
--	--------



Sigma diamond segment single ES, grit 25, gold

For particularly efficient grinding of screed flooring before #69453

applying primers and coats

Sigma diamond segment single ES, grit 25, gold	#69453
--	--------



GRINDING VISIBLE AND WEARING SURFACES (GREY, BROWN, BLACK)

Sigma diamond segment double, grit 40-50, grey

Finer segment for grinding concrete flooring. To remove thin paint layers.

Also used for pregrinding before grinding with the brown diamond segment (#66211)

Sigma diamond-segment double, grit 40-50, grey	#66180
--	--------



Sigma diamond segment double, grit 80, brown

Finer segment to grind concrete, compounds, natural stone and terrazzo.

Also used for pregrinding before grinding with the black diamond segment (#66212)

Sigma diamond segment double, grit 80, brown	#66211
--	--------



Sigma diamond segment double, grit 120-200, black

To grind concrete, natural stone and terrazzo floors to achieve a smooth surface.

Sigma diamond segment double, grit 120-200, black	#66212
---	--------



# CT 200

Floor milling machine with a wide range of applications

- Ideal for small to medium-sized areas
- 2.0 kW consumption
- Variable tool insert



## #13641 Floor milling machine CT 200

- for everything from removing residues to heavy milling jobs
- handy and compact machine for heavy-duty use
- precise adjustment of milling depth
- industrial vacuum cleaner connection for low dust
- extraction

### Technical specifications:

working width 200 mm, Voltage 230 V/115 V, 2 kW, dimensions 97 x 80 x 36 cm (H x L x B), weight 52 kg, milling capacity 10–30 m²/h (depends largely on the type of flooring, type of tool used and milling depth of machine), suction connection 50 mm

### Includes:

Floor milling machine CT 200, hearing protection, **without milling drum**

### Accessories:

Shafts for milling drum CT 200, set of 4 pcs.	#13646
Extension cable WOLFF, 25 m	#41811
Starting current limiter, external	#13639

## Milling drum CT 200 with milling blades

To roughen concrete. To remove old residues of adhesive, compounds or paint on hard, solid substrates!

### Not to be used on free floating screed

Milling drum CT 200 with milling blades	#13642
Milling blade set for CT 200, 76 pcs.	#13643
Intermediate disc set for milling drum CT 200, 76 pcs.	#13644

## Milling drum CT 200 complete with peeling blades


To remove old residues of adhesive, compounds or coatings on soft substrates and floating screeds

milling drum CT 200 complete with peeling blades	#13648
Peeling blade set for CT 200, 40 pcs., 10 mm	#13649
Intermediate disc set for peeling blade drum CT 200, 72 pcs.	#13650

## Milling drum CT 200 complete with star-shaped blades


To remove thin paint layers and roughen metal surfaces

Milling drum CT 200 complete with star-shaped blades	#38923
Star-shaped blade set for CT 200, 356 pcs.	#38924
Milling drum CT 200 (not shown) without blades	#13645



# SCREED JOINT CUTTER EF EF 135

Screed joint cutter for fast and dust-free cutting of cementitious based substrates



#68679 - 230V

## Screed joint cutter EF 135

#81340 - 115V (UK)

Tool for time-saving and dust reduced cutting of cementitious based substrates. Ideal for stress induced joints and expansion joints. The perfect solution for clean, precise and efficient working

- cutting depth up to 35 mm
- variable depth adjustment
- cutting disc guide
- very versatile
- efficient dust extraction
- rollers allow convenient cutting

### Technical specifications:

230 V/115 V, 1.550 W, 11.000 rpm, cutting depth 35 mm, weight approx. 5 kg

### Includes:

Screed joint cutter EF 135, DIA cutting disc Ø 135, connecting piece for industrial vacuum cleaner, protective goggles, hearing protection, tool kit

### Accessories:

DIA cutting disc EF 135	#68602
Carrying case	#84759
Wave connector PU 1.000 pcs.	#13932
Wave connector PU 100 pcs.	#13878





# STARVAC MI55

Compact and powerful vacuum cleaner  
for wet and dry cleaning



# POWERFUL PRE-SEPARATORS

Separation of coarse dirt and fine dust

- Powerful and constant suction power
- Particle separation rate up to 99%
- Suitable for many electrical machines



#60800 STARVAC MI55

- fully automatic filter cleaning through patented system
- variable speed control
- fully electrically conductive system including electrically conductive suction hose (4 m)
- casters, suction hose and extra flexible electric cable (7.5 m)
- dust class M
- suction power manually adjustable

Technical specifications:

(H x B x L) 580 x 380 x 870 mm, weight 17,5 kg, inlet 35 mm, hose length 4 m (electronically conductive and leaves no marks), max. air volume 140 m³/h, max. pressure 22,00 kPa, mains voltage 220–240 V, max. consumption 1380 W, container capacity 54 l

Accessories:

Suction wand	#60944
Suction hose, 4 m	#60951
Floor nozzle	#60947
Aluminium floor nozzle, 370 mm	#62162
Crevise nozzle	#60950
Filter bags (5 pcs.)	#60948
Wet and dry vacuum cleaner filter	#61933
Dry vacuum cleaner filter	#60949
Starvac disposal bags (10 pcs.)	#62697
Membrane filter	#62562

Includes:

Starvac MI55, suction hose (4m), suction wand, paper filter bag, wet/dry floor nozzle 300 mm, crevice nozzle, connecting piece for power tools (3 pcs.), drainage hose, 54 L container

#72916 Pre-separator 30 l

Powerful pre-separator, which can filter out large amounts of coarse dirt and fine dust, even before vacuuming. It is suitable for wood flooring- and monodisc grinding machines, saws, hand-held sanding machines, many other electrical machines and it can even be used for vacuuming in connection with a floor nozzle.

- constant suction power
- vacuum cleaner and filter are protected
- particle separation rate up to 99%
- non-marking wheels
- easy disposal using standard rubbish bags

Technical specifications:

weight: 8,9 kg, size: Ø 36 x 83 cm, Schlauchlänge: 1.2 m, capacity 30 l

Includes:

Cyclone separator completely assembled, dirt container, hose 1,2 m (#73102)

Application note:

The pre-separator is connected between the vacuum cleaner and machine

#82215 Pre-separator antistatic – especially for wooden dust 50 l

Powerful pre-separator which can filter out large amounts of coarse dirt and fine dust even before vacuuming.

- constant suction power
- protection of vacuum cleaner and filter
- separation efficiency up to 99% of the particles
- easy emptying with standard garbage bags
- static conductive hose and cyclone
- due to static conductivity especially suitable for wooden dusts
- suction hose and end connection adapted for WOLFF Starvac and Vacuclean (adapter set for Ronda #82069)

Technical specifications:

weight: 10 kg, size Ø 40 x 92 cm, hose length 1,5 m, capacity 50 l

Includes:

Cyclone completely assembled, dirt container, hose 1,5 m (#82202)

Application note:

The pre-separator is connected between the vacuum cleaner and machine




# VACUCLEAN 2

High-performance industrial vacuum cleaner for coarse dirt and dust

# VACUCLEAN 2 LP

High-performance industrial vacuum cleaner with Longopac system



- #81148 - 230V
- #84073 - 115V (UK)
- #84074 - 115V (US)

## VACUCLEAN 2

High-performance industrial vacuum cleaner for coarse dirt and dust with a large filter surface area

- large cartridge filter with 2 m2 filter surface area (dust class M)
- semi-automatic and highly efficient filter cleaning system using powerful air blasts for a long service life
- the vacuum display allows you to continuously monitor whether the appliance is functionally perfectly and to detect possible clogging of the filter
- dirt can be removed quickly, safely and hygienically using the lever emptying function on the mobile collection container
- a HEPA filter is available as an optional accessory

### Technical specifications:

(L x B x H) 590 x 480 x 1.010 mm, weight 35 kg, hose length 5 m, voltage 230 V/115 V, power 2.300 W, air volume 360 m³/h, max. pressure 25 kPa, filter dust class M, container capacity 20 l

### Includes:

Vacuclean 2, reducing piece 50/38, 5 meter PU-hose 50 mm, suction tube, floor nozzle 430 mm

### Accessories:

Connection piece 50 mm	#81990
Floor nozzle 38 mm	#81618
Flat nozzle	#83178
Reducer	#81626
Suction tube	#81620
Hose connector	#13338
Replacement hose 5 m	#13337
Replacement brush for floor nozzle 430 mm	#83446
Standard filter class M	#81613
Filter PTFE	#81615
Filter H14 / HEPA	#81616
Cone nozzle	#81627
Vacuclean 2 HEPA	#82452

- #81149 - 230V
- #83727 - 115V (UK)
- #81706 - 115V (US)

## VACUCLEAN 2 LP

High-performance industrial vacuum cleaner Vacuclean 2 with Longopac system for removing coarse dirt and dust reliably and safely. With a lift function to lower the suction unit to facilitate transport of the appliance.

- large cartridge filter with 2 m² filter surface area (dust class M)
- features two individually switchable 1,150 watt motors
- semi-automatic and highly efficient filter cleaning system using powerful air blasts for a long service life
- the vacuum display allows you to continuously monitor whether the appliance is functionally perfectly and to detect possible clogging of the filter
- lift function to lower the suction unit
- 22 meter endless dustbag

### Technical specifications:

(L x B x H) 590 x 480 x 1.200 mm, weight 38 kg, hose length 5 m, voltage 230 V/115 V, power 2.300 W, Air volume 360 m³/h, max. pressure 25 kPa, filter dust class M

### Includes:

Vacuclean 2 LP, reducing piece 50/38, 5 meter PU-hose (50 mm diameter), suction tube, floor nozzle 430 mm, endless hose, cable clip (#81628)

### Accessories:

Connection piece 50 mm	#81990
Floor nozzle 38 mm	#81618
Flat nozzle	#83178
Reducer	#81626
Suction tube	#81620
Hose connector	#13338
Replacement hose 5 m	#13337
Replacement brush for floor nozzle 430 mm	#83446
Dustbag endless	#81629
Cable ties	#81628
Standard filter class M	#81613
Filter PTFE	#81615
Filter H14 / HEPA	#81616
Cone nozzle	#81627
Vacuclean 2 LP HEPA	#82453



# T-REX

Powerful industrial vacuum cleaner for coarse dirt and fine dust

- Vacuums coarse dirt
- 3.5 kW consumption
- Accessories can be selected individually
- With improved hose quality

#13314    **T-REX**

Powerful industrial vacuum cleaner for both coarse dirt and fine dust. Use our sets to create a customised vacuum cleaner!

- vacuums coarse dirt, pieces of debris or fine dust from grinding
- manual shaking unit for easy cleaning of the fabric filter
- 50 litre dirt container can be removed and emptied easily
- the industrial vacuum cleaner comes on rugged running gear with large wheels for convenient mobility
- works effectively and powerfully with a hose length of up to 15 m

**Technical specifications:**

230 V/115 V, 3.500 W, 50 l container, air suction capacity 570 m³/h, suction power 2.200 mm H<sub>2</sub>O, filter surface 3m², weight 65 kg, power cord 10 m, dimensions 58 x 60 x 125 cm

**Includes:**

Vacuum cleaner T-Rex, fine dust filter, starter set

<b>Starter set (consisting of)</b>	#40066
Suction hose, 50 mm, length 5 m	#13337
Suction wand 50 mm T-Rex	#13335
Roller nozzle T-Rex	#13336
TS 40/T-Rex 50 mm end fitting	#13339
T-Rex 50 mm connecting piece	#13340
Hose damp, 40–60 mm	#13445
T-Rex suction nozzle, round	#14262
Hose connection 50 mm	#13338

<b>Spare filter</b>	
T-Rex absolute filter	#51152
Fine dust filter	#14261

<b>Connecting kit, 50 mm consisting of:</b>	#48376
- TS 40/T-Rex, diameter 50 mm end fitting	#13339
- T-Rex 50 mm connecting piece	#13340
- Hose clamp, 40–60 mm	#13445

<b>Hose kit, 70 mm, consisting of:</b>	#48373
- Suction hose, 70 mm diameter, (15 m)	#48371
- 70 mm end fitting	#14273
- 70 mm diameter connecting piece (T40 & T-Rex)	#14268
- Hose clamp, 60–80 mm	#14269
- Connecting adapter 70/50	#61802

Brush set roller nozzle	#56026
-------------------------	--------

<b>T-Rex 70 mm add-on nozzle consisting of:</b>	#14263
Add-on nozzle brush set	#14264
Add-on nozzle rubber lip	#14265

# PREPARING SUBFLOORS



STIRRING | SMOOTHING

Mixer Power X 1000

1.010 1- speed gear mixer	#83924
<ul style="list-style-type: none"><li>Robust 1-speed gear unit</li><li>Ergonomic handle</li><li>M14 thread</li><li>mixing fluid mortar (e.g. levelling compounds)</li></ul>	
<b>Technical specifications:</b>	
230 V/115 V, 1.010 W, 0–780 rpm, thread M14, max. diameter for mixer: 120 mm, weight: 4,5 kg	
<b>Includes:</b>	
Power X 1000, Mixer Type KR 120 S/M14	
<b>Accessories:</b>	
Extension 200 mm	#68353



Mixer Power X 1600

1.600 Watt 2-speed-transmission with adjustable Speed.	#84169
<ul style="list-style-type: none"><li>Robust 2-speed gear unit</li><li>1600 W 2-speed transmission with 3 steps</li><li>Ergonomic handle on drive unit</li><li>Solid-shaft electronics: Soft-start, temperature control, overload protection</li><li>For mixing fluid and viscous mortar (e.g. levelling compounds)</li><li>Perfect for mixing big containers up to 75 kg (in combination with WOLFF stirring station 75l)</li><li>Combined mixer for floor layers</li><li>M14 thread</li></ul>	
<b>Technical specifications:</b>	
230V/115 V, 1.600 W, idle speed, 1. gear: 100/325/530 rpm, idle speed 2. gear 320/490/780 rpm, M14 thread, max. diameter for mixer: 160 mm, weight ca. 5 kg	
<b>Includes:</b>	
Power X 1600, mixer Type KR 140 S/M14	
<b>Accessories:</b>	
Extension 200 mm	#68353



Extension

200 mm	#68353
--------	--------




Stirrer, MK type

Rugged professional stirrer with long service life. 3 mixing wings for fast mixing. Great mixing from bottom to top. Machine pod with M14 thread.	
Stirrer Typ MK 120 mm	#13604
Stirrer Typ MK 160 mm	#13611



Stirrer, KR type

Easy to clean. Suitable for very viscous adhesives or seals and gypsiferous or bituminous materials. Ideal for compounds. Prevents clotting.	
Stirrer, type KE 90S	#13605
Stirrer, type KE 120S	#13606
Stirrer, type KE 120S (M14 thread)	#17057
Stirrer, type KR - 140	#39364



30 l transportation caddy including

To mix up to 30 kg of powder products.	#65846
<ul style="list-style-type: none"><li>2-stop tip system for perfect balance</li><li>suitable for all common 30 l buckets</li></ul>	
<b>Includes:</b>	
Transportation caddy base frame, 30 l mixing bucket	
<b>Accessories:</b>	
Transportation caddy base frame	#65848
30 l mixing bucket	#65847
Pouring spouts	#15829



Stirring station, 75 l, complete

Complete stirring station to mix up to 75 kg of powder products	#65480
<ul style="list-style-type: none"><li>2-stop tip system for perfect balance</li><li>perfectly matched tools</li><li>suitable for all types of stirring machine thanks to special mounting</li></ul>	
<b>Includes:</b>	
Base frame, mixing bucket 75 l, mounting, stirrer for stirring station, hose holder	
<b>Accessories:</b>	
75 l stirring station base frame	#65481
75 l stirring station mounting	#65491
75 l stirring station stirrer	#65492
75 l stirring station mixing bucket	#65493
75 l stirring station hose holder	#65494



Stirrer for 75 l stirring station

Large double-wing stirrer to mix up to 75 kg of powder products	#65492
---	--------



Mixing bucket 110 l

New enlarged mixing bucket with a capacity of 110 litres.	
For mixing light screeds	#83248
<b>Accessories:</b>	
Mixer Type MK 160 mm	#13611



OneMix

The OneMix is suitable for mixing parquet adhesive, epoxy resin primer and epoxy resin mortar. The stirring discs (attachments) are intended for one-time stirring. Only the rod is cleaned after mixing, the stirring attachments can be thrown away.	
OneMix stirring rod	#87946
OneMix stirring attachments (10 pcs.)	#87947





Ripper

Dust-reducing opening aid for levelling compound.  
To clip on the 30l WOLFF mixing bucket.

#84094



Swiss trowel

500 mm

#56204



Adhesive trowel

With a 280 mm insert

#56205



Smoothing trowel

280 x 135 mm

#56203




Grinding stone

To grind compounds and screed.

Abrasive stone Dimensions: 20 x 10 x 3,5, with Handle

#13493



HM grinding stone

For rough grinding or to remove residues. Contains hard metal splinter for aggressive use.  
Angled work surface for grinding along walls.

HM grinding stone, grit 24

#15718



# FLOW-FIX-SET



#84137 **Flow-Fix-Set**

Tap for quick and ergonomic deployment of the levelling compound on the floor

- can be mounted on the mixing bucket with the drill provided
- in combination with the WOLFF Caddy, the levelling compound in the mixing bucket can be emptied easily and precisely to the ground
- ideal for WOLFF mixing bucket 30 l (# 65847)

Includes:

Flow-Fix, hand drill

# WATER DOSING DEVICE



Illustration shows water dosing unit with stand (available as accessory).

#84917 **Water dosing device**

Simple and quick dosing of a previously defined amount of water when mixing screeds / levelling compounds. Ideal for mixing large quantities.

Includes:

Water dosing device, Transportation case, two water connections (compatible with the Gardena-connection), 230 V/115 V power supply

Technical data:

Unit: Litre, measuring range: 0,05–9999,99 Litres, power supply: AC/DC Adapt 100–240 Volt, 50/60 Hz Power supply, water pressure: min. 0,2 – max. 4 bar, Water connection: brass tap piece ½" 21 mm (compatible with Gardena connector system)

Accessories:

Tripod	#84920
Hose set	#85963



Tripod



Hose set

Adhesive interchangeable spatula, 28 cm with handle

- to apply adhesive while standing
- special hinge imitates movement of the hand
- easy to clean thanks to special design

Includes:

Universal telescopic handle, adhesive interchangeable spatula, handle bracket

Accessories:

Replacement smoothing compound rake

Universal telescopic handle

Handle bracket

#65495

#65496

#65497

#67983



Smoothing compound rake, 56 cm with handle

- to apply smoothing compounds while standing
- special hinge imitates movement of the hand
- easy to clean thanks to special design

Includes:

Universal telescopic handle, smoothing compound rake, handle bracket

Accessories:

Replacement smoothing compound rake

Universal telescopic handle

Handle bracket

#65501

#65502

#65497

#67983



Large area rake, 60 cm with handle

- to apply smoothing compounds while standing
- adjustable pins for height adjustment
- special hinge imitates movement of the hand

Includes:

Universal telescopic handle, large area rake, handle bracket

Accessories:

Replacement large area rake

Universal telescopic handle

Replacement pins for large area rake, 1 pair

Handle bracket

#65503

#65504

#65497

#65505

#67983



Universal telescopic handle

- to work ergonomically while standing
- suitable for various attachments
- can also be used with spike rollers with special adapter
- adjustable length from 97 cm up to 170 cm

Includes:

Universal telescopic handle, large area rake, handle bracket

Accessories:

Adapter for spike rollers

#65497

#65499



Roller bracket for telescopic handle

Allows the use of ink rollers with universal telescopic handle.

Roller bracket for telescopic handle

#87948



Handle holder for rake

Allows use of the telescopic handle (#65497) for rake, pin rake and pin leveller (see picture above).

Handle holder for rake

#87949



#52298



#13658



#79742



handle holder  
for rake



Spike rollers

For ventilating compounds and coatings.

Splash guard included.

Working width:	25 cm	50 cm	75 cm
Pin length, 11 mm	#13879	#13762	#14270
Pin length, 21 mm	#14272	#14021	#14271
Pin length, 31 mm	#13637	#13636	#13638
Pin length, 100 mm	–	#88320	–

Accessories:

Universal telescopic handle (shown on page 57)	#65497
Adapter for universal telescopic handle (shown on page 57)	#65499



Rake

To apply smoothing compounds. Mount for wooden handle to work while standing.

Working width, 56 cm. Rake insert with R2 profile included. Adhesive profiles, 56 cm, 10 pcs.	#52298
R1 profile	#13397
R2 profile	#13396
R3 profile	#51546



Pin rake

To apply smoothing and levelling compounds and coatings. Allows working in an upgrade position. Width 600 mm, with 4 pins and stainless steel blade for level adjustment to any application depth between 0 and 10 mm. Includes stick holder, without stick.

Pin rake	#79742
----------	--------



Pin leveller

With mounting sleeve for handle or telescopic pole, angular steel mounting piece with exchangeable steel blade, 100 mm high, 0.6 mm thick, 2 adjustable pins for level adjustment to any application depth between 6 and 30 mm. Working width 800 mm

Pin leveller	#13658
Steel blade	#13659
Spare pins, 2 pcs.	#13660



Universal holder

Holder (left picture) made of powder-coated square steel tube, aluminium socket for telescopic handle or handle made of wood or metal, metal fixing strip with 5 wing screws. Suitable for rake blades and rubber strips. (shown on page 59)

Universal holder	#87890
------------------	--------



Rubber strips for universal holder (shown on page 58)

Rubber strips made of light rubber in Shore A 60, smooth or serrated.

Dimensions (LxH) 650x55 mm.

Rubber strips – serration 0 mm (smooth)	#87895
Rubber strips – serration 2 mm	#87896
Rubber strips – serration 3 mm	#87897
Rubber strips – serration 4 mm	#87898
Rubber strips – serration 5 mm	#87899
Rubber strips – serration 8 mm	#87901
Rubber strips – serration 14 mm	#87902



Nylon roller, 250 mm

For applying floor adhesives, bituminous coatings, polyester coatings, two-component varnishes and acidproof coatings. Extremely rugged and solvent resistant. **Without roller handle.**

Nylon roller	#13763
Roller handle	#15551



Super fine foam roller, 250 mm

For applying varnishes and coatings; suitable for synthetic enamels, acrylates, primers and prevarnishes. CFC-free polyester foam. **Without roller handle.**

Super fine foam roller	#15552
Roller handle	#15551



Roller container

For storing used application rollers.

Effectively prevents the roller drying out.

Roller container	#41789
------------------	--------



Ergostar spatula - the No. 1!

- ergonomic, resilient grip
- no rivets used to fix the grip channel, allowing for easier cleaning

Ergostar spatula, 21 cm	#41784
Ergostar spatula, 28 cm	#41787



Interchangeable spatula

For use with WOLFF adhesive profiles.

Interchangeable spatula, 21 cm	#13378
Interchangeable spatula, 28 cm	#13381



Adhesive spatula

Working width:	18 cm	25 cm
Adhesive spatula, A1 profile	#13761	#15569
Adhesive spatula, A2 profile	#13876	#13886
Adhesive spatula, B1 profile	#13877	#13841
Adhesive spatula, B2 profile	#15566	#15570
Adhesive spatula, B3 profile	#15567	#15571
Adhesive spatula, B11 profile	#38622	#39923
Adhesive spatula, w/o profile	#15568	#15572



Solid board notched trowel

Special notched trowel with B11 notches and 2 raised notches	#65656
--	--------



Height levelling spatula

Made of 0.7 mm thick, 115 mm wide, hardened and highly polished stainless spring band steel and 40 mm high wooden handle. The height stop edge, fixed with 2 lock screws and wing nuts, is infinitely adjustable from 2 to 15 mm.

Height levelling spatula stainless steel 280 mm	#87889
---	--------



Sample collection

For WOLFF adhesive profiles in accordance with TKB	#51771
--	--------



Plasterer spatula

Made of polished stainless steel. Spotted stainless steel tang.

Handle: ergonomically shaped 2-component plastic.

Plasterer spatula - width 80 mm	#87879
Plasterer spatula - width 100 mm	#87880



Coating spatula serrated

With hardened and finely flexibly ground and polished steel blade (toothed with TKB tooth form B1).

The waxed wooden handle (beech) is riveted throughout. Tooth form shown on page 59.

Coating spatula serrated – width 60 mm	#87881
Coating spatula serrated – width 80 mm	#87882



Floor spatula

Made of 0.6 mm thick, hardened and polished steel with an oblique wooden handle. Width: 530 mm

Floor spatula 530 mm	#87884
----------------------	--------



Rapid spatula, stainless steel

Made of 0.3 mm thick, hardened and stainless spring steel strip. Slightly curved at the working edge,

100 mm visible blade height. With adjustable blade and 35 mm wide waxed wooden handle.

Rapid spatula (stainless steel) 200 mm	#87877
Rapid spatula (stainless steel) 270 mm	#87878





PROFILES SELECTOR

WOLFF adhesive profiles, double sided, in accordance with the TKB „Technical Commission on Construction Adhesives“ (10 pcs., delivered in a plastic box)								
Image in original size	TKB					Width 21 cm	Width 28 cm	Width 56 cm
	A1	0,50	1,50	1,10	55°	#13367	#13382	–
	A2	1,30	1,70	1,40	55°	#13373	#13388	–
	A3	0,40	1,60	1,50	45°	#13374	#13389	–
	A4	0,40	1,10	0,75	55°	#13375	#13390	–
	A5	1,45	1,35	1,00	55°	#13376	#13391	–
	B1	2,60	2,40	2,00	55°	#13370	#13385	–
	B2	2,00	3,00	2,55	55°	#13371	#13386	–
	B3	3,30	3,70	3,25	55°	#13372	#13387	–
	B9	9,90	6,10	5,00	60°	–	#33754	–
	B11	7,90	6,10	5,00	60°	#13380	#13399	–
	R1	1,50	4,00	3,00	–	#13400	#13402	#13397
	R2	2,00	4,00	5,00	–	#13401	#13403	#13396
	R3	2,40	5,00	6,00	–	–	–	#51546
	S2	0,10	4,20	3,35	60°	#13404	#13410	–
	S3	0,10	2,50	1,75	65°	#13409	#13413	–
	S4	0,10	10,30	5,05	90°	#13379	#13398	–

Levelpin

Self-adhesive height-measurement markers for levelling compounds and screeds. 10 x 10 pcs.

#80040



Nail shoes

For walking on coated or filled substrates and surfaces

Nail shoes

#51549

Includes:

Nail shoes, set of spare nails, 2 spare straps #53091



Nail shoes Spiky

For walking on coated or filled substrates and surfaces

Nail shoes Spiky size M, for size 42 (8) and smaller

#80454

Nail shoes Spiky size L, for size 42 (8) – 44 (10)

#80455

Nail shoes Spiky size XL, for size 44 (10) – 48 (15)

#80456

Spare nails Spiky (packaging unit 32 pieces)

#80457

Spare nails round (packaging unit 32 pieces)

#83464



Copper band

For applying conductive flooring. To discharge electrostatic charge.

Roll 50 m

#13594

Rolle 200 m

#13595

Roll 2 x 25 m, Self-adhesive roll

#54874



Corrugated links

To fix down flexible joints and repair cracks in the subfloor. For friction-based sealing of expansion joints, e.g. with UZIN KR-516. 70 mm long, 2 mm wide.

Corrugated link, 1,000 pcs.

#13932

Corrugated link, 1,000 pcs.

#13878





# MEASURING INSTRUMENTS



## MEASURING DEVICES I TEST KIT

### HYGROMETER UNIVERSAL V1-D4 PROFESSIONAL



#71053 **Hygrometer Universal  
V1-D4 Professional**

- designed for moisture measurement of subfloors
- non-invasive moisture test method with high measuring accuracy
- easy to use
- real-time display of measurements on easy to read display
- suitable for preliminary checks to determine the dryness of materials for CM and RH measurements
- RF-Measurement possible by additional air sensor

**Constraints:**

Moisture Meter VI-D4 does not detect concrete humidity through electricity conducting materials like metal coverings/ linings, PE-rubber or any wet surfaces. It should not be used to measure concrete humidity on covered surfaces.

**Technical specifications:**

Dimensions:147 x 89 x 33 mm, power supply: battery supply, 2 x AA 1.5 Volt, display: black-white with background lighting, resolution 128 x 64 pixel, operating temperature range from 5°C to 40°C, accuracy: ± 0.5 %, available scales: concrete, carbide method, relative scale and 15.3 Scale, IR surface temperature sensor

**Includes:**

Measuring instrument V1-D4 Professional, batteries, case, operating instructions

#83113 **Hygrometer Universal  
V1-D4 Basic**

- basic version of the Hygrometer V1-D4
- for technical details see selector on page 68

**Constraints:**

see V1-D4 Professional

**Technical specifications:**

Dimensions:147 x 89 x 33 mm, power supply: battery supply, 2 x AA 1.5 Volt, display: black-white with background lighting, resolution 128 x 64 pixel, operating temperature range from 5°C to 40°C, accuracy: ± 0.5 %, available scales: concrete, carbide method, relative scale, 15,3 scale. Without IR surface temperature sensor.

**Includes:**

Hygrometer V1-D4 Basic, batteries, case, operating instruction

### HYGROMETER UNIVERSAL V1-D4 BASIC





ACCESSORIES HYGROMETER UNIVERSAL V1-D4 PROFESSIONAL

Brush electrodes set BE-03

for measuring screed moisture over 2 holes

#73618



Flat electrodes set FE-04

can be introduced to edge insulation strips, for detecting moisture under the floating screed

#73619



Pinhead measuring electrode PP-05

for the moisture measurement of wood

#73772



Air sensor with cable CS-06

for the determination of temperature, humidity and dew point

#73773



Air sensor with cable CS-10

For the determination of temperature, humidity and dew point. Remains in the borehole. Is delivered with #73775

#83665



Sealable sleeve for air sensor

locking device for the borehole to measure the relative humidity in concrete (RFT/KRL method) unit 20 pcs.

#73775



Resistor measured sample (Set) CE-07

for measuring resistance and measuring conductivity

#73774



Thermohygrometer LVT 15 Professional

- can be used for measurements of the air temperature, the surface temperature and the relative humidity (RH)
- calculates the dew point
- also features a connection for the thermocouple (type K) for additional measurement of the surface temperature
- visual and acoustic alarm when temperature changes between the surface temperature and material temperature occur
- Technical details see selector on page 69

Technical specifications:

Power supply: battery supply, 2 x AA 1.5 Volt, current consumption: 34 mA, dimensions: 146 x 79 x 26 mm (H×W×D), display: monochrome with background lighting, resolution 128 x 64 pixel, operating temperature range from 5°C – 40°C, < 80% of relative humidity without condensation

Includes:

Measuring instrument LVT 15, batteries, case, operating instructions, surface probe OF-02

Accessories:

Submersible probe TF-01

#71055



Thermohygrometer LVT 15 IR

- Measurement of air temperature and relative humidity
- Calculation of the dew point
- Surface temperature measurement without additional sensor
- due to the built-in infrared sensor
- Visual and audible alarm at temperature differences
- For technical details see Selector p. 69

Technical specifications:

Power supply: battery supply, 2 x AA 1.5 Volt, current consumption: 34 mA, dimensions: 146 x 79 x 26 mm (H×W×D) display: monochrome with background lighting, resolution 128 x 64 pixel operating, temperature range from 5°C – 40°C, < 80% of relative humidity without condensation, with built-in infrared sensor.

Includes:

Thermohygrometer LVT 15 IR, batteries, case, operating instruction

#83115



Moisture meter GM-200

- for measuring moisture of concrete, gypsum, cement
- moisture measurement of wood
- non-invasive moisture measurement
- compact and ergonomic design with non-slip rubber grip
- quick and convenient measurement due to adjustable display orientation
- custom alarm limit, with acoustic signal

Technical specifications:

Dimensions: 142 x 79 x 24 mm, power supply: battery supply, 2 x AA 1.5 Volt, display: monochrome, with 128x63 pixel resolution and background lighting, display orientation, operating temperature from 5°C to 40°C, 9 measuring scales

Includes:

Measuring instrument GM-200, batteries, case, operating instructions

#71054



HYGROMETER-SELECTOR



#83113



#71053

MEASURING RANGE

	V1-D4 BASIC	V1-D4 PROFESSIONAL
Concrete, mass, weight %	0 – 6,0 Gew.-%	0 – 6,0 Gew.-%
Cement CM %	0 – 4 CM-%	0 – 4 CM-%
Cement weight in %	0 – 6 Gew.-%	0 – 6 Gew.-%
Anhydrite CM %	0 – 1,9 CM-%	0 – 1,9 CM-%
Anhydrite weight in %	0 – 6 Gew.-%	0 – 6 Gew.-%
Relative scale	0 – 100 %	0 – 100 %
IR surface temperature sensor	–	-30 – +250 °C
15.3 scale/digits	0,3 – 15,3	0,3 – 15,3

MEASURING SCALES

Concrete mass weight %	●	●
Cement CM %	●	●
Cement weight in %	●	●
Anhydrite CM %	●	●
Anhydrite weight in %	●	●
Relative scale	●	●
15,3 scale/digits	●	●
IR temperature sensor	–	●
Wood moisture by wood type	–	●
Resistance measurement Ohm scale	–	●

CONNECTIONS

3.5 mm jack connection	–	●
Mini USB port connection	–	●

EQUIPMENT

#73618 Brush electrode set BE-03	–	●
#73619 Flat electrode set FE-04	–	●
#73772 Impact electrode PP-05	–	●
#73773 Climate sensor CS-06 with cable	–	●
#83665 Climate sensor CS-10 with cable	–	●
#73775 Hose for climate sensor	–	●
#73774 Set for resistance measurement	–	●

Includes

Measuring device V1-D4	●	●
Battery pack	●	●
Suitcase	●	●
Instruction manual	●	●

THERMOHYGROMETER SELECTOR



#83115



#71055

MEASURING RANGE

	LVT 15 IR	LVT 15 PROFESSIONAL
Air temperature	-10 – +50 °C	-10 – +50 °C
Humidity	5 – 99 %	5 – 99 %
Dew point	-30 – +100 °C	-30 – +100 °C
IR surface temperature sensor	-30 – +250 °C	–
Surface probe OF-02	–	●
Submersible probe TF-01	–	OPTIONAL

ACCESSORIES

#71056 Submersible probe TF-01	–	●
--------------------------------	---	---

Includes

Measuring instrument LVT 15	●	●
Surface probe OF-02 (#71057)	–	●
Batteries	●	●
Case	●	●
Operating instruction	●	●



Substrate test kit

Contains all the equipment needed to test substrates and carry out all moisture tests in preparation for CCM measurement.	#79320
<b>1. Thermohygrometer LVT15 IR (see page 67)</b>	
The LVT 15 can be used for measurements of the air temperature, the surface temperature and the relative humidity (RH) as well as to calculate the dew point.	
<b>2. Screed moisture indicator GM-200 (see on page 67)</b>	
For measurement of moisture content of screed, gypsum, cement, EPS and wood.	
<b>3. Scratcher</b>	
Set consists of scratcher, scratch template and protective bag.	
<b>4. Measuring wedge</b>	
To measure the lowest point between 2 support points of the straightedge. Measuring wedge can be read from above.	
<b>5. Practical accessories</b>	
Hammer and wire brush.	
<b>Includes:</b>	
Systainer, thermohygrometer LVT 15 IR, screed moisture indicator GM-200, scratcher, hammer, measuring wedge, wire brush.	



Measuring wedge

To measure the lowest point between 2 support points of the straightedge. Measuring wedge can be read from above	#13628
---	--------



Subfloor strength tester

Using the scratch method, parallel lines are scratched into the floor at an angle of #13803 40-60°. The scratched grid and the torn-out parts of the floor are used to assess the strength of the floor	#13803
<b>Includes:</b>	
Tester, scratch template, protective bag	



CCM device classic

Complete set with all instruments required to measure the moisture content. Comes with metal carrying case	#13486
<b>Includes:</b>	
Lump hammer 1000 g, hammer, flat chisel, sampling spoon short, cleaning brush, mechanical sample scale up to 100 g, ball set with 4 steel balls, grinding bowl, 2 sample cups with lid, set of sundries with seals, calibration ampoules, set of 25 carbide ampoules, calibrated standard pressure bottle with surface thermometer, weighing bar for precision spring scales, mechanical manometer up to 2,5bar, stopwatch, metal case	



CCM Set ECO

CCM Set ECO	#65431
<b>Includes:</b>	
Lump hammer 1000 g, flat chisel, sampling spoon short, cleaning brush, digital sample scale up to 200 g, ball set with 4 steel balls, grinding bowl, 2 sample cups with lid, set of sundries with seals, calibration ampoules, set of 25 carbide ampoules, calibrated standard pressure bottle with surface thermometer, weighing bar for precision spring scales, ECO manometer up to 1,6bar with lid, metal case	

CCM Set Alu Business Pro

Complete set in blue aluminium case, including log printer	#84546
<b>Includes:</b>	
Lump hammer 1000 g, hammer, flat chisel, sampling spoon short, cleaning brush, digital sample scale up to 200 g, ball set with 4 steel balls, grinding bowl, 2 sample cups with lid, set of sundries with seals, calibration ampoules, set of 25 carbide ampoules, calibrated standard pressure bottle with surface thermometer, digital manometer up to 3bar, log printer, aluminium case	

Accessories for all CCM-instruments:

Carbide phials 25 pcs.	#74554	Seal rings (3 small + 3 large rings)	#15872
Carbide phials 100 pcs.	#13662	Ball set, 4 pcs.	#14019
CM pressure gauge	#15874	Smashing bowl	#18372
Digital CM pressure gauge	#15876	Digital scale	#16256
Test phials, 10 pcs.	#14020	Spring scale	#15873



PressoMess shear strength measuring instrument

Special measuring instrument for assessors and reviewers from the flooring industry	#16273
To measure the shear strength of substrates, such as screed, compounds and wooden material.	
<ul style="list-style-type: none"><li>shear strength is measured with a hydraulic sensor</li><li>shear strength can be read off the display</li><li>tested by the Materials Testing Institute at the University of Stuttgart</li><li>(MPA Stuttgart, Otto Graf Institute (FMPA))</li><li>max. test load 5 kN</li></ul>	
<b>Includes:</b>	
PressoMess, distance template, hand-held spatula, mixed adhesive, 20 pairs of wooden blocks, carrying case	
<b>Accessories:</b>	
Supporting blocks, 100 pcs.	#13922
Test blocks, 100 pcs.	#13923
Mixed adhesive	#13926



# HMBOX

## Moisture Measurement 4.0

- High cost savings
- Permanent measurement
- Less time on the construction site
- Non-destructive, clean and simple
- Digital measurement method and exact results
- Mobile data availability via browser and app
- Monitoring & fast response for many users



# PAINT-CHECKER

# LASER-DISTANCEANALYSER PT 400



### #85860 hmbox

The hmbox is easy to handle and determines the humidity of different building materials, such as screeds, without damaging the subfloor.

The moisture can be determined in a user-friendly and non-destructive way by applying it once to the substrate.

With the hmbox numerous data is collected and transmitted via GSM to a central server and stored there.

The aluminium ring of the hmbox is fixed with fix glue to the floor. In the cavity of the alu-ring the sensors are measuring the corresponding relative humidity and the temperature of the material.

Sensors in the housing are measuring the temperature and relative humidity of the room.

Regardless of the composition of the subsoil the hmbox determines the right time for the installation of floor covering.

#### Includes:

hmbox, 1 x HM fix glue, 1 x cutter knife, 1 x can for quick test, carrying case, 1x screwdrivers, instruction manual

- for the purposes of the customer, an accurate and non-destructive measuring method allows to determine the humidity of different materials.
- the data and test results are transmitted digitally and can be read using a web browser or viewed with an APP by different users (owner, architect, construction manager, etc.)

#### Accessories:

HM fix glue

#85861

### #84761 Paint-Checker

Device to analyse colours in a previously defined colour range. The results of the Analysis is based on two systems: Two colours, closest to the chosen colour range, as well as the percent of the RGB-colour range, the colour consists of

#### Following colour-range for the colour measurement:

- RAL Effect, RAL Design & RAL Classic
- Pantone
- NCS
- PPG Chromatic
- PPG Voice of Colours
- Caparol 3D System
- SIKKENS 5051

#### Includes:

Paint-Checker, batteries, plastic case, instruction manual

### #84428 Laser-Distance-Analyzer PT 400

- suitable for measuring distances, surfaces, as well as volume and Pythagoras calculations
- single and permanent measurements
- measuring range: 0.05 - 40 m (Measuring distance up to 40 m)
- small and compact

#### Includes:

Laser-Distance- Analyser, battery, carrying bag, hand loop, manual




# APPLYING FLOORS


## LINOCUT

The original!

- Simple, ergonomic handling
- Includes 2 stop plates for more application possibilities
- With depth stop



Stop for edge cutting #13449



Counter stop for Linocut #60676



### #40262 Seam cutter Linocut

Improvement on a classic tool. Perfect seams for all resilient and needle punch floor coverings. Different base plates for a range of applications!

- patented technology
- excellent design
- straight cut without straight edge
- ergonomic handle for easy use
- cuts from wall to wall
- two blades to cut in both directions
- cuts the top edge and uses the bottom edge as guide
- can be used on material placed into wet adhesive
- extremely safe
- seam width and depth can be easily adjusted

### Includes:

Linocut, standard base metal sheet 2 mm guide, base for needle punch carpet 4 mm guide, 10 spare blades (2 already mounted)

### Accessories:

Spare blades, 10 pcs.	#13429
<b>Base plates for additional applications:</b>	
Standard base 2 mm guide	#13430
Carpet base 8 mm guide	#13432
Needle punch base 4 mm guide	#13431
Base plate for removing factory-cut edges	#13449
<b>The edge cutting width can be adjusted from 1.5 - 6 cm in three steps.</b>	
<b>Suitable for all versions of the Linocut.</b>	
Base plate for reverse cutting	#60676
To use the Linocut as a reverse cutter for scribing resilient floor coverings up to PVC skirting. Suitable for all versions of the Linocut.	

LINOLEUM | VINYL | RUBBER | TEXTILE  
FLOORS | MILLING | WELDING



# GREENCUT

Practical multi-purpose device

- Incl. 2 bases for more application possibilities
- With depth stop
- Suitable for right and left-handed users



#63998

Greencut




- for cutting seams
- for neat trimming of factory-cut edges
- incl. 2 bases for needle punch and resilient floor coverings
- all-metal construction
- suitable for right and left-handed users


**Includes:**

Greencut seam and edge cutter, 4 mm guide, 2 mm guide, 3 feeders (5 mm, 10 mm, 15 mm), spacer, 10 hooked blades, 10 straight blades

stops and inserts

**Accessoires**


Straight blades (100 pcs.)		#13419
Hooked blades (100 pcs.)		#13421
Super hook blade		#13422



# RAILCUT

Seam cut in perfection

- For perfect seam cutting
- Height-adjustable blade
- Practical and ergonomic



#69864

RAILCUT

WOLFF Railcut for perfect seam cutting. The seam cut is made using a rail at the ideal angle of 90° to the floor covering.

- allows making a perfect seam with resilient floor coverings for example, rubber and vinyl as well as soft textile coverings
- also usable as strip cutter
- height-adjustable blade (0 – 15 mm)
- practical and ergonomic shape for comfort
- 1.40 m anti-slip rail
- rail can be extended
- suitable for right and left handed users

**Includes:**

Railcut, 1.40 m anti-slip rail, 10 straight blades

**Accessories:**

Spare rail with connector (1.40 m)	#69877
Straight blades (100 pcs.)	#13419



# DESIGN COLLECTION

The complete set for installing design floors.

- The best tools for installing design floors
- Proven thousands of times
- In useful Tanos carrying case
- Now including Pica-dry marker!



#74843   **Design Collection**

The complete set for installing design floors. Comes with practical Tanos carrying case for an easy and safe transportation.

- perfect seams
- chamfering the backside of the flooring
- duo pressure roller to press the seam
- easy and safe transportation in Tanos carrying case

**Includes:**

Linocut seam cutter, FasTrimmer for chamfering the floor backing, Duo pressure roller, Pica-Dry marker, mitrebox shears for design floor, Tanos carrying case

**Accessories:**

Tanos carrying case   #74844


**Strip cutter**

For cutting strips, e.g. PVC skirting, stairs, borders and factory- cut edges.


For 0 - 8 cm strips	#13350
For 3 - 20 cm strips	#13351
For 6 - 30 cm strips	#13352

**Accessories:**


Spare blades, 5 pairs	#13353
Web, 5 pcs.	#13947
Conversion kit, to use hooked blade	#13354
Hooked blades, 100 pcs.	#13421



Arrangement of blades for simultaneous scribing and cutting of coatings



Conversion kit for use of hook blades



**Electric strip cutter for linoleum and PVC**

LS 35 (35 cm cutting width)	#15661
LS 65 (65 cm cutting width)	#16148

Ideal for cutting heavy or thick material.

For cutting PVC skirting, stairs, borders and factory- cut edges.

**Technical specifications:**

1.01 kW, 10,000 rpm, HM saw blade, max. strip width 35 cm / 65 cm, max. material thickness 6 mm

**Includes:**

LS 35/LS 65, tool kit, protective goggles, hearing protection, dust bag

**Accessories:**

Saw blade	#15662
-----------	--------



Linoleum edge cutter

For trimming the factory-cut edge to remove stress along seams #15605 or transportation damage	#15605
<b>Includes:</b>	
Linoleum edge cutter, 2 blades	
<b>Accessories:</b>	
Spare blades, 5 pcs.	#13358



Circular cutter

WOLFF circular cutter and scribe for resilient, textile, laminate and solid wood flooring	#15626
For precise cutting or scribing of circles and circle segments with a diameter of up to 260 cm - over 28 m with extension rails.	
<ul style="list-style-type: none"><li>• precise, reproducible circles</li><li>• fixed with suction cups</li><li>• quick radius adjustment</li><li>• scribing or cutting</li><li>• exact depth adjustment of the blade</li><li>• with knurled screw</li><li>• smallest radius 160 mm</li></ul>	
<b>Includes:</b>	
Professional circular cutter, Plexiglass disc with adhesive strips, extension rails up to 130 cm radius, pencil, spare blades, carrying case	
<b>Accessories:</b>	
Spare blades, 6 pcs.	#15625
Extension rails up to 4.86 m radius	#15629
Adapter for corner and wall radius. To create a circle segment centred on a wall corner or a point along a wall	#15631
Joint groover for circular cutter	#15628
Spare blade	#13427



Hole cutter


For drilling holes for heating pipes, line pipes and stair railings when laying design coverings, PVC linoleum, laminate and parquet. Now also available with drill attachment of 16–30,5 mm	
Hole cutter - diameter 8–20 mm	#15807
Hole cutter - diameter 16–30,5 mm	#87831



MULTISPIDER

Precise adjustment of door frames, heating pipes, curves, etc.

- For all corner cut-outs, also diagonal.
- Precise adjustment of door frames, heating pipes, curves, etc.
- Suitable for laying designer floors, parquet, laminate and tiles.



#87919 Multispider


<b>Includes:</b>
1 x base plate 450 mm, 2 x Tastarm 250 mm, 2 x Tastarm 350 mm, 4 x clamping slides, 4 x push-button pointed/pointed

<b>Accessories:</b>	
Base support 450 mm	#87920
Base support 200 mm	#87921
clamping slide	#87922
Base link	#87923
measuring arm 250 mm	#87924
measuring arm 350 mm	#87925
measuring arm 550 mm	#87926
probe pointed/pointed	#87927
probe round/round	#87930
probe pointed outside	#87931
probe pointed inside	#87932





# DESIGN CUTTER WO 330



# DESIGN CUTTER WO 630



#72661 **Design Cutter WO 330**

- fast and precise
- quiet and dust-free
- portable and light weight

**Technical specifications:**

Blade width 330 mm, max. material thickness 16 mm,  
max. object width 320 mm, assembled size 650 x 460 x 500 mm, weight 9.34 kg

**Accessories:**

Spare blade for WO 330

#72752

#72663 **Design Cutter WO 630**

- fast and accurate
- quiet and dust-free
- portable

**Technical specifications:**

Blade width 630 mm, max. material thickness 16 mm,  
max. object width 630 mm, assembled size  
520 x 740 x 520 mm, weight 18.8 kg

**Accessories**

Spare blade for WO 630

#72776

# PRESSURE ROLLERS FOR FLOORING



**Pressure rollers for flooring**

#56401 Pressure roller 30 kg

#56402 Pressure roller 50 kg

#56403 Pressure roller 68 kg

**Includes:**

Pressure roller, handle

**Accessories:**

Wheels for transportation

#56404

With carrying handles for more convenient transportation.

- each roller consists of 4 rollers that adjust perfectly to the floor
- the extremely narrow spaces between the rollers to avoid blistering

Pressure roller for floor coverings

- Ideal for rolling all types of floor coverings within small to medium-sized areas.
- The rollers adapt to uneven floors.
- The surface pressure can be changed by the user
- Can be used for right and left handed users.

size: 1,35 x 0,47 x 0,15 m; weight: 5,2 kg

Pressure roller for floor coverings

#15834



Rubbing device

- lightweight, handy tool for grinding floor coverings, especially for stairs and edges
- Rounded edges: no scratches of wall and floor coverings
- Suitable for edges with 45° und 90°

Rubbing device

#83734



Duo pressure roller

For rolling the seam of resilient and textile floor coverings into the adhesive.

Duo pressure roller

#73709



Glide with removable felt coat and handle

Lightweight glide for convenient operation while standing.

Ideal for textile and resilient floor coverings. 40 cm width, zinc plated.

Anreiber mit abnehmbarem Filzbezug inkl. Stiel

#62694

**Includes:**

Glide with handle, felt coat

**Accessories:**

Felt coat for glide

#61201



Rubbing hammer

Forged in a single piece

Rubbing hammer

#13619



Cork rubbing board

30 x 12 x 2,5 cm

#60505



FasTrimmer

To create a chamfered edge of 25° to the surfaces of LVTs and design floor coverings after they have been cut. Comes with a base for fast chamfering on the surface and backing of design floor coverings

#15621

**Includes:**

FasTrimmer, base, carrying bag, 6 spare blades

**Accessories:**

Base for chamfering the floor backing of PVC tiles and design floors as well as removing rough edges

#15622

Spare blades, 6 pcs.

#80578



FasTrimmer

Comes with a base for chamfering floor backings and cleaning rough edges.

#15623

**Includes:**

FasTrimmer, base for chamfering floor backing, carrying bag, 6 spare blades

**Accessories:**

Spare blades, 6 pcs.

#80578



Combi scribe

For scribing and cutting resilient floor coverings.

Can be used as scribe and reverse scribe.

#13357

**Includes:**

Combi scribe, 2 scribe needles for linoleum and 2 pointed blades for PVC and rubber (in the handle)


**Accessories:**

Scribe needles, 20 pcs.

#13356

Spare blades, 5 pcs.

#13358



Seam scribe

For scribing resilient floor coverings. Adjustable scribe needle

#13355

**Accessories:**

Scribe needles, 20 pcs.

#13356



Stair scribe

For scribing stair flooring

#15620

**Accessories:**

Scribe needles, 20 pcs.

#13356



Wall scribe

For scribing resilient floor coverings to the wall. The distance from wall can be set from 2 cm to 35 cm

#16145

**Accessories:**

Scribe needles, 20 pcs.

#13834






# FRÄSMASTER

Joint grooving machine Fräsmaster The No. 1!

- Automatic depth control
- Electronic speed control
- Can be used on very uneven substrates



Example of automatic depth control



#13305 - 230V

#15711 - 115V (UK)

#50159 - 115V (US)

Grooving Machine Fräsmaster

- automatic depth control to ensure full grooving of joints even on uneven substrates
- comes with adjustable guiding wheel, e.g. for grooving studded rubber floors
- faster and more powerful thanks to improved power transmission

Technical specifications:

230V/115 V, 1.500 W, 6.000 - 10.000 rpm, soft start, semicircular HM grooving disc 3,3 mm, 12 teeth, diameter 130 mm

Includes:

Fräsmaster, HM grooving disc 3.3 mm, tool kit, dust bag, protective goggles, hearing protection, Systainer box

- improved extraction for low dust emission
- hand guard when machine is raised to prevent accidents
- easily changeable grooving discs
- simple setting of grooving depth up to 5 mm
- 3 wheels for stability
- floor surface will not be damaged as the grooving disc recesses automatically when the handle is lifted
- integrated electronic starting current limiter for a soft start

Accessoires	
Elliptic grooving disc, 3,8 mm	#13459
Combi grooving disc, 5 mm	#13461
Elliptic diamond grooving disc 130 mm, 4 teeth, 3,8 mm	#13460
Round HM grooving disc, 130 x 20 x 3,3 mm, 12 teeth	#21208

# FRÄSJUNIOR

For grooving all types of resilient flooring

- Up to a depth of 5 mm
- Excellent extraction
- Versatile



#56092 - 230V

#15712 - 115V (UK)

#50160 - 115V (US)

Grooving machine Fräsjunior

For grooving all types of resilient flooring

- easy grooving setup up to a depth of 5 mm
- perfect three-point support to prevent wedging
- clean start using the dive-in principle
- improved extraction

Technical specifications:

230 V/115 V, 1.500 W, 8.000 rpm, semicircular HM grooving disc 3.3 mm, 12 teeth, diameter 130 mm

Includes:

Fräsjunior, HM grooving disc 3.3 mm, tool kit, dust bag, protective goggles, hearing protection, Systainer box


Accessories

Elliptic grooving disc, 3.8 mm	#13459
Combi grooving disc, 5 mm	#13461
Elliptic diamond grooving disc, 130 mm, 4 teeth, 3.8 mm	#13460
Semicircular HM grooving disc, 3.3 mm	#21208

# REPAIR-GROOVING MACHINE

Milling cutter for safe and precise milling of welding cords and fusion wires.

- Milling width 6 mm
- Precise settings
- Perfect milling of old welds



Example of automatic depth control



#76859

## Principle of automatic depth control

Milling cutter for safe and precise milling of welding cords and fusion wires.

- for the rehabilitation of defective welds
- milling width 6 mm
- automatic depth control guarantees full formation the routing groove even on uneven surfaces
- for further machine description, see Fräsmaster

## Technical specifications:

230 V, 1500 W, 6.000 – 10.000 rpm, grooving disc 130 x 6 mm, suction device 30 mm, max. grooving depth 0 - 5 mm

## Includes:

Repair-grooving machine, HM grooving disc 130 x 20 x 6 straight Z6, Systainer, tool kit, dust bag, protective goggles, hearing protection

## Accessories:

HM grooving disc 130 x 20 x 6 straight Z6

#76860

## Joint groover with guiding wheels

Two small wheels to guide along the seam. Adjustable groove depth, 4 grooving blades.

#73710

## Accessories:

Spare blade

#13427



## Groover

Adjustable guide, 4 grooving blades

#13426

## Accessories:

Spare blades, 10 Pcs.

#13427



## Groover for rubber floors

Groover for rubber floors (u-shape)

#13842

## Accessories:

Spare blades U-shape, 10 pcs.

#13843



## Joint groover J-shape

joint groover J-shape

#87914

## Accessories:

Spare blades J-shape, 10 pcs.

#87915



## Joint groover with guiding pin


Adjustable groove depth

#13424

## Accessories:

Spare blades, 10 pcs.

#13425



## Seam trimmer

For trimming welded seams to inside and outside corners.

#13485

## Includes:

Seam trimmer, 1 round blade 6 mm

## Accessories:

Round blade, 6 mm

#13813

Round blade, 12 mm

#13868

Flat blade

#13870



## Push-off knife

For removal at skirting boards. With lateral distance piece

#14538

## Accessories:

Spare blade

#14539



## Welding rod roller

To press the weld rod into the joint.

#15610

Welding rod roller, 15 mm

#15611





# AUTOMATIC WELDING MACHINE WELDMASTER

Fully automatic solution for all requirements

- Digital temperature control
- Robust and compact design
- Best welding results



# GROOVING AND WELDING SET COMBI

The perfect set for beginners



## #56255 - 230V Automatic welding machine Weldmaster

#56259 - 115V (UK)

#56260 - 115V (US)

Special nozzle for PUR floors to avoid thermal shock or burns: the WOLFF automatic welding machine.

- digital thermometer for precise temperature control
- central key pad for easy operation
- can be used for all resilient floor coverings (PVC, linoleum, polyolefin, rubber)
- variable surface pressure for improved welding results

### Includes:

Automatic welding machine, carrying case

- 4 welding nozzles for even hot air distribution
- rugged and compact machine
- automatic wall cutoff with lifting device: this diverts the hot air to the side nozzles to prevent thermal shock and burns

### Technical specifications:

Materials: PVC, linoleum, polyolefin, rubber, speed 1.7-5.8 m/min, voltage 230 V, total consumption 3.1 kW, Temperature 20-600 °C, weight 14 kg

### Accessories:

Heating element, 3.0 kW

#13480

## #56357 - 230V Grooving and welding set Combi

#60865 - 115V (UK)

We have created a set which is unique on the market especially for flooring contractors who lay small or medium-sized resilient flooring coverings

### Includes:

- joint grooving machine Fräsjunior
- the hand-operated welding machine Phoenix 1600
- a quarter moon knife with safety sheath
- a weld seam slide
- a single nozzle 5 mm
- a quick welding nozzle 5 mm
- carrying case



# PHOENIX 1600

Hand welding with proven quality

- Free adjustable temperature
- Heating tube protection for more security
- Easy-to-clean air filter



#80078 - 230V  
#80081 - 115V (UK)

**Phoenix 1600**

Hand operated welding machine

- heating tube protection for more security
- easy-to-clean air filter
- free adjustable temperature 40°C-700°C

<b>Technical specifications:</b>	
230 V/115 V, 1,6 kW, continuously adjustable temperature 40°C-700°C	
<b>Includes:</b>	
Phoenix 1600, single nozzle 5 mm, speed welding nozzle 5 mm, in carrying case	
<b>Accessories:</b>	
Heating element Phoenix 1,6 kW 230 V	#80355
Heating element Phoenix 1,6 kW 115 V	#80307
Speed welding nozzle PUR 5 mm	#41213

# PHOENIX 1600 SET

Hand operated welding machine Phoenix 1600 with comprehensive accessories in useful Systainer box.

#80614

**Phoenix 1600 Set**

Hand operated welding machine Phoenix 1600 with comprehensive accessories in useful Systainer box.

<b>Technical specifications:</b>	
230 V/115 V, 1,6 kW, continuously adjustable temperature 40°C-700°C	
<b>Includes:</b>	
Phoenix 1600, single nozzle 5 mm, speed welding nozzle 5 mm for polyolefin, joint groover, diamond grindstone, quarter moon knife, weld seam slide, pressure roller 15 mm, cleaning brush, in Systainer box	

## JOINTING- AND WELDING

### Leister Triac Set ST

Hand-operated Triac ST welding machine with electronic control and cooled protection tube. Case includes comprehensive accessories. Comes with diamond grindstone to sharpen quarter moon knives.

#74847

<b>Technical specifications:</b>	
230 V/115 V, total consumption 1.6 kW, heating element 1.55 kW, temperature 20-650°C	
<b>Includes:</b>	
Triac ST, single nozzle 5 mm, speed welding nozzle 5 mm for polyolefin, joint groover, diamond grindstone, quarter moon knife, weld seam slide, pressure roller 15 mm, cleaning brush, in Systainer box	



### Leister Triac ST Successor of the Leister Triac S

Hand-operated welding machine, separate, as described in the set

#74845

<b>Accessories:</b>	
Heating element 1.55 kW for Triac ST	#72315
Speed welding nozzle	#13308



### Leister Triac Set AT

Hand-operated Triac AT as a complete kit. Comes with diamond grindstone to sharpen quarter moon knives.

#82643

<b>Technical specifications:</b>	
230 V/115 V, total consumption 1.6 kW, heating element 1.55 kW, temperature 20-650°C	
<b>Includes:</b>	
Triac AT, single nozzle 5 mm, speed welding nozzle 5 mm for polyolefin, joint groover, diamond grindstone, quarter moon knife, weld seam slide, pressure roller 15 mm, cleaning brush, in Systainer box	



### Leister Triac AT

Leister Triac AT, single nozzle round 5 mm

#71991

- The set temperature reaches its level automatically, voltage fluctuations are compensated.
- Quick clean air filters
- Automatic carbon stop and heating element protection provide automatic protective measures
- Functional design: two-component handle and optimum center of gravity ensure good ergonomics
- Suitable for all jobsites

<b>Accessories:</b>	
Heating element Triac AT	#72315
Speed welding nozzle	#13308



### Leister Electron ST

Leister Electron ST, without nozzle. For heating vinyl floor coverings and skirting boards.

#76769

<b>Technical specifications:</b>	
Heating element 3.3 kW, temperature 20-650 °C	
<b>Accessories:</b>	
Heating element, 3.3 kW	#13475
Round nozzle	#13476





ACCESSORIES FOR HAND WELDING MACHINES

PUR welding nozzle

<b>Burns on the floor surface are definitely a thing of the past!</b>	
Special nozzle for thermal welding and jointing of resilient floor coverings which have a factory-applied polyurethane coating. Eliminates scorch and burn marks	
	#47049



Single nozzle

5 mm	#13465
------	--------



Speed welding nozzle

5 mm	#13308
------	--------



Speed welding nozzle for polyolefin

Inlet 4 mm	#13466
Inlet 5 mm	#41213



Correction nozzle

Inlet 4 mm	#13469
------------	--------



Mipolam nozzle

„Mipolam“ jet-nozzle	#13467
„Mipolam“ jet-nozzle	
Welding rod roll, 25 mm	#15610
Welding rod roll, 15 mm	#15611



Gooseneck nozzle

Gooseneck nozzle	#13468
------------------	--------



Radiator nozzle

Radiator nozzle	#13470
-----------------	--------



Broad nozzle

20 mm	#19524
20 mm, angled	#13472
40 mm	#13473



Speed welding nozzle

For PVC wall coverings	#13471
------------------------	--------



KNIVES FOR APPLYING FLOORS

Mozart Speed Trimmer

The Mozart speed trimmer can primary cut and finish cut in a single pass in an upright position. The cutting procedure, blades and slides are the same as the Mozart push-off knife. The slide can be adjusted.	
	#62183



Includes:

Mozart Speed Trimmer, complete, with blade and 0.5 and 0.7 mm slides, boxed, telescopic handle
--

Mozart trimming knife

The universal solution for quickly , cleanly and safely removing the excess weld from the seam. Integrated slide for precutting, exchangeable blade, exchangeable slides for variable heights. Eliminates scratching and damaging surfaces. Internal cutting edge.	
	#49875



Includes:

Trimming knife with blade and 0.50 mm slide
---

Accessories:

Spare blades, 5 pcs.	#49876
Slider, 0.50 mm	#50772
Slider, 0.70 mm	#51270
Spare screw set	#59856

Quarter moon knife

To remove the weld rod. Excellent quality.	#13451
--	--------



Quarter moon knife

To remove the weld rod, angled	#13452
--------------------------------	--------



Quarter moon knife

To remove the weld rod, bent	#13453
------------------------------	--------



Weld seam slide

For primary removal of the weld rod	#13450
-------------------------------------	--------



Safety sheath

Leather, for quarter moon knife	#60078
---------------------------------	--------



Diamond grindstone

For regrinding of all blades. Grinding surface 153 x 50 mm.	#13491
---	--------



Diamond grindstone

For sharpening. Collapsible, fits any bag, grinding surface 110 x 22 mm	#15714
---	--------



SKIRTING BOARDS AND FORM COVES

WOLFF Wallmaster

Special tool to install skirting boards and form coves

#60890

- height is clearly marked
- mitre joints on internal and external corners can be cut easily and accurately
- the corners of floor coverings are levelled and pressed down evenly without the risk of damaging the floor covering

Accessories:

WOLFF Wallmaster straight edge

#61394



WOLFF Wallmaster is recommended by:



Installation instructions:



Day 1

Before the transfer: Apply a heat-activated adhesive (recommendation UZIN DK 290) with B1 profile. Before application: Heat-activated adhesive (recommendationm UZIN DK 290) applied with B1 profile




Day 2 (Step 1)

Install the floor covering over the desired skirting height. Fold back the PVC floor covering and apply suitable adhesive (UZIN KE 66 recommended) with A2 profile. Lay the covering into the aerated adhesive bed and rub in. Heat the floor covering in the serrated area from behind with the Leister Electron.



Day 2 (Step 2)

After heating, use the WOLFF Wallmaster to fit the covering into the inner corners



Day 2 (Step 3)

Cutting the mitre with the WOLFF Wallmaster. Then reactivate the thermal adhesive (UZIN DK 290) with the Leister Electron.



Day 2 (Step 4)

Push the covering with the Wallmaster into the corner and press it against the wall



Day 2 (Step 5)

On day 3 thermal welding of seams on the floor and in the corners

TOOLS FOR LAYING TEXTILE FLOOR COVERINGS

Carpet cutter

Carpet cutter specially designed for woven and tufted fine velours.

The extremely fine guiding pin is accurate even in very tight stitch lines

#65659

Includes:

Carpet cutter, slot hole blades

Accessories:

Slot hole blades (10 pcs.)

#65755

Recommended by:



Carpet awl

For optimum guidance along the stitch line

#65660

Recommended by:



Mittag cutter

For all textile floorings without foam backing. Cuts from top to bottom

#15641

Accessories:

Spare blades (10 pcs.)

#13454



Double head stretcher

Developed and manufactured by WOLFF to balance pattern drift and correct #15781

seams. Can be adjusted to any carpet by setting the coarse and fine teeth

#15781

Includes:

Double head stretcher, carrying case

Recommended by:



Adjustable knee kicker

With coarse and fine teeth. Coarse teeth comes with depth

adjustment to adjust to the flooring. Length adjustment in 5 steps from 50 to 60 cm

#51509

Accessories:

Impact padding

#15797

Fine teeth insert, 3 pcs.

#15798

Rough base plate

#15799





TOOLS FOR LAYING TEXTILE FLOOR COVERINGS

Carpet strip cutter C-cut

To accurately cut carpet skirting. Strip width 2 - 7 cm	#47414
<b>Includes:</b>	
C-Cut, 10 blades (1 already mounted)	
<b>Accessories:</b>	
Spare blades, 10 pcs.	#13454



Carpet strip cutter

Extremely hard-wearing and easy to guide! Comes with reinforced blade mount.	
To cut material for skirting strips from 45 mm to 100 mm.	#13458
<b>Includes:</b>	
Carpet strip cutter, 10 blades	
<b>Accessories:</b>	
Spare blades, 10 pcs.	#13454



Carpet cutter, green

For textile flooring with foam backing. Cuts from the bottom, with slip-on base.	
To double-cut short pile material	#13456
<b>Includes:</b>	
Carpet cutter with slip-on base, 10 blades	
<b>Accessories:</b>	
Spare blades, 10 pcs.	#13457



Carpet cutter, red

For all textile floorings without foam backing. Cuts from top to bottom	#13455
<b>Includes:</b>	
Carpet cutter, 10 blades	
<b>Accessories:</b>	
Spare blades, 10 pcs.	#13454



Circular cutter

For repairing floor coverings. Adjustable from 4 cm to 21 cm diameter	#15624
<b>Includes:</b>	
Circular cutter, 4 blades	
<b>Accessories:</b>	
Spare blades, 6 pcs.	#80578



Combined floor covering marker and cutter

For scribing and cutting along a wall. Infinitely adjustable. Can also be used as a circle marker and cutter.	
<b>Includes:</b>	
Combined floor covering marker and cutter - Adjustment range 385 mm	
<b>Accessories:</b>	
Spare blades, PU 6 pcs.	#88329



Scribing pin

Marking pin, length 45 mm, PU 25 pcs.	#87913
---------------------------------------	--------



TOOLS FOR LAYING TEXTILE FLOOR COVERINGS

Seam clamp

To hold difficult seams until the adhesive sets (5 pcs)	#13593
---	--------



Seam roller, 13 cm wide

Woven or bonded carpet seams are firmly pressed into the adhesive #13943 to create a perfect join	#13943
---	--------



Stair tool with roller

To fix carpets behind the gripper or near stairs	#65853
--	--------



Stair tool

To fix carpets behind the gripper or near stairs	
Stair tool, 7 cm	#13809
Stair tool, 9 cm	#13862



Claw tool

Claw tool	#15802
-----------	--------



Carpet shears

Carpet shears for right-handed users, 25 cm	#15654
---	--------



Universal carpet shears

Universal shears, 25 cm	#15659
Carpet shears, serrated blade, 22 cm	#15652



Napping shears

Napping shears, 14 cm	#15653
Napping shears, 18 cm	#15658



# WOOD BEVELLER

Simple renovation of solid wood planks

- Quick retightening of V-grooves
- Guide wheels for accuracy
- Safe and easy to use



# DOOR CASE SAW PIRANHA



## #67323 Wood Beveller

- machine to reintroduce the bevel between planks after sanding solid wood flooring
- guide wheels for accuracy
- safe and easy to use

### Technical specifications:

230 V/115 V, 50/60 Hz, 1.500 W, 8.000 rpm, weight 5,2 kg, noise level 91 dB(A), sound power level 107 dB(A), hand-vibration < 2,5 m/s², groove depth 0–5 mm, hard metal grooving disc, diameter 130 mm, thickness 9,0 mm, teeth 6

### Includes:

Wood beveller, bevelling disc for profile bevels, adapter for industrial vacuum cleaner, protective goggles, hearing protection, tool kit, dust bag, transport box

### Accessories:

Bevelling disc for profile bevels

#63011

## #16927 - 230V

## Door case saw Piranha

## #20821 - 115V (UK)

## #39452 - 115V (US)

Comes with HM saw blade. For exact cutting of, door frames, door cases and skirtings. Can also be used to cut wood and laminate floors after installation.

- variable height and depth adjustment: height 25 mm, depth 50 mm
- 1.01 kW motor for more power
- HM saw blade for a long service life
- 6.000 rpm

### Includes:

Door saw with HM blade, Systainer box

### Accessories:

HM saw blade

#17227

# USEFUL TOOLS










BLADES | KNIVES | STRAIGHT EDGES | WORK SAFETY EQUIPMENT



KNIVES AND ACCCESORIES

<b>WOLFF-knife</b> Blade can be swapped without a screw driver. Plastic sheath. Without blades. Delivered in appealing POS dispenser for orders of 20 pcs. or more			#48221		
<ul style="list-style-type: none"><li>with fixing magnets for convenient blade change</li><li>premium quality knife</li><li>specially hardened blade mount</li></ul>					
<b>Blades</b> Tried and tested, top quality blades.					
Straight blade 0.65 mm, 100 pcs., in dispenser			#13419		
Hooked blades, 0.65 mm, 100 pcs., in dispenser			#13421		
Super hooked blade, 0.65 mm, 100 pcs., in dispenser			#13422		
<b>Break-off knife</b>					
Delivered in appealing POS dispenser for orders of 20 pcs. or more			#55030		
<b>Accessories:</b>					
Break-off blade 18 mm, 100 pcs., in appealing alloy box.			#13420		
Sheath			#62727		
<b>Double knife sheath</b> for WOLFF knife #48221					
Made of leather, for durability and security.					
With spare blade holder			#15591		
<b>Dolphin knife</b>					
Dolphin knife			#13484		
<ul style="list-style-type: none"><li>most popular knife used of carpet fitters to cut carpets, vinyl flooring, carpet tiles, insulations, etc.</li><li>easy blade exchange thanks to improved locking system</li><li>Inner blade compartment</li><li>complete with safety case</li></ul>					
<b>Blades with titanium coating</b>					
Extremely long life and sharpness.					
Delivered in convenient alloy box.					
Straight blade with titanium coating, 100 pcs.			#21149		
Hooked blade with titanium coating, 100 pcs.			#21150		
Super hooked blade with titanium coating, 100 pcs.			#21151		
<b>Combined hooked/straight blade</b>					
Double-sided cutting blades, 100 pcs.			#32713		
<b>Concave blade</b>					
100 pcs. per unit			#32760		
<b>Designer cutting knife</b>					
Handle, incl. blade			#13880		
<b>Accessories:</b>					
Blade no. 22, 10 pcs.			#15617		
Handle for spare blade			#15619		

SCISSORS AND ACCESSORIES

<b>Pica-Dry Marker</b> Marker for hard to reach places on construction sites. For all surfaces. With dust and moisture protection.			#84773		
<b>Accessories:</b>					
Refill green			#84775		
Refill graphit			#84774		
<b>Height scriber</b>					
For accurate marking of skirting height			#15555		
<b>Skirting board shears</b>					
With stop			#15651		
<b>Accessories:</b>					
Spare pad			#60736		
Mitre-box stop			#33196		
Spare blade			#17471		
Bolt with nut and sleeve (Set)			#71213		
<b>Mitre-box shears</b>					
Double action, with stop, for wood and plastic			#15648		
<b>Accessories:</b>					
Spare blade			#15649		
Spare pad			#15650		
<b>Mitre-box shears for design floors</b>					
Double action, with stop			#55031		
<b>Accessories:</b>					
Blades, 50 pcs.			#56530		
Blade holder			#71910		
<b>Steel pins</b> 1,000 pcs., uncoated					
1,5 x 25 mm			#60425		
1,5 x 30 mm			#60426		
1,5 x 35 mm			#60427		
<b>Skirting board punching machine</b>					
To punch the mitres of rigid PVC skirting with a height of 6 - 10 cm			#15915		
<b>Accessories:</b>					
Spare blade			#84659		
Spare spring			#15916		

WORKING AIDS FOR LAYING FLOOR COVERINGS

Flexible steel straight edge

With anti-slip backing. Rubberised, does not scratch the floor.	
Guaranteed straightness from 1.5 to 2.0 mm over 3 metres, width 8 cm.	
Flexible steel straight edge 205 cm	#13872
Flexible steel straight edge 405 cm	#13873



Flexible steel straight edge

Made of stainless steel, hardened and finely polished. Width 80 mm, thickness 0.5 mm	
Flexible steel straight edge 205 x 8 cm	#48421
Flexible steel straight edge 405 x 8 cm	#48422



Rolling steel ruler with T stop angle

Curved steel rule, 80 mm wide, 0.5 mm thick, with bore for transverse stop	
Rolling steel ruler 210 x 8 cm	#48425
Rolling steel ruler 410 x 8 cm	#48426
Rolling steel ruler 510 x 8 cm	#48428



Cross stop for roller steel ruler (T-piece)

Galvanised stop bar, 40 mm wide	
Cross stop for roller steel ruler (T-piece)	#87903



Ruler cambered and stainless steel

Made of strip steel, hardened and finely polished. Pointed on one side, length: 80 cm, thickness 0.5 mm.	
Ruler cambered and stainless steel	#87904



Head seam straight edge

800 x 75 mm	#15561
-------------	--------



WORKING AIDS FOR LAYING FLOOR COVERINGS

Door straight edge, stainless

With cambered, hardened and polished, 80 mm wide and 0.5 mm thick, stainless steel blades, infinitely adjustable from 600 to 1200 mm and wooden handle bar.	
Door straight edge 600–1200 mm	#87905



Door straight edge, stainless (short)

For particularly narrow doors. Hardened and polished, 80 mm wide and 5.0 mm thick steel blade, infinitely adjustable from 460 to 730 mm. With wooden handle strip.	
Door straight edge, stainless short 460 - 730 mm	#87907



Stair bevel

For quick and easy determination and transmission of length dimensions and angles.	#15563
<b>Accessories:</b>	
Spare pushbutton 600 mm	#87908
Spare pushbutton 800 mm	#87909
Spare pushbutton 1000 mm	#87910



Chamfer and mitre templates

Includes a triangle template 30 x 15 cm, 90° and 45° angle as well as a chamfer template 23,4 x 19,0 cm	#74949
---	--------



Spirit Level

Robust aluminium rectangular profile, two openings, length 110 cm	#84185
---	--------





WORKING AIDS FOR LAYING FLOOR COVERINGS

Cartridge gun

- for silicone cartridges and tubular bags (400 ml)
- robust full metal construction, hardened push rod
- automatic readjustment
- with trailing stop
- Delivery incl. universal nozzle

cartridge gun	#84247
---------------	--------



Rubber mallet

Specially designed to install switchTec products!

Weight 335 g, diameter 40 mm	#47450
------------------------------	--------

Weight 600 g, diameter 50 mm	#15901
------------------------------	--------



Soft-head hammer

For diamond segments

Weight 400 g, diameter 50 mm	#80208
------------------------------	--------



Tapping block

Universal, made of plastic, unbreakable	#15852
---	--------



Hammer bar

Made of solid galvanised steel. The firing pin is equipped with a shock-absorbing

Nylon protective cover equipped

Hammer bar, 42.5 cm	#15832
---------------------	--------

Hammer bar, 54.5 cm	#13840
---------------------	--------



WORKING AIDS FOR LAYING FLOOR COVERINGS

Slide hammer tool

- length-adjustable version to work in areas difficult to reach
- easy operation for fast working
- hammer, tapping block and hammer bar in a single tool

Length 41 cm	#13626
--------------	--------

Adjustable length, 41 or 64 cm	#13627
--------------------------------	--------



Roll transport trolley

For transporting and unrolling flooring rolls with a diameter of up to 80 centimetres.

Two roller transport trolleys are required for 4 to 5 metre long pavement rollers, since the

load per trolley is limited to 250 kg.

roll transport trolley	#84918
------------------------	--------



Brooms, horsehair blend

Attached with screws.

Broom 50 cm	#15924
-------------	--------

Broom 60 cm	#15925
-------------	--------

Coir broom, 60 cm	#15926
-------------------	--------

Metal handle	#15927
--------------	--------



WORK PROTECTION

Knee protector 200 Pro

Very comfortable knee protector with hardwearing and waterproof outer layer and wide support area for maximum stability

Accessories:

Extra inlays

Extra elastics

#81715

#81717

#81718



Knee pads

To be inserted into trousers with knee pad pockets

#51560



Safety Poly knee protectors

Ergonomically shaped knee bed for comfort

Certified in accordance with DIN EN 14404, PPE type 1.

Knee pad Safety Poly

#65398



Knee protectors

Corresponds to current DIN standard. Nylon knee protectors, ultra light.

2 elasticised straps with velcro fastener.

#55037



Leather knee protectors

Inner felt lining for comfort

#15813

Accessories:

Spare straps

#15811



Rubber knee protectors

Sturdy and protective shaped knee protector with antislip underside

Molded from durable rubber, adjustable strap

1 pair

#15810



Medical knee protectors

Lightweight rubber knee pads with Velcro closure.

In cooperation with the trade association and medical practitioners developed to prevent damage to the health of the knee joints.

#16255

Accessories:

Velcro fastener

#17433



SAFETY AT WORK

Hearing protection

Hearing protection

#15315

Protective goggles

Protective goggles

#15316

Dust mask

Dust mask

#16254

Safety gloves

Safety gloves

#15809



Dust Mask Air+

The first disposable dust-mask with a fan - removes humidity and CO2.

- with a micro-fan (Battery life 4h)
- very Good fit
- added safety through expiratory-outlet
- foldable and easy to adjust

Air+ FFP2: Preserves 94% of the particles up to a size of 0,6µm (10 pcs.)

#83925

Air+ FFP3: Preserves at least 99% of the particles dangerous for the health up to a size of 0,6µm (10 pcs.)

#83926

Includes:

Dust Mask Air+, without micro fan

Accessories:

Micro fan for Air+ mask

#83927



Dust Door System

Simple solution to keep side-rooms dust free. With the zip fastening the accessibility of all areas is still ensured. The very stable fabric is ideal for long-term use and is easy to install.

#84246





# CLEANSPACE

Fan-powered dust mask, protective against dust and pollutants.

# CLEANSPACE EX

Fan-supported breathing protection, especially designed for potential explosive surroundings.

- For working environment with high dust-exposure
- Maintenance-free and easy to clean
- Comfortable to wear and made for long operating times.



## CleanSpace

- low weight and compact
- intrinsically safe (ICEC- und ATEX-Approvals)
- no hoses, cables or battery-belts
- operating time up to 8 hours
- overpressure Dust Mask with breath-response
- particulate and gas filters available

### Technical data:

Visual and audible alarms – 75dB(A) – at ear , Max. Airflow: 220 l/min, Automatic Switch-Off 3 minutes after idle , Weight (Power unit): 500g , AC Adaptor charger: Input range 100 – 240V , Internal battery charging time < 2 hours (to 95%) , Output range 13.5V ± 5%

Only Cleanspace without mask	#79922
Half mask large	#79923
Half mask medium	#79924
Half mask small	#79925

### Accessories:

Combination filter A1P3 (organic Gas & steam + particles)	#79931
Combination filter ABE1P3 (Organic, inorganic & acid & steam + particles)	#79932
Filter adaptor	#79930
Particle filter (Packaging unit = 3 pcs.)	#79927
Pre-filter (Packaging unit = 10 pcs.)	#79928

## CleanSpace EX

- especially for hazardous areas
- compatible with CleanSpace full masks

### Technical data:

Visual and Audible Alarms – 75dB (A) at ear, Maximum air flow – 220L/min, Automatic Switch-Off 3 minutes after idle, Weight (Power unit): 500g, AC Adaptor charger: Input range 100 – 240V, Internal battery duration – UP to 8 hours, Internal battery charging time < 2 hours (to 95%), Output range 13.5V ± 5%

Only Cleanspace EX without mask	#84209
Half mask large	#79923
Half mask medium	#79924
Half mask small	#79925
Full face mask	#84239

### Accessories:

Combination filter A1P3 (organic Gas & steam + particles)	#79931
Combination filter ABE1P3 (Organic, inorganic, acid & steam + particles)	#79932
Filter adaptor	#79930
Particle filter (packaging unit = 3 pcs.)	#79927
Pre-filter Clean Space Ex	#84206
Protection cover Clean Space Ex	#84208

## EXTENSION CABLE

### Cable drum

Cable length 25 meters (3 x 2,5 m²), ABS case, with thermo switch

#80460



### Extension cable WOLFF

Extension cable, 25,0 m

#41811

Extension cable, I 12,5 m

#47382



### Extension cable 400 V

25 m, 400 V, 16 A

#15960



### External starting current limiter

Provides the connected machine with low voltage only when turned on.

Ideal to solve problems and save time when working in poorly protected areas.

Starting current limiter

#13639

As above, with Swiss plug

#13986



# CLEANING AND CARE



CLEANING | CARE

## CLEANFOX

### Cleanfox

New Cleaning machine for basic-, intermediate- and final cleaning.

- use in battery- or current mode
- for in- and outdoor use

10 Ah battery capacity, 7,5 l pure water tank	#83124
20 Ah battery capacity, 7,5 l pure water tank	#83125

#### Technical data:

Battery 24 V, operating-time: 1 hour, Cleaning-width 330 mm, Suction-width 420 mm, Ground coverage up to 800 m<sup>2</sup>/h, weight: ca. 26, 5 kg (including battery), Capacity – clean/ dirty water: 7,5 / 8 l, specific pressure step 1/2/3: 36 / 75 / 160 g/m<sup>2</sup>

#### Includes:

Cleanfox incl. battery, cylindrical brush medium (blue), battery charger

#### Accessories:

Cylindrical brush soft (grey)	#83146
Cylindrical brush medium (blue)	#83145
Cylindrical brush hard (black for ceramic and stone floors)	#83147
Tynex brush (green – for safety surfaces)	#83148
Microfiber cloth (green – for all sensitive floors)	#84569
Microfiber cloth (for microfibre brush)	#83929
Battery charger for your car	#83152
Replacement battery 10 Ah	#83150
Replacement battery 20 Ah	#83151
Power device (connection to the mains instead of battery operation)	#83153
suction-lips	#83933
suction-lips Set Para (red)	#83149



### Polishing machine Rumba 0.5 kW

Ideal for polishing, cleaning or finishing small areas

#13509

- small and lightweight machine for all types of polis-hing work on hard floors.
- also suitable for wet cleaning wall-to-wall carpeting or hard floors in combination with the cleaning tank.

#### Technical specifications:

230 V/500 W, 188 rpm, 19 kg, working width 330 mm

#### Includes:

Polishing machine Rumba, without disc holder and cleaning tank

#### Accessories:

Polishing brush, soft	#13521
Polishing brush, hard	#13522
Disc holder for pads	#13520
Polishing pad	#13523
Reinigungstank	#13502



### Monodisc grinding machine Tango 1.0kW

Versatile 1.0 kW machine with a broad range of applications

#56366

- grinding screeds and brushing screed or compounds
- sanding wood flooring and cork
- wet cleaning wall-to-wall carpeting and polishing hard floors

#### Technical specifications:

230 V, 1.0 kW, 154 rpm, 41 kg, working width 375/400 mm






#### Includes:

Grinding machine Tango, without suction kit and disc holder





CLEANING ACCESSORIES

<b>Power Cleaner</b> Highly active cleaner for machines, engines and tools.	#80229	
<b>Cleanbox</b> Highly effective cleaning cloth to remove adhesive residues on surfaces, hands and tools.	#38465	
<b>Perlon brush, hard, not shown</b> With hard Perlon bristles for rough cleaning of hard flooring (linoleum, PVC, stone, ceramics)	#13507	
<b>Shampooing brush</b> With soft bristles to clean carpets	#13506	
<b>Corrugated wire brush</b> For brushing and pre-cleaning of surfaces	#13539	
<b>Polishing brush, coir, not shown</b> For brushing and polishing hard flooring (linoleum, PVC, stone, ceramics)	#13505	
<b>Disc for natural stone</b> For cleaning natural stone floors. Not to be used on the monodisc grinding machine Mambo! Plate for natural stone	#33209	
<b>Scrub brush, Not shown</b> For maintenance cleaning of hard flooring with coarse or caked soiling	#13508	

WOOD FLOORING FRANK



PARQUET SANDING MACHINES | ABRASIVES

# SPIDER

Parquet sanding has never been so easy!

- Extremely easy to use
- Perfect sanding results
- Quiet in operation



# COBRA 09

Proven technology in modern design

- Powerful and safe
- 2.500 W Grinding capacity
- Quiet and smooth running



transport trolleys  
(available as accessory)

## #80113 Sanding machine SPIDER

- connectible power reserve
- extra additional weights increase the grinding pressure
- perfect sanding because of the three disc technology
- durable chain drive
- easy to clean
- infinitely variable speed control
- speed infinitely variable (50 - 400 RPM, with forced drive 63-504 rpm)
- safety grip
- smooth start
- infinitely variable handle adjustment
- quality stainless steel
- big soft tyres (not marking)

### Technical Data:

supply voltage 230 V/115 V, power consumption 2.000 W,  
Rotation speed 50–400 rpm, with satellite add-on drive 63–504 U/Min),  
Total weight 42 kg, width of grinding 400 mm

### Includes:

Sanding machine SPIDER, Additional weight á 15 kg, 1x Dust seal ring,  
cable 12,5 m, Triple-disc-plate + Velcro 180 mm, 3 x Support pads 180 mm,  
3 x Support pads, soft 180 mm, 3 x Exhaust pads 180 mm, 3 x Shim washers,  
1 x Pad disk Ø 400 mm, 3 x Hook-and-loop disks 178 mm with 10 holes K40,  
K60, K80, Safety at work - kit

### Accessories:

Additional weight	#72225
Dust seal ring	#86015
Disc holder	#79671
Sponge padding (Alu)	#73555
Sponge padding (plastic)	#79995
Brush set (structuring of wooden floors)	#83338

## #62228 Sanding machine Cobra 09

- utilises the maximum width of the belt to provide high sanding capacity
- height-adjustable handle,
- control panel operation: all switches are easily accessible in ergonomic working position
- lighting can be switched on to highlight working area
- bag-in-bag system: disposable inner dust bags
- includes bag for maximum dust reduction by vacuum
- very smooth and silent
- automatic belt tensioning

### Technical specifications:

230 V/115 V, 2,5 kW, roller width 200 mm, roller speed 2.100 rpm, abrasive belt dimensions 200 x 750 mm, total weight 88 kg, connection for external dust extraction and voltmeter

- quick and convenient belt replacement
- running gear can be adjusted easily
- narrow and compact design
- handle, motor and dust pipe can be disassembled for easy transportation

### Includes:

Cobra sanding machine, tool bag, 2 dust bags and 10 plastic inner dust bags,  
12 m PUR cable, hearing protection, dust mask, special spare V belt

### Accessories:

Sanding roller	#13587
Dust bag	#71730
Disposable inlays, 10 pcs.	#52442
Large pneumatic tyres for a easy transportation of the machine even over long and difficult distances. Safe base to store and fix the machine in a vehicle.	#64310



# COBRA CLASSIC

Powerful belt sanding machine with 200 mm working width

- High sanding capacity
- Shoulder free sanding
- Easy transportation



#71845    **Sanding machine COBRA CLASSIC**

- abrasive belt principle for high sanding capacity
- grooved roller for additional sanding effect
- soft raising for shoulder free sanding
- effective dust suction
- sanding pressure is set with the roller control
- detachable steering rod and motor for easy transportation

**Technical specifications:**

Power: 230 V/115 V, 2,5 kW, roller width: 200 mm, limiting roller speed: 2.100 rpm, abrasive belt dimensions: 200 x 750 mm, weight: 83,5 kg

**Includes:**

tool bag, 1 x dust bag, PUR cable 12 m, hearing protection, dust mask, Abrasive belt kit 2 x grit 36, 2 x grit 60, 1 x grit 100, 2 x Corundum grinding belts grit 36 u. grit 60, 1 x Corundum grinding belts grit 100

**Accessories:**

Sanding roller	#13587
Dust bag	#71730
Disposable inlays, 10 pcs.	#52442
Transport carriage	#81446

# PYTHON CLASSIC

Powerful belt sanding machine  
with 250 mm working width



#71844    **Sanding machine Python Classic**

- abrasive belt principle for high sanding capacity
- grooved roller for additional sanding effectiveness
- soft lowering for sanding with no visible overlap
- effective dust extraction
- sanding pressure can be adjusted using the roller control
- detachable steering rod and motor for easy transportation
- belt can be adjusted from the outside for safety

**Technical specifications:**

230 V, 2.5 kW, roller width 250 mm, roller speed 2,100 rpm, abrasive belt dimensions 250 x 750 mm, weight 90 kg

**Includes:**

Python sanding machine, abrasive belt set 2 x grit 36, 2 x grit 60, 1 x grit 100, tool bag, dust bag, 12 m cable

**Accessories:**

Sanding roller	#43879
Dust bag	#71730
Transport carriage	#64310

# GECKO STAR 2.0

The newest generation of edge grinding machines

- Robust and smooth running edge grinding machine
- Deal position of the handles
- Efficient dust extraction
- Work lamp

# GECKO FLEX

Small and versatile edge sanding machine with high removal rate.

- For edges, corners and stairs
- Ideal position of the handle
- Virtually dust-free working with suction cup Starvac #60800 possible



## Edge sanding machine Gecko Star 2.0

### Technical specifications:

230 V/115 V, 50 Hz, 1800 W, diameter of grinding plate 150/178 mm, 3,000 - 3,800 rpm, weight 9,6 kg, sanding attachment length Ø 150 long 370 mm/ short 130 mm, sanding attachment length Ø 178 long 385 mm/ short 175 mm, adapter for external suction kit 38/35 mm, height adjustment range of the wheels 12 mm

### Includes:

Edge sanding machine Gecko Star with grinding attachment, 1 adapter for PALLMANN Dust, 3 hose holders, 1 dust pipe long, 1 dust pipe short, dust bag, hearing protectors, dust mask, hook-and-loop shim, spare hookandloop disc, 2x hook-and-loop tape

Gecko Star Ø 150 mm, short sanding attachment	#71735
Gecko Star Ø 150 mm, long sanding attachment	#71742
Gecko Star Ø 178 mm, short sanding attachment	#71743
Gecko Star Ø 178 mm, long sanding attachment	#71791

## Edge sanding machine Gecko Flex

### Technische Daten:

230 V, 50 Hz, 1.500 W, diameter of grinding plate 180 mm, 1400-4200 rpm, weight 4,5 kg, spindle M14, connection for external dust extraction 28 mm

### Includes:

GECKO FLEX, Velcro plate, tensioning plate, spare brush, lateral handle, hearing protectors, dust mask hook-and-loop discs grit 40 and grit 80, 3 hose holders, Tools, connection for Starvac

### Accessories:

carrying case	#64135
---------------	--------

## ACCESSORIES FOR BELT GRINDING MACHINES

### Corundum abrasive belts 200 x 750 mm

Grit	packaging unit	
G 12	10 PCS.	#15759
G 16	10 PCS.	#12621
G 24	10 PCS.	#12622
G 30	10 PCS.	#12623
G 36	10 PCS.	#12624
G 40	10 PCS.	#12625
G 50	10 PCS.	#12626
G 60	10 PCS.	#12627
G 80	10 PCS.	#12628
G 100	10 PCS.	#12629
G 120	10 PCS.	#12630



### Corundum abrasive belts 250 x 750 mm

Grit	packaging unit	
G 24	10 PCS.	#48546
G 36	10 PCS.	#48542
G 40	10 PCS.	#48660
G 60	10 PCS.	#48543
G 80	10 PCS.	#48548
G 100	10 PCS.	#48544
G 120	10 PCS.	#48549



### Zirconia abrasive belts 200 x 750 mm

Grit	packaging unit	
G 24	10 PCS.	#11478
G 36	10 PCS.	#11479
G 40	10 PCS.	#11480
G 60	10 PCS.	#11481
G 80	10 PCS.	#11482
G 100	10 PCS.	#11483
G 120	10 PCS.	#11484



### Corundum abrasive belts 200 x 550 mm

Grit	packaging unit	
G 16	10 PCS.	#38176
G 24	10 PCS.	#11485
G 36	10 PCS.	#11486
G 40	10 PCS.	#11487
G 60	10 PCS.	#11488
G 80	10 PCS.	#11489





## ACCESSORIES FOR EDGE GRINDING MACHINES

### Grinding discs 150 mm with hole

Grit	packaging unit	
3 24	25 PCS.	#12640
3 36	25 PCS.	#32690
3 40	25 PCS.	#12642
3 60	25 PCS.	#12643
3 80	25 PCS.	#12644
3 100	25 PCS.	#12645



### Grinding discs 178 mm with hole

part	packaging unit	
3 24	25 PCS.	#12649
3 36	25 PCS.	#33231
3 40	25 PCS.	#12661
3 60	25 PCS.	#12662
3 80	25 PCS.	#12663
3 100	25 PCS.	#12664



### Hook-and-loop discs 150 mm with hole

Grit	packaging unit	
G 16	25 PCS.	#41054
G 24	25 PCS.	#41055
G 36	25 PCS.	#41056
G 40	25 PCS.	#41057
G 60	25 PCS.	#41059
G 80	25 PCS.	#41060
G 100	25 PCS.	#41111
G 120	25 PCS.	#41112



### Hook-and-loop discs 178 mm with hole

Grit	packaging unit	
G 16	25 PCS.	#41113
G 24	25 PCS.	#41114
G 36	25 PCS.	#41115
G 40	25 PCS.	#41117
G 60	25 PCS.	#41119
G 80	25 PCS.	#41120
G 100	25 PCS.	#41121
G 120	25 PCS.	#41122



## NOTIZEN

[illegible]

## NOTIZEN

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

# SERVICE





CONTACT ADRESSES WORLDWIDE

Contact information

Customer service for commercial customers:

Orders /order processing:

Telephone + 49 731 4097-301

Fax + 49 731 4097-230

E-mail info@wolff-tools.com

Technical Customer Service:

Telephone + 49 7062 91556 - 28, -43, -54, -59

Fax + 49 7062 91556-55

E-mail tks-wolff@wolff-tools.com

Application Technology

Frank Wehrmann

Mobile +49 160 883 6031

E-mail frank.wehrmann@wolff-tools.com

Karl-Heinz Würth

Mobile +49 160 364 2058

E-Mail karl-heinz.wuerth@wolff-tools.com

Availability

Montay - Friday 7:30 - 16:15 Uhr

 **Australia**  
**Uzin Utz Soutz Pacific Ltd.**  
PO Box 426 - Whangaparaoa 0943  
Telephone +64 21 933780  
Telefax +64 9 4240366  
E-mail uzin.sp@uzin-utz.com

 **Azerbaijan**  
**Uzin Utz AG**  
Dieselstrasse 3  
Germany, 89079 Ulm  
Telephone +49 731 4097 205  
Telefax +49 731 4097 107  
E-mail boris.schulmann@uzin-utz.com  
E-mail biuro@uzin-utz.com

 **Republik Belarus**  
**Representative Office Uzin Utz AG**  
220035 Minsk  
Cimirazieva Strasse 67, Office 932  
Postfach 121  
Telephone +375 (17) 235 00 50  
Telefax +375 (17) 235 00 50  
Mobil +375 (29) 655 56 26  
E-mail lvan.rak@uzin-utz.com

 **Belgium**  
**Uzin Utz Belgie n.v.**  
Poortakkerstraat 41 a  
B-9051 Gent  
Telephone +32 9 2225848  
Telefax +32 9 222 3380  
E-mail info@unipro.be

 **China**  
**Uzin Utz Construction Materials (Shanghai) Co. Ltd.**  
N° 3968 Huqingping Highway  
Zhaoxiang - District Qingpu  
Shanghai 201703  
Telephone +86 21 5975 7890  
Telefax +86 21 5975 8695  
E-mail info@uzin.com.cn

 **Croatia**  
**Unikem d.o.o**  
Trgova ka 6  
CMP, Savica-Šanci  
HR-1000-Zagreb  
Telephone +385 1 2498214  
Telefax +385 1 2498215  
E-mail info@unikem.hr

 **Cyprus**  
**IDS – Interior Design Services**  
**Total Solution Contract**  
197 Old Nicosia  
Limassol Road P.O Box 11107  
Nicosia  
Telephone +357 22461133  
Telefax +357 22610020  
E-mail idsids@cytanet.com.cy

 **Czech Republic**  
**Uzin Utz Česká Republika s.r.o.**  
Českomoravská 12a  
CZ-19000 Praha 9  
Telephone +420 2 8308 3314  
Telefax +420 2 8308 3419  
E-mail info@uzin.cz


 **Denmark**  
**Uzin Utz Denmark ApS**  
Kongelundsvej 294  
2770 Kastrup  
Telephone +45 40 88 94 92  
E-mail info@uzin.dk


 **Estonia**  
**Gitana OÜ**  
Artellistr. 19  
10621 Tallinn  
Telephone +372 52 97 343  
E-mail info@gitana.ee  
Internet www.gitana.ee

 **Finland**  
**WOLFF GmbH Co. KG**  
Thilo Wolff  
Ungerhalde 1  
D-74360 Ilsfeld  
Telephone +49 7062 91556 0  
Mobil +49 151 2926296 1  
E-mail thilo.wolff@wolff-tools.com  
Internet www.wolf-tools.de

 **France**  
**Uzin Utz France SAS**  
6 avenue du Professeur  
André Lemierre  
F-75980 Paris Cdedex 20  
Telephone + 33 1 41632720  
Telefax +33 1 41632721  
E-mail info@uzin.fr

 **Germany**  
**Wolff GmbH & Co. KG**  
Ungerhalde 1  
D-74360 Ilsfeld  
Telephone +49 7062 91556 0  
Telefax + 49 7062 91556 10  
E-mail info@wolff-tools.com  
Internet www.wolff-tools.de

 **Greece**  
**Uzin Hellas**  
Polychimiki G. Matziaris S.A.  
14 km National Road  
Thessaloniki-Veria  
GR-57011 N. Anchialos  
Telephone + 30 2310 7229 912  
Telefax + 30 2310 7225 71  
E-mail uzin@otenet.gr

 **Hungary**  
**Uzin Utz**  
**Magyarország Kft.**  
Újhegyi út 14  
H-1108 Budapest  
Telephone + 36 1 431 9422  
Telefax + 36 1 431 9423  
E-mail info-hungary@uzin-utz.com

 **Iceland**  
**Gólfefni ehf.**  
**Magyarország Kft.**  
Skútuvogi 6  
104 Reykjavik  
Telephone + 354 568 6755  
Telefax + 354 568 1277  
E-mail alfaborg@alfaborg.is

 **Indonesia**  
**PT Uzin Utz**  
Plaza Pasifik B2 No. 32  
Kelapa Gading  
ID – Jakarta 14240  
Telephone + 62 21 4587 6116  
Telefax + 62 21 4587 6115  
E-mail sugi\_wei@yahoo.com

 **Latvia**  
**SIA „Gitana tehniskais nodrošinājums“**  
Zemnieku str. 60  
LV-3401 Liepāja,  
Telephone + 371 634 813 05  
E-mail info@gitana.lv  
URL: www.gitana.lv

 **Lithuania**  
**UAB Gitana**  
Biciulių str. 32  
Budriku village  
LT-96320 Klaipėdos r.  
Telephone + 370 46 410 881  
Telefax + 370 46 310 485  
E-mail info@gitana.lt  
URL: www.gitana.lt

 **Lithuania**  
**UAB Gitana Service**  
Biciulių str. 30  
Budriku village  
LT-96320 Klaipėdos r.  
Lithuania  
Telephone +370 700 55019  
E-mail servisas@gitana.lt  
URL: www.gitana.lt


 **Malta**  
**de Valier Co. Ltd.**  
Fairline Centre - St.Marta Street  
Victoria Gozo - VCT 2552  
Telephone + 356 21 556694  
Telefax + 356 21 554175  
E-mail info@devalier.com.mt

 **Netherlands**  
**Uzin Utz Nederland bv**  
Bouwstraat 18  
7483 PA HAAKSBERGEN  
Telephone + 31 (0) 53 5737373  
Telefax + 31 (0) 53 5737333  
E-mail info@uzin.nl

 **New Zealand**  
**Uzin Utz South Pacific Ltd.**  
PO Box 426 - Whangaparaoa 0943  
Telephone + 64 21 933780  
Telefax + 64 9 4240366  
E-mail info@ufloor-systems.net


 **Norway**  
**Uzin Utz Group Norge AS**  
Elveveien 34 – bygg 4  
N-3262 Larvik  
Telephone + 47 35 50 64 00  
E-mail www.uzin.no

 **Poland**  
**Uzin Polska Sp.z. o.o**  
ul. Jaworzy ska 287  
PL-59-220 Legnica  
Telephone + 48 76 723 9150  
Telefax + 48 76 723 9151  
E-mail biuro@uzin-utz.com

 **Russia**  
**Uzin Utz AG**  
Dieselstrasse 3  
Germany, 89079 Ulm  
Telephone + 49 731 4097 205  
Telefax + 49 731 4097 107  
E-mail boris-schulmann@uzin-utz.com  
E-mail biuro@uzin-utz.com

 **Serbia**  
**Unihem Trading d.o.o.**  
Kumodraška 247  
11050 BEOGRAD  
Telephone + 381 11 3989 044  
Telefax + 381 11 3989 088  
E-mail office@unihem.rs

 **Slovakia**  
**HA-UZ market s.r.o.**  
Štrkova ulica 94  
SK-01001 Žilina  
Telephone + 421 41565 1794  
Telefax + 421 41500 6014  
E-mail ha-uz@za.psg.sk

 **Slovenia**  
**Unihem d.o.o**  
Kajakaska c. 30  
SLO-1211 Lubljana  
Telephone + 386 1 511 0200  
Telefax + 386 1 511 6290  
E-mail prodaja@unihem.si

 **Spain**  
Frank Keerl, S.A.  
C/Amadeo Torner 109  
08902 Hospitalet de Llobregat  
Telephone +34 93 422 81 00  
Telefax + 34 93 432 1098  
correo electronico: info@frankkeerl.com  
www.frankkeerl.com

 **Sweden**  
**Flex Scandinavia AB**  
Service center  
www.flexscandinavia.se  
Email: service@flexscandinavia.se  
Tel: +46 54 52 20 08

Visit address:  
Sågverksgatan 28  
652 21 Karlstad  
Post address:  
Box 5040  
650 05 Karlstad

 **Switzerland**  
**DS-Derendinger AG**  
Freiburgerstraße 830 a  
CH-3174 Thörishaus  
Telephone + 41 31 888 12-00  
Telefax + 41 31 888 12-01  
E-mail info@ds-derendinger.ch

 **Turkey**  
**DENLAKS Adhesives**  
Cihangir Mash, Güvercin Cad. No: 11  
Haramidere  
Avclar 34310 Istanbul  
Telephone + 90 212 4221100  
Telefax + 90 212 4221099

 **South Africa**  
**Contract Flooring Distribution (Pty) Ltd.**  
22 Dublin Road  
Brabley View Ext 6  
Johannesburg 2090  
Telephone + 27 11 882 1000  
Telefax + 27 11 882 5403  
E-mail info@cfdflooring.co.za

 **United Kingdom**  
**Uzin Utz UK Ltd.**  
Unit 2, Mitchell Court  
Central Park, Rugby  
Warwickshire, CV23 0UY  
Telephone + 44 1788 530 080  
Telefax + 44 1788 536 508  
E-Mail info@uzin.co.uk

 **Ukraine**  
**Uzin Representative Office**  
Dr. Yuri Rudchenko  
DIC, 43, Borodinskaya St.  
49029 Dnepropetrovsk, Ukraine  
Telephone + 38 056 744 8843  
Telefax + 38 056 44 8843  
E-Mail uzinua@i.ua

 **USA & Canada**  
**Utin Utz North America, Inc.**  
14509 E; 33rd Place  
Unit G  
Aurora, CO 80011  
Telephone + 1 720 374 4810  
Telefax + 1 720 374 2113  
E-Mail info@ufloorsystems.com

**All other countries:**  
Wolff GmbH & Co. KG  
Thilo Wolff  
Ungerhalde 1  
D-74360 Ilsfeld  
Telephone + 49 7062 91556 0  
Telefax + 49 7062 91556 10  
E-Mail info@wolff-tools.com  
Internet www.wolff-tools.de

NUMERIC INDEX

1

<b>12665</b>	Abrasive gauze Ø 406 mm K 60	30	<b>13391</b>	Adhesive Profiles, double sided, A5, 28 cm 10 pcs.	62
<b>12666</b>	Abrasive gauze Ø 406 mm K 80	30	<b>13396</b>	Rake R2 profile	58, 62
<b>12667</b>	Abrasive gauze Ø 406 mm K100	30	<b>13397</b>	Rake R1 profile	58, 62
<b>12668</b>	Abrasive gauze Ø 406 mm K120	30	<b>13398</b>	Adhesive Profiles, double sided, S4, 28 cm 10 pcs.	62
<b>12669</b>	Abrasive gauze Ø 410 mm K150	30	<b>13399</b>	Adhesive Profiles, double sided, B11 28 cm 10 pcs.	62
<b>12676</b>	Cleaning pads Ø 410/10 mm beige 10 pcs.	32	<b>13400</b>	Adhesive Profiles, double sided, R1, 21cm 10 pcs.	62
<b>12677</b>	Cleaning pads Ø 410/10 mm green 10 pcs.	32	<b>13401</b>	Adhesive Profiles, double sided, R2, 21cm 10 pcs.	62
<b>12678</b>	Cleaning pads Ø 410/10 mm black 10 pcs.	32	<b>13402</b>	Adhesive Profiles, double sided, R1, 28 cm 10 pcs.	62
<b>12679</b>	Cleaning pads Ø 410/10 mm white 10 pcs.	32	<b>13403</b>	Adhesive Profiles, double sided, R2, 28 cm 10 pcs.	62
<b>12680</b>	Cleaning pads Ø 410/20 mm beige 5 pcs.	32	<b>13404</b>	Adhesive Profiles, double sided, S2, 21 cm, 10 pcs.	62
<b>12691</b>	Cleaning pads Ø 410/20 mm green 5 pcs.	32	<b>13409</b>	Adhesive Profiles, double sided, S3, 21 cm, 10 pcs.	62
<b>12692</b>	Cleaning pads Ø 410/20MM black 5 pcs.	32	<b>13410</b>	Adhesive Profiles, double sided, S2, 28 cm, 10 pcs.	62
<b>12693</b>	Cleaning pads Ø 410/20 mm weiß 5 pcs.	32	<b>13413</b>	Adhesive Profiles, double sided, S3, 28 cm, 10 pcs.	62
<b>13299</b>	Disc holder with sponge padding, Ø 375 mm	30	<b>13419</b>	Straight blades (100 pcs.)	24, 76, 77, 102
<b>13300</b>	Disc holder for pads Ø 400 mm	32	<b>13420</b>	Break-off blade 18 mm, 100 pcs.	102
<b>13305</b>	Joint grooving machine Fräsmaster	86	<b>13421</b>	Hooked blades, 0.65 mm, 100 pcs.	11, 24, 76, 79, 102
<b>13308</b>	Speed welding nozzle	93, 94	<b>13422</b>	Super hooked blade, 0.65 mm, 100 pcs.	76, 102
<b>13314</b>	T-Rex 230 V	50	<b>13424</b>	Joint groover with guiding pin	89
<b>13327</b>	Disc holder with sponge padding, Ø 400 mm	30	<b>13425</b>	Spare blades for Joint groove, 10 Pcs.	89
<b>13328</b>	Spare sponge padding, Ø 400 mm	30	<b>13426</b>	Groover	89
<b>13329</b>	Abrasive paper discs Ø 400 mm K 24	30	<b>13427</b>	Spare blade for Groover	80, 89
<b>13330</b>	Abrasive paper discs Ø 400 mm K 40	30	<b>13429</b>	Spare blades, 10 pcs.	75
<b>13335</b>	Suction wand 50 mm f. T-Rex	50	<b>13430</b>	Standard base 2 mm guide	75
<b>13336</b>	T-Rex roller nozzle	50	<b>13431</b>	Needle punch base 4 mm guide	75
<b>13337</b>	Suction hose 50 mm, length 5 m	48, 49, 50	<b>13432</b>	Carpet base 8 mm guide	75
<b>13338</b>	Hose connection 50 mm	48, 49, 50	<b>13445</b>	Hose damp 40 - 60 mm	50
<b>13339</b>	TS 40/T-Rex 50 mm end fitting	50	<b>13449</b>	Base plate for removing factory-cut edges	75
<b>13340</b>	T-Rex 50 mm connecting piece	50	<b>13450</b>	Weld seam slide	95
<b>13342</b>	Carpet clamp	24	<b>13451</b>	Quarter moon knife	95
<b>13344</b>	Spare blades 210x60x0,7mm Duro/Vario/Eco	21, 22	<b>13452</b>	Quarter moon knife	95
<b>13345</b>	Spare blades 210x60x1,0mm Duro/Vario/Eco	21, 22	<b>13453</b>	Quarter moon knife	95
<b>13346</b>	Spare blades 210x60x1,5mm Duro/Vario/Eco	21, 22	<b>13454</b>	Spare blades for Mittag cutter (10 pcs.)	97, 98
<b>13349</b>	Metal carrying f. Duro-Stripper	21	<b>13455</b>	Carpet cutter, red	98
<b>13350</b>	For 0 - 8 cm strips	79	<b>13456</b>	Carpet cutter, green	98
<b>13351</b>	For 3 - 20 cm strips	79	<b>13457</b>	Spare blades, 10 pcs.	98
<b>13352</b>	For 6 - 30 cm strips	79	<b>13458</b>	Carpet strip cutter	98
<b>13353</b>	Spare blades, 5 pairs	79	<b>13459</b>	Elliptic grooving disc, 3.8 mm	86, 87
<b>13354</b>	Conversion kit, to use hooked blade	79	<b>13460</b>	Elliptic diamond grooving disc, 130 mm, 4 teeth, 3.8 mm	86, 87
<b>13355</b>	Seam scriber	85	<b>13461</b>	Combi grooving disc, 5 mm	86, 87
<b>13356</b>	Scriber needles, 20 pcs.	85	<b>13465</b>	Single nozzle Single nozzle	94
<b>13357</b>	Combi scriber	85	<b>13466</b>	Speed welding nozzle for polyolefin Inlet 4 mm	94
<b>13358</b>	Spare blades, 5 pcs.	80, 85	<b>13467</b>	„Mipolam“ jet-nozzle	94
<b>13367</b>	Adhesive Profiles, double sided, A1, 21cm 10 pcs.	62	<b>13468</b>	Gooseneck nozzle	94
<b>13370</b>	Adhesive Profiles, double sided, B1, 21cm 10 pcs.	62	<b>13469</b>	Correction nozzle Inlet 4 mm	94
<b>13371</b>	Adhesive Profiles, double sided, B2, 21cm 10 pcs.	62	<b>13470</b>	Radiator nozzle	94
<b>13372</b>	Adhesive Profiles, double sided, B3, 21cm 10 pcs.	62	<b>13471</b>	Speed welding nozzle - for PVC wall coverings	94
<b>13373</b>	Adhesive Profiles, double sided, A2, 21cm 10 pcs.	62	<b>13472</b>	Broad nozzle, 20 mm, angled	94
<b>13374</b>	Adhesive Profiles, double sided, A3, 21cm 10 pcs.	62	<b>13473</b>	Broad nozzle 40 mm	94
<b>13375</b>	Adhesive Profiles, double sided, A4, 21cm 10 pcs.	62	<b>13475</b>	Heating element, 3.3 kW	93
<b>13376</b>	Adhesive Profiles, double sided, A5, 21cm 10 pcs.	62	<b>13476</b>	Round nozzle	93
<b>13378</b>	Interchangeable spatula, 21 cm	60	<b>13480</b>	Heating element, 3.0 kW	90
<b>13379</b>	Adhesive Profiles, double sided, S4 21 cm	62	<b>13484</b>	Dolphin knife	102
<b>13380</b>	Adhesive Profiles, double sided, B11, 21cm 10 pcs.	62	<b>13485</b>	Seam trimmer	89
<b>13381</b>	Interchangeable spatula, 28 cm	60	<b>13486</b>	CCM instrument WOLFF	71
<b>13382</b>	Adhesive Profiles, double sided, A1, 28 cm 10 pcs.	62	<b>13490</b>	Stone, grit 20	33
<b>13385</b>	Adhesive Profiles, double sided, B1, 28 cm 10 pcs.	62	<b>13491</b>	Diamond grindstone	95
<b>13386</b>	Adhesive Profiles, double sided, B2, 28 cm 10 pcs.	62	<b>13493</b>	Grinding stone	54
<b>13387</b>	Adhesive Profiles, double sided, B3, 28 cm 10 pcs.	62	<b>13500</b>	Spare sponge padding, Ø 375 mm	30
<b>13388</b>	Adhesive Profiles, double sided, A2, 28 cm 10 pcs.	62	<b>13501</b>	Disc holder with felt, Ø 375 mm	30
<b>13389</b>	Adhesive Profiles, double sided, A3, 28 cm 10 pcs.	62	<b>13502</b>	Cleaning tank Rumba / Mambo	113
<b>13390</b>	Adhesive Profiles, double sided, A4, 28 cm 10 pcs.	62	<b>13503</b>	Suction kit plastic	28
			<b>13504</b>	Paper filter bags 40 cm f. 13503 10 pcs.	28

<b>13505</b>	Polishing brush, coir	32, 114
<b>13506</b>	Shampooing brush	32, 114
<b>13507</b>	Perlon brush	32, 114
<b>13508</b>	Scrub brush	32, 114
<b>13509</b>	Polishing machine Rumba 0.5 kW	113
<b>13510</b>	HM grinding disc Ø 375mm K 16	30
<b>13515</b>	HM grinding disc Ø 400mm K 16	30
<b>13517</b>	HM grinding disc Ø 375mm K 24	30
<b>13518</b>	HM grinding disc Ø 400mm K 24	30
<b>13520</b>	Disc holder for pads	113
<b>13521</b>	Polishing brush, soft	113
<b>13522</b>	Polishing brush, hard	113
<b>13523</b>	Polishing pad	113
<b>13526</b>	Felt padding Ø 375mm	30
<b>13527</b>	Abrasive paper discs Ø 380mm K 24	30
<b>13528</b>	Abrasive paper discs Ø 380mm K 40	30
<b>13529</b>	Abrasive paper discs Ø 380mm K 60	30
<b>13530</b>	Abrasive paper discs Ø 380mm K 80	30
<b>13532</b>	Abrasive paper discs Ø 380mm K100	30
<b>13533</b>	Abrasive paper discs Ø 380mm K120	30
<b>13534</b>	Abrasive paper discs Ø 400mm K 60	30
<b>13535</b>	Abrasive paper discs Ø 400mm K 80	30
<b>13536</b>	Abrasive paper discse Ø 400mm K100	30
<b>13537</b>	Abrasive paper discs Ø 400mm K120	30
<b>13539</b>	Corrugated wire brush	32, 114
<b>13540</b>	Grinding disc with 6 stones	33
<b>13549</b>	Grinding disc with 6 stones, grit 20	30
<b>13550</b>	Milling module with HM plate	33
<b>13566</b>	HM plate (1 pc.)	33
<b>13569</b>	HM milling plate disc	33
<b>13587</b>	Sanding roller Cobra 09/Cobra Classic	117, 118
<b>13593</b>	Seam clamp 5 Pcs.	99
<b>13594</b>	Copper band, Roll 50 m	63
<b>13595</b>	Copper band, Roll 200 m	63
<b>13604</b>	Stirrer, MK type 120 mm	52
<b>13605</b>	Stirrer, type KE 90S	52
<b>13606</b>	Stirrer, type KE 120S	52
<b>13611</b>	Mixer Type MK 160 mm	52, 53
<b>13617</b>	Spare blades for Hand scraper 10 pcs.	24
<b>13619</b>	Rubbing hammer	84
<b>13626</b>	Slide hammer tool, Length 41 cm	107
<b>13627</b>	Slide hammer tool, Adjustable length, 41 or 64 cm	107
<b>13628</b>	Measuring wedge	70
<b>13636</b>	Spike rollers 50cm / 31mm	58
<b>13637</b>	Spike rollers 25cm / 31mm	58
<b>13638</b>	Spike rollers 75cm / 31mm Sta.	58
<b>13639</b>	Starting current limiter	44, 111
<b>13641</b>	Floor milling machine CT 200	44
<b>13642</b>	Milling drum CT 200 with milling blades	44
<b>13643</b>	Milling blade set for CT 200, 76 pcs.	44
<b>13644</b>	Intermediate disc set for milling drum CT 200, 76 pcs.	44
<b>13645</b>	Milling drum CT 200 (not shown) without blades	44
<b>13646</b>	Shafts for milling drum CT 200, set of 4 pcs.	44
<b>13648</b>	Milling drum CT 200 complete with peeling blades	44
<b>13649</b>	Peeling blade set for CT 200, 40 pcs., 10 mm	44
<b>13650</b>	Intermediate disc set for peeling blade drum CT 200, 72 pcs.	44
<b>13658</b>	Pin leveller	57, 58
<b>13659</b>	Steel blade	58
<b>13660</b>	Spare pins, 2 pcs.	58
<b>13661</b>	Viper 230 V without soft boost	119
<b>13662</b>	Carbide phials 100 pcs.	71
<b>13761</b>	Adhesive spatula, A1 profile	60

<b>13762</b>	Spike rollers 50 cm / 11mm	58
<b>13763</b>	Nylon roller	59
<b>13803</b>	Subfloor strength tester	70
<b>13809</b>	Stair tool, 7 cm	99
<b>13813</b>	Round blade, 6 mm	89
<b>13834</b>	Scriber needles, 20 pcs.	85
<b>13840</b>	Hammer bar, 54.5 cm	108
<b>13841</b>	Adhesive spatula, B1 profile, 25 cm	60
<b>13842</b>	Groover for rubber floors	89
<b>13843</b>	Spare blades for Groover for rubber floors, 10 Pcs.	89
<b>13862</b>	Stair tool, 9 cm	99
<b>13868</b>	Round blade, 12 mm	89
<b>13870</b>	Flat blade	89
<b>13872</b>	Flexible steel straight edge 205 cm	104
<b>13873</b>	Flexible steel straight edge 405 cm	104
<b>13876</b>	Adhesive spatula, A2 profile, 18 cm	60
<b>13877</b>	Adhesive spatula, B1 profile, 18 cm	60
<b>13878</b>	Corrugated link, 100 pcs.	45, 63
<b>13879</b>	Spike rollers 25cm / 11mm	58
<b>13880</b>	Designer cutting knife	102
<b>13886</b>	Adhesive spatula, A2 profile, 25 cm	60
<b>13922</b>	Supporting blocks, 100 pcs.	71
<b>13923</b>	Test blocks, 100 pcs.	71
<b>13926</b>	Mixed adhesive	71
<b>13932</b>	Wave connector PU 1.000 pcs.	45, 63
<b>13934</b>	Floor scraper	24
<b>13943</b>	Seam roller, 13 cm wide	99
<b>13947</b>	Profile for strip-cutter	79
<b>13978</b>	Spare blades Turbo 350x60x1,0mm 10 pcs.	16, 17
<b>13979</b>	Spare blades Turbo 350x60x1,5mm 10 pcs.	16, 17
<b>13980</b>	Spare blades Turbo 200x60x1,5mm 10 pcs.	16
<b>13981</b>	Spare blades Turbo 150x60x1,5mm 10 pcs.	16
<b>13982</b>	Spare blades f. Turbo 350x120x1,5 mm	13, 16, 17
<b>13983</b>	Special blades U 350x90° top cutting edge	16
<b>13986</b>	Anlaufstrombegrenzer ext. (mit Schweizer Stecker)	111
<b>13998</b>	Spare blades Junio-Stripper 120 mm 10S/VE	22
<b>14000</b>	Spare blades Junio-Stripper 200 mm 10S/VE	22
<b>14001</b>	Spare blades for Floor scraper	24
<b>14019</b>	Ball set, 4 pcs.	71
<b>14020</b>	Test phials, 10 pcs.	71
<b>14021</b>	Spike rollers 50 cm / 21mm	58
<b>14023</b>	Multi grinding plate	31
<b>14038</b>	Hose kit with T-piece	28
<b>14039</b>	Dust ring	28
<b>14043</b>	Spring washer 90 mm	30
<b>14044</b>	Left-hand thread	30
<b>14243</b>	Star wheel grinding disc	33
<b>14244</b>	Star wheels (set of 42 pcs.)	33
<b>14245</b>	Milling head	33
<b>14248</b>	Grinding disc with diamond grinding heads	33
<b>14249</b>	Diamond grinding head, fan-type helical design	33
<b>14254</b>	Grinding plate with hard metal ring K 16	31
<b>14255</b>	Grinding plate with hard metal ring K 24	31
<b>14256</b>	hard metal ring K 16	31
<b>14257</b>	hard metal ring K 24	31
<b>14261</b>	Fine dust filter	50
<b>14262</b>	T-Rex suction nozzle, round	50
<b>14263</b>	T-Rex 70 mm add-on nozzle	50
<b>14264</b>	Add-on nozzle brush set	50
<b>14265</b>	Add-on nozzle rubber lip	50
<b>14268</b>	70 mm diameter connecting piece	50
<b>14269</b>	Hose clamp, 60 - 80 mm	50

14270	Spike rollers 75cm / 11mm	
14271	Spike rollers 75cm / 21mm	
14272	Spike rollers 25cm / 21mm	
14273	70 mm end fitting	
14538	Push-off knife	
14539	Spare blade	
14959	Allen key SW 8	
15315	Hearing protection	
15316	Protective goggles	
15353	Brush ring	
15519	Spare blades Combi-Str. 13,5 cm	
15532	Special blade heavy duty	13
15551	Roller handle	
15552	Super fine foam roller	
15555	Height scriber	
15561	Head seam straight edge	
15563	Stare bevel	
15566	Adhesive spatula, B2 profile, 18 cm	
15567	Adhesive spatula, B3 profile, 18 cm	
15568	Adhesive spatula, w/o profile 18 cm	
15569	Adhesive spatula, A1 profile, 25 cm	
15570	Adhesive spatula, B2 profile, 25 cm	
15571	Adhesive spatula, B3 profile, 25 cm	
15572	Adhesive spatula, w/o profile 25 cm	
15591	Double knife sheath for WOLFF knife	
15605	Linoleum edge cutter	
15610	Broad nozzle	89
15611	Welding rod roller, 15 mm	89
15617	Blade no. 22, 10 pcs.	
15619	Handle for spare blade	
15620	Stair scriber	
15621	FasTrimmer	
15622	Base for chamfering the floor	
15623	FasTrimmer	
15624	Circular cutter, 4 - 21 cm	
15625	Spare blades for circle cutter	
15626	Circular cutter	
15628	Joint groover for circular cutter	
15629	Extension rails up to 4.86 m radius	
15631	Adapter for corner and wall radius	
15641	Mittag cutter	
15648	Mitre-box shears	
15649	Spare blade	
15650	Spare pad	
15651	Skirting board shears with stop	
15652	Carpet shears, serrated blade, 22 cm	
15653	Napping shears, 14 cm	
15654	Carpet shears	
15658	Napping shears, 18 cm	
15659	Universal shears, 25 cm	
15661	LS 35 (35 cm cutting width)	
15662	Saw blade	
15714	Diamond grindstone	
15718	HM grinding stone, grit 24	
15735	Brush cup plate	
15736	Brush cup set, 6 pcs.	
15737	Mounting kit for brush cup set	
15738	Flat steel brush disc	
15739	Spare pad Ø 400 mm	
15781	Double head stretcher	
15797	Impact padding	
15798	Gripper insert for knee clamp, fine	



<b>33204</b>	Leather blade cover	13, 15
<b>33209</b>	Disc for natural stone	32, 114
<b>33291</b>	HM grinding disc Ø 375mm K 12	30
<b>33292</b>	HM grinding disc Ø 400mm K 12	30
<b>33505</b>	Cleaning pads Ø 150mm black 10 pcs.	32
<b>33506</b>	Cleaning pads Ø 150mm green 10 pcs.	32
<b>33507</b>	Cleaning pads Ø 150mm red 10 pcs.	32
<b>33509</b>	Cleaning pads Ø 150mm beige 10 pcs.	32
<b>33510</b>	Cleaning pads Ø 150mm white 10 pcs.	32
<b>33511</b>	Abrasive gauze Ø 150mm K 60	30
<b>33513</b>	Abrasive gauze Ø 150mm K 80	30
<b>33514</b>	Abrasive gauze Ø 150mm K 100	30
<b>33515</b>	Abrasive gauze Ø 150mm K 120	30
<b>33516</b>	Abrasive gauze Ø 150mm K 150	30
<b>33517</b>	Abrasive gauze Ø 150mm K 180	30
<b>33524</b>	Cleaning pads Ø 410mm for oiling 10 pcs.	32
<b>33525</b>	Cleaning pads Ø 150mm for oiling 10 pcs.	32
<b>33754</b>	Adhesive Profiles, double sided, B9, 28cm, 10 pcs.	62
<b>34097</b>	Additional weight 11kg Samba,Jive,Flamenco,T	28
<b>34284</b>	Milling disc with rotation principle	33
<b>34285</b>	Single milling module	33
<b>34286</b>	Gliding disc	33
<b>34288</b>	Wheel set per module, 12 pcs.	33
<b>34298</b>	Cleaning pads Ø 410/20mm red 5 pcs.	32
<b>34300</b>	Cleaning pads Ø410/10mm red 10 pcs.	32
<b>35082</b>	Suction device 230V/50Hz f. Samba/Tango	28
<b>37299</b>	Paper filter bags 80cm f. 13503 5 pcs.	28
<b>38197</b>	HM grinding disc Ø 400mm K 36	30
<b>38465</b>	Cleanbox	114
<b>38535</b>	Additional weight, 30 kg f. Turbo2	13
<b>38588</b>	Extro-Stripper2 230V/50Hz	14
<b>38622</b>	Adhesive spatula, B11 profile, 18cm	60
<b>38764</b>	Vario-Stripper Silent 230V/50Hz	18
<b>38765</b>	Spare blades 250x60x0,7mm Vario 10 pcs.	19
<b>38766</b>	Spare blade 250x60x1,0mm Vario 10 pcs.	19
<b>38767</b>	Spare blade 250x60x1,0mm Vario 10 pcs.	19
<b>38768</b>	Special blade U 250x90° Top cutting edge Vario	19
<b>38923</b>	Milling drum with star-shaped blades	44
<b>38924</b>	Star-shaped blade set for CT 200, 356 pcs.	44
<b>38932</b>	Special blade U 250x90° Bottom cutting edge Vario	19
<b>38933</b>	Special blades U 350x90° bottom cutting edge	16
<b>39189</b>	Three star handle nut D 80 x M 10	12, 15
<b>39234</b>	Three-star grip screw compl. M 10x80	12
<b>39362</b>	Special blade heavy duty	13, 15
<b>39364</b>	Stirrer type KR 140	52
<b>39709</b>	Cleaning tank f. Mambo 2/Evo	26
<b>39891</b>	Viper 230 V with soft boost	119
<b>39923</b>	Adhesive spatula, B11 profile, 25cm	60

4

<b>40066</b>	Starter Set f. T-Rex	50
<b>40262</b>	Linocut seam cutter	75
<b>40607</b>	Holding kit for perforated pads Ø 410mm kompl.	31
<b>40720</b>	Perforated pads P 36 Ø 410mm	32
<b>40741</b>	Perforated pads P 40 Ø 410 mm	32
<b>40742</b>	Perforated pads P 60 Ø 410MM	32
<b>40743</b>	Perforated pads P 80 Ø 410 mm	32
<b>40744</b>	Perforated pads P100 Ø 410 mm	32
<b>40745</b>	Perforated pads P120 Ø 410 mm	32
<b>40746</b>	Perforated pads P150 Ø 410 mm	32
<b>40747</b>	Perforated pads P220 Ø 410 mm	32

<b>40748</b>	Perforated pads P320 Ø 410 mm	32
<b>40749</b>	Perforated pads P400 Ø 410 mm	32
<b>40775</b>	Perforated pads P 40 Ø 150 mm	32
<b>40776</b>	Perforated pads P 60 Ø 150 mm	32
<b>40777</b>	Perforated pads P 80 Ø 150 mm	32
<b>40778</b>	Perforated pads P320 Ø 150 mm	32
<b>40982</b>	Brush ring, high Mambo	31
<b>41043</b>	Velcro plate for multi-hole pad incl. Velcro pad	31
<b>41213</b>	Speed welding nozzle PUR 5 mm	92, 94
<b>41784</b>	Ergostar spatula 21cm	60
<b>41787</b>	Ergostar spatula 28 cm	60
<b>41789</b>	Roller container	59
<b>41811</b>	Extension cable, 25.0 m 111	
<b>42796</b>	Dust absorbing pad 410 mm	31
<b>43778</b>	Turbo-Stripper2 230 V	12
<b>43879</b>	Sanding roller python classic	119
<b>47049</b>	PUR welding nozzle	94
<b>47382</b>	Extension cable, 12.5 m	111
<b>47414</b>	Carpet strip cutter C-cut	98
<b>47450</b>	Rubber mallet, Weight 335 g, diameter 40 mm	106
<b>48028</b>	Diamond grinding plate, PCD	41
<b>48036</b>	PCD splinter segment	41
<b>48038</b>	Diamond segment SS 20	41
<b>48041</b>	Diamond segment SS 40	41
<b>48221</b>	WOLFF knife	102
<b>48371</b>	Suction hose, 70 mm diameter, 15 m	50
<b>48373</b>	Hose kit, 70 mm	50
<b>48376</b>	Connecting kit, 50 mm	50
<b>48401</b>	Serrated blades 250x60x1Vario1Silent	19
<b>48402</b>	Serrated blades 210x60x1mm Duro	21, 22
<b>48421</b>	Flexible steel straight edge 210 x 8 cm	104
<b>48422</b>	Flexible steel straight edge 410 x 8 cm	104
<b>48425</b>	Flexible steel straight edge 210 x 8 cm	104
<b>48426</b>	Flexible steel straight edge 410 x 8 cm	104
<b>48428</b>	Flexible steel straight edge 510 x 8 cm	104
<b>48957</b>	Conversion kit for diamond grinding plates	41
<b>49875</b>	Mozart trimming knife	95
<b>49876</b>	Spare blades for Mozart trimming knife, 5 pcs.	95

5

<b>50772</b>	Slider, 0.50 mm	95
<b>50820</b>	Abrasive paper discs 380 mm K 14	30
<b>50849</b>	HM grinding disc Ø 375mm K 14	30
<b>50850</b>	HM grinding disc Ø 400mm K 14	30
<b>51152</b>	Absolute filter T-Rex (HEPA)	50
<b>51243</b>	Abrasive paper discs Ø 400mm K 16 Gew.	30
<b>51270</b>	Slider, 0.70 mm	95
<b>51505</b>	Hand scraper WOLFF	24
<b>51509</b>	Adjustable knee kicker	97
<b>51546</b>	Adhesive profiles R3, 56cm 10 pcs.	58, 62
<b>51549</b>	Nail shoes	63
<b>51560</b>	Knee pads	108
<b>51771</b>	Sample collection	60
<b>51840</b>	Basic grinding disc for diamond segments	33
<b>52298</b>	Rake	57, 58
<b>52442</b>	Einweg-Inlays Cobra 09/Classic (10 pcs.),	117, 118
<b>53091</b>	Spare straps for nail shoes	63
<b>53415</b>	Undercarriage protection f. Turbo2	13
<b>54874</b>	Copper band ,Self-adhesive roll 2 cm x 25 m	63
<b>55030</b>	Break-off knife	102

<b>55031</b>	Double action, with stop	103
<b>55037</b>	Knee protectors	108
<b>56026</b>	Roller nozzle brush set	50
<b>56092</b>	Joint grooving machine Fräsjunior	87
<b>56203</b>	Smoothing trowel	54
<b>56204</b>	Swiss trowel	54
<b>56205</b>	Adhesive trowel	54
<b>56255</b>	Automatic welding machine Weldmaster	90
<b>56303</b>	Diamond segment SS 60	41
<b>56306</b>	Diamond segment SC 20	41
<b>56308</b>	Diamond segment SC 40	41
<b>56309</b>	Diamond segment SC 60	41
<b>56357</b>	Milling and welding set Combi	91
<b>56363</b>	single disc grinding machine Jive 2010 230 V	29
<b>56364</b>	single disc grinding machine Samba 2010 230 V	27
<b>56365</b>	single disc grinding machine Flamenco 2010 230 V	29
<b>56366</b>	single disc grinding machine Tango 2010 230 V	113
<b>56401</b>	Pressure roller, 30 kg	83
<b>56402</b>	Pressure roller, 50 kg	83
<b>56403</b>	Pressure roller, 68 kg	83
<b>56404</b>	Wheels for transportation	83
<b>56530</b>	Blades, 50 pcs.	103
<b>59831</b>	Cleaning tank f. Samba 2010	28
<b>59856</b>	Spare screw set	95

6

<b>60078</b>	Safety sheath	95
<b>60425</b>	Steel pins 1,000 pcs., uncoated 1,5 x 25 mm	103
<b>60426</b>	Steel pins 1,000 pcs., uncoated 1,5 x 30 mm	103
<b>60427</b>	Steel pins 1,000 pcs., uncoated 1,5 x 35 mm	103
<b>60505</b>	Cork rubbing board	84
<b>60676</b>	Base plate for reverse cutting	75
<b>60736</b>	Spare pad	103
<b>60800</b>	Starvac MI55	46
<b>60890</b>	WOLFF Wallmaster	96
<b>60944</b>	Suction wand f. Starvac+PallmannDust	46
<b>60947</b>	Floor nozzle Starvac+PallmannDust	46
<b>60948</b>	Paper filter bags f. Starvac 5 pcs.	46
<b>60949</b>	Dry vacuum cleaner filter	46
<b>60950</b>	Crevice nozzle Starvac MI55	46
<b>60951</b>	Suction hose, 4 m f.Starvac/PallmannDust	46
<b>61201</b>	Felt coat for glide	84
<b>61394</b>	WOLFF Wallmaster straight edge	96
<b>61802</b>	Conecting adapter	50
<b>61804</b>	Monodisc grinding machine Mambo Evo 230V/50Hz	26
<b>61933</b>	Monodisc grinding machine Mambo Evo 230V/50Hz	46
<b>62162</b>	Aluminium floor nozzle, 370 mm	46
<b>62183</b>	Mozart speed Trimmer	95
<b>62227</b>	Running gear f. Turbo	11, 13, 15
<b>62228</b>	Parquet sanding machine Cobra 09 230 V	117
<b>62562</b>	Membranfilter für Starvac	46
<b>62694</b>	Glide with removable felt coat and handle	84
<b>62697</b>	Starvac disposal bags (10 pcs.)	46
<b>62727</b>	Sheath green for WOLFF knife 48221	102
<b>63011</b>	Bevelling disc for profile bevels	100
<b>63752</b>	Deflector for Turbo versions New f. Turbo2	13
<b>63753</b>	Blade holder for deflector for Turbo2	13
<b>63754</b>	Wood flooring stripper set Turbo2	13
<b>63998</b>	WOLFF GreenCut	76
<b>64135</b>	Transport case Gecko Flex	120
<b>64310</b>	Transport trolley Cobra 09	117

<b>65080</b>	Cleaning pads Ø 410/20mm brown 5 pcs.	32
<b>65398</b>	Knieschoner Safety Poly	108
<b>65431</b>	CCM Set ECO	71
<b>65480</b>	Stirring station, 75 litre, complete	53
<b>65481</b>	75 L stirring station base frame	53
<b>65491</b>	75 L stirring station mounting	53
<b>65492</b>	75 L stirring station stirrer	53
<b>65493</b>	75 L stirring station mixing bucket	53
<b>65494</b>	75 L stirring station hose holder	53
<b>65495</b>	Adhesive interchangeable spatula, 28 cm with handle	56
<b>65496</b>	Replacement smoothing compound rake	56
<b>65497</b>	Universal telescopic handle	56, 57, 58
<b>65499</b>	Adapter for spike rollers	57, 58
<b>65500</b>	Professional hand scraper WOLFF	24
<b>65501</b>	Smoothing compound rake, 56 cm with handle	56
<b>65502</b>	Replacement smoothing compound rake	56
<b>65503</b>	Large area rake, 60 cm with handle	56
<b>65504</b>	Replacement large area rake	56
<b>65505</b>	Replacement pins for large area rake, 1 pair	56
<b>65656</b>	Solid board notched trowel	60
<b>65659</b>	Carpet cutter	97
<b>65660</b>	Carpet awl	97
<b>65755</b>	Slot hole blades (10 pcs.)	97
<b>65846</b>	30 L transportation caddy including	53
<b>65847</b>	30 L mixing bucket	53, 55
<b>65848</b>	Transportation caddy base frame	53
<b>65853</b>	Stair tool with roller	99
<b>66177</b>	Sigma diamond segment single, grit 6, purple	42
<b>66178</b>	Sigma diamond segment single BT, grit 16, silver	42
<b>66179</b>	Sigma diamond segment single BT, grit 25, gold	43
<b>66180</b>	Sigma diamond segment double, grit 40-50, grey	43
<b>66211</b>	Sigma diamond segment double, grit 80, brown	43
<b>66212</b>	Sigma Diamant-Segment double K120-200 schwarz	43
<b>66213</b>	Sigma PCD segment soft gold	42
<b>66214</b>	Sigma PCD segment, hard gold	42
<b>67323</b>	Wood Beveller	100
<b>67983</b>	Handle bracket	56
<b>68353</b>	Extension 200 mm	52
<b>68388</b>	DS PCD scraper silver	35
<b>68389</b>	DS PCD split silver	35
<b>68390</b>	DS BT K 20 gold	35
<b>68391</b>	DS ES K 20 black	35
<b>68602</b>	DIA cutting disc EF 135	45
<b>68679</b>	Screed joint cutter EF 135	45
<b>68866</b>	Ninja complete with PCD Scraper segments	34
<b>68867</b>	Ninja complete with PCD Split segments	34
<b>68868</b>	Ninja complete with ES K20 segments	34
<b>68869</b>	Ninja complete with DS ES K 20 black	34
<b>69452</b>	Sigma diamond segment single ES, grit 16, silver	42
<b>69453</b>	Sigma diamond segment single ES, grit 25, gold	43
<b>69864</b>	Railcut	77
<b>69877</b>	Spare rail with connector (1.40 m)	77

7

<b>70754</b>	Perforated pad P100 Ø 150 mm	32
<b>71053</b>	Hygrometer Universal V1-D4 Professional	65, 68
<b>71054</b>	Moisture meter GM-200	67
<b>71055</b>	Thermohygrometer LVT 15 Professional	67, 69
<b>71056</b>	Submersible probe TF-01	67, 69
<b>71057</b>	Surface probe OF-02 Professional	67, 69
<b>71213</b>	Bolt with nut and sleeve (Set)	103

<b>71730</b>	Dust bag Cobra 09/Classic/Python Cl	117, 118, 119
<b>71735</b>	Gecko Star 2.0 D150 mm, short attachment	120
<b>71742</b>	Gecko Star 2.0 D150 mm, long attachment	120
<b>71743</b>	Gecko Star 2.0 D178 mm, short attachment	120
<b>71782</b>	Gecko Flex 230 V	120
<b>71791</b>	Gecko Star 2.0 D178 mm, long attachment	120
<b>71844</b>	Parquet sanding machine Python Classic	119
<b>71845</b>	Parquet sanding machine Cobra Classic 230 V	118
<b>71910</b>	Blade holder	103
<b>71991</b>	Leister Triac AT	93
<b>72225</b>	Zusatzgewicht Spider	40, 116
<b>72268</b>	Sigma PKD Segment Super A	42
<b>72269</b>	Sigma PKD Segment Super A Protect	42
<b>72315</b>	Heating element 1.55 kW for Triac ST	93
<b>72462</b>	Dust ring with extraction device Samba	28
<b>72661</b>	Design Cutter WO 330	82
<b>72663</b>	Design Cutter WO 630	82
<b>72752</b>	Spare blade for WO 330	82
<b>72776</b>	Spare blade for WO 630	82
<b>72916</b>	Pre-separator	47
<b>72983</b>	Grinding disc Ø125mm ES grit 20, black, BS 125	37, 38
<b>72984</b>	Grinding disc Ø125mm BT grit 20, gold BS 125	37, 38
<b>73102</b>	hose 1.2 m	47
<b>73385</b>	Hose kit for dust ring	28
<b>73389</b>	Blade holder for Wood flooring stripper set	13
<b>73555</b>	Foam rubber plate Alu Spider	116
<b>73618</b>	Brush electrodes set BE-03	66, 68
<b>73619</b>	Flat electrodes set FE-04	66, 68
<b>73709</b>	Duo pressure roller	84
<b>73710</b>	Joint groover with guiding wheels	89
<b>73772</b>	Pinhead measuring electrode PP-05	66, 68
<b>73773</b>	Air sensor with cable CS-06	66, 68
<b>73774</b>	Resistor measured sample (Set) CE-07	66, 68
<b>73775</b>	Sealable sleeve for air sensor	66, 68
<b>73888</b>	Robo-Stripper 230 V	8
<b>74177</b>	Suction kit metal	28
<b>74215</b>	Twin wheels Robo Stripper	
<b>74554</b>	Carbide phials 25 pcs.	71
<b>74650</b>	NEO 230 2kW/230V	39
<b>74843</b>	Design Collection in case	78
<b>74844</b>	Tanos carrying case	78
<b>74845</b>	Leister Triac ST	93
<b>74847</b>	Leister Triac set ST	93
<b>74949</b>	Chamfer and mitre templates	105
<b>75006</b>	Spare blade (Robo) 450x120x1,5	9
<b>75007</b>	Spare blade (Robo) 450x60x1,5	9
<b>75010</b>	Special blade U-shape 450 Top cutting edge Robo	9
<b>75011</b>	Special blade U-shape 450 Bottom cutting edge Robo	9
<b>75364</b>	PCD ULTRA	41
<b>75365</b>	PCD ULTRA XT	41
<b>75366</b>	PCD Scraper XT	41
<b>75404</b>	Grinding disc Ø125mm PCD Split, silver BS 125	37, 38
<b>75405</b>	Grinding disc Ø125mm PCD Scraper, silver BS 125	37, 38
<b>75406</b>	Grinding disc Ø180mm BT grit 20, gold BS 180	37, 38
<b>75407</b>	Grinding disc Ø180mm ES grit 20, black, BS 180	36, 37, 38
<b>75408</b>	Grinding disc Ø180mm PCD Split, silver BS 180	37, 38
<b>75409</b>	Grinding disc Ø180mm PCD Scraper, silver BS 180	37, 38
<b>76769</b>	Leister Electron ST	93
<b>76859</b>	Repair milling machine	88
<b>76860</b>	HM cutter blade 130 x 20 x 6 straight Z6	88
<b>76970</b>	NEO 400 4kW/400V	40

<b>79320</b>
--------------

<b>82452</b>	Vacuclean 2 HEPA	48	<b>85149</b>	DIA Saw blade 230 mm (for soft floor - screed)	23
<b>82453</b>	Vacuclean 2 LP HEPA	49	<b>85541</b>	DIA Saw blade 230 mm blue (for hard floors - concrete)	23
<b>82643</b>	Leister Triac Set AT 230V/50Hz	93	<b>85652</b>	Duro-Stripper 2.0 230V/50Hz VG	20
<b>82650</b>	Brush BS 180	36	<b>85860</b>	HM Box	72
<b>83113</b>	Hygrometer Universal V1-D4 Basic	65, 68	<b>85861</b>	HM Fix Adhesive	72
<b>83115</b>	Thermohygrometer LVT 15 IR	67, 69	<b>85963</b>	Hose set for water dosing device	55
<b>83124</b>	Cleanfox 7,5 10 Ah	113	<b>86015</b>	Dust collar Spider cpl.	116
<b>83125</b>	Cleanfox 7,5 20 Ah	113	<b>87831</b>	Peeling drill set 16-30.5 mm	80
<b>83145</b>	Cylindrical brush medium (blue)	113	<b>87877</b>	Rapid spatula stainless 200 mm	61
<b>83146</b>	Cylindrical brush soft (grey)	113	<b>87878</b>	Rapid spatula stainless 270 mm	61
<b>83147</b>	Cylindrical brush hard (black)	113	<b>87879</b>	Stucco spatula stainless steel 80 mm	61
<b>83148</b>	Tynex brush (green)	113	<b>87880</b>	Stucco spatula stainless steel 100 mm	61
<b>83149</b>	Suction lip set Para red	113	<b>87881</b>	Spreading trowel serrated 60 mm	61
<b>83150</b>	Replacement Battery 10 Ah	113	<b>87882</b>	Spreading trowel serrated 80 mm	61
<b>83151</b>	Replacement Battery 20 Ah	113	<b>87884</b>	Floor spatula 530 mm	61
<b>83152</b>	Battery-Charger for the car	113	<b>87889</b>	Height adjustment spatula stainless 280 mm	60
<b>83153</b>	Netzteil (für Cleanfox)	113	<b>87890</b>	Universal holder	58
<b>83178</b>	Flat nozzle f. Vacuclean2	48, 49	<b>87895</b>	Rubber strips for universal holder 0 mm	59
<b>83248</b>	Mixing bucket 110 l	53	<b>87896</b>	Rubber strips for universal holder 2 mm	59
<b>83338</b>	Brush set Spider (structuring of wooden floors)	116	<b>87897</b>	Rubber strips for universal holder 3 mm	59
<b>83446</b>	Replacement brush 430 mm, 1 pcs.	48, 49	<b>87898</b>	Rubber strips for universal holder 4 mm	59
<b>83464</b>	Spare nails round (packaging unit 32 pieces)	63	<b>87899</b>	Rubber strips for universal holder 5 mm	59
<b>83665</b>	Klimasensor CS-10	66, 68	<b>87901</b>	Rubber strips for universal holder 8 mm	59
<b>83702</b>	Support wheel Neo 400	40	<b>87902</b>	Rubber strips for universal holder 14 mm	59
<b>83734</b>	Rubbing device	84	<b>87903</b>	Cross stop for roller steel ruler 600 mm	104
<b>83924</b>	Mixer Power X 1000	52	<b>87904</b>	Ruler cambered stainless 800 mm	104
<b>83925</b>	Dust mask AIR + FFP2 (10 pcs.)	109	<b>87905</b>	Stainless steel door threshold ruler 600-1.200 mm	105
<b>83926</b>	Dust mask AIR + FFP3 (10 pcs.)	109	<b>87907</b>	Stainless steel door threshold ruler 460-730 mm	105
<b>83927</b>	Micro fan for AIR + masks	109	<b>87908</b>	Spare pushbutton 600 mm	105
<b>83929</b>	Microfibre replacement cloth (for microfibre brush)	113	<b>87909</b>	Spare button 800 mm	105
<b>83933</b>	Suction-lips	113	<b>87910</b>	Spare button 1.000 mm	105
<b>83950</b>	Metal wheels	28	<b>87911</b>	Floorcovering marker & cutter 385mm	98
<b>84094</b>	Wolff Ripper	54	<b>87913</b>	Marking pin 45 mm	98
<b>84137</b>	Flow-Fix-Set	55	<b>87914</b>	Joint plane J-shape	89
<b>84169</b>	Mixer Power X 1600	52	<b>87915</b>	Spare blade J-Form 10 pcs./VE	89
<b>84185</b>	Spirit Level 110cm	105	<b>87918</b>	Tear-away claw with wooden handle	24
<b>84206</b>	Pre-filter Cleanspace Ex	110	<b>87919</b>	Multispider basic unit	81
<b>84208</b>	Protective cover for HI-CAP P3 (pack of 25)	110	<b>87920</b>	Multispider base plate 450 mm	81
<b>84209</b>	Only Cleanspace EX without mask	110	<b>87921</b>	Multispider base plate 200 mm	81
<b>84239</b>	Full face mask	110	<b>87922</b>	Multispider clamping slide	81
<b>84246</b>	Dust Door System	109	<b>87923</b>	Multispider connecting rod	81
<b>84247</b>	Dust Door System	106	<b>87924</b>	Multispider probe arm 250 mm	81
<b>84428</b>	Laser-Distance-Analyser PT 400	73	<b>87925</b>	Multispider probe arm 350 mm	81
<b>84546</b>	CCM-device Alu Business Pro	71	<b>87926</b>	Multispider probe arm 550 mm	81
<b>84569</b>	Microfiber cloth (green)	113	<b>87927</b>	Multispider push-button pointed/pointed	81
<b>84659</b>	Replacement knife for skirting new	103	<b>87930</b>	Multispider push button round/round	81
<b>84759</b>	Carrying case EF 135	45	<b>87931</b>	Multispider push button pointed outside	81
<b>84761</b>	Paint-Checker	73	<b>87932</b>	Multispider push button pointed inside	81
<b>84773</b>	Pica-Dry Marker	103	<b>87946</b>	OneMix stirring rod	53
<b>84774</b>	Refill graphit	103	<b>87947</b>	OneMix stirring attachments (10 pcs.)	53
<b>84775</b>	Refill green	103	<b>87948</b>	Adapter for roller bracket	57
<b>84810</b>	Brush set f. Neo 400	40	<b>87949</b>	Handle holder for doctor blade	57
<b>84888</b>	Duro-Stripper 2.0 230V/50Hz	20	<b>88300</b>	Ergo Cutter Pro	11, 24
<b>84917</b>	Water meter	55	<b>88320</b>	Venting roller 50 cm / 100 mm	58
<b>84918</b>	Roll transport trolley	107	<b>88329</b>	Sharpened blades ground on both sides	98
<b>84919</b>	Wood Saw PS 230	23	<b>88367</b>	Replacement Blades Set Hand Scraper	24
<b>84920</b>	Tripod for Water dosing device	55			
<b>85000</b>	BI-Turbo-Stripper 230V/50Hz	10			
<b>85141</b>	Distance piece Wood Saw	23			
<b>85147</b>	HM-blade Ø 230 mm	23			
<b>85148</b>	PKD saw blade Ø 230 x 3,5 mm	23			

ALPHABETICAL INDEX

A

Abrasive gauze Ø 150mm K 60	30
Abrasive gauze Ø 150mm K 80	30
Abrasive gauze Ø 150mm K 100	30
Abrasive gauze Ø 150mm K 120	30
Abrasive gauze Ø 150mm K 150	30
Abrasive gauze Ø 150mm K 180	30
Abrasive gauze Ø 406 mm K 60	30
Abrasive gauze Ø 406 mm K 80	30
Abrasive gauze Ø 406 mm K100	30
Abrasive gauze Ø 406 mm K120	30
Abrasive gauze Ø 410 mm K150	30
Abrasive paper discs Ø 380 mm K 16 Gew.	30
Abrasive paper discs Ø 380mm K 24	30
Abrasive paper discs Ø 380mm K 40	30
Abrasive paper discs Ø 380mm K 60	30
Abrasive paper discs Ø 380mm K 80	30
Abrasive paper discs Ø 380mm K100	30
Abrasive paper discs Ø 380mm K120	30
Abrasive paper discs Ø 400mm K 16 Gew.	30
Abrasive paper discs Ø 400mm K 24	30
Abrasive paper discs Ø 400mm K 40	30
Abrasive paper discs Ø 400mm K 60	30
Abrasive paper discs Ø 400mm K 80	30
Abrasive paper discs Ø 400mm K120	30
Abrasive paper discse Ø 400mm K100	30
Absolute filter T-Rex (HEPA)	50
Adapter for corner and wall radius	80
Adapter for roller bracket	57
Adapter for spike rollers	57, 58
Additional weight Spider	40, 116
Additional weight 11kg Samba,Jive,Flamenco,T	28
Additional weight, 30 kg f. Turbo2	13
Add-on nozzle brush set	50
Add-on nozzle rubber lip	50
Adhesive interchangeable spatula, 28 cm with handle	56
Adhesive profiles R3, 56cm 10 pcs.	58, 62
Adhesive Profiles, double sided, A1, 21cm 10 pcs.	62
Adhesive Profiles, double sided, A1, 28cm 10 pcs.	62
Adhesive Profiles, double sided, A2, 21cm 10 pcs.	62
Adhesive Profiles, double sided, A2, 28cm 10 pcs.	62
Adhesive Profiles, double sided, A3, 21cm 10 pcs.	62
Adhesive Profiles, double sided, A3, 28cm 10 pcs.	62
Adhesive Profiles, double sided, A4, 21cm 10 pcs.	62
Adhesive Profiles, double sided, A4, 28cm 10 pcs.	62
Adhesive Profiles, double sided, A5, 21cm 10 pcs.	62
Adhesive Profiles, double sided, A5, 28cm 10 pcs.	62
Adhesive Profiles, double sided, B1, 21cm 10 pcs.	62
Adhesive Profiles, double sided, B1, 28cm 10 pcs.	62
Adhesive Profiles, double sided, B11 28cm 10 pcs.	62
Adhesive Profiles, double sided, B11, 21cm 10 pcs.	62
Adhesive Profiles, double sided, B2, 21cm 10 pcs.	62
Adhesive Profiles, double sided, B2, 28cm 10 pcs.	62
Adhesive Profiles, double sided, B3, 21cm 10 pcs.	62
Adhesive Profiles, double sided, B3, 28cm 10 pcs.	62
Adhesive Profiles, double sided, B9, 28cm, 10 pcs.	62
Adhesive Profiles, double sided, R1, 21cm 10 pcs.	62
Adhesive Profiles, double sided, R1, 28cm 10 pcs.	62
Adhesive Profiles, double sided, R2, 21cm 10 pcs.	62
Adhesive Profiles, double sided, R2, 28cm 10 pcs.	62

Adhesive Profiles, double sided, S2, 21cm, 10 pcs.	62
Adhesive Profiles, double sided, S2, 28cm, 10 pcs.	62
Adhesive Profiles, double sided, S3, 21cm, 10 pcs.	62
Adhesive Profiles, double sided, S3, 28cm, 10 pcs.	62
Adhesive Profiles, double sided, S4 21 cm	62
Adhesive Profiles, double sided, S4, 28cm 10 pcs.	62
Adhesive spatula, A1 profile	60
Adhesive spatula, A1 profile, 25 cm	60
Adhesive spatula, A2 profile, 18 cm	60
Adhesive spatula, A2 profile, 25cm	60
Adhesive spatula, B1 profile, 18 cm	60
Adhesive spatula, B1 profile, 25 cm	60
Adhesive spatula, B11 profile, 18cm	60
Adhesive spatula, B11 profile, 25cm	60
Adhesive spatula, B2 profile, 18 cm	60
Adhesive spatula, B2 profile, 25 cm	60
Adhesive spatula, B3 profile, 18 cm	60
Adhesive spatula, B3 profile, 25 cm	60
Adhesive spatula, w/o profile 18 cm	60
Adhesive spatula, w/o profile 25 cm	60
Adhesive trowel	54
Adjustable knee kicker	97
Air sensor with cable CS-06	66, 68
Allen key SW 8	30
Aluminium floor nozzle, 370 mm	46
Automatic welding machine Weldmaster	90

B

Ball set, 4 pcs.	71
Base for chamfering the floor	85
Base plate for removing factory-cut edges	75
Base plate for reverse cutting	75
Basic grinding disc for diamond segments	33
Battery-Charger for the car	113
Bevelling disc for profile bevels	100
BI-Turbo-Stripper 230V/50Hz	10
Blade holder	103
Blade holder for deflector for Turbo2	13
Blade holder for Wood flooring stripper set	13
Blade no. 22, 10 pcs.	102
Blades, 50 pcs.	103
Bolt with nut and sleeve (Set)	103
Break-off blade 18 mm, 100 pcs.	102
Break-off knife	102
Broad nozzle	89, 94
Broad nozzle 20 mm	94
Broad nozzle 40 mm	94
Broad nozzle, 20 mm, angled	94
Broom 50 cm	107
Broom 60 cm	107
Brush BS 180	36
Brush cup plate	31
Brush cup set, 6 pcs.	31
Brush electrodes set BE-03	66, 68
Brush ring	28
Brush ring, high Mambo	31
Brush set f. Neo 400	40
Brush set Spider (structuring of wooden floors)	116

C

Cable drum	111
Carbide phials 100 pcs.	71
Carbide phials 25 pcs.	71
Carpet awl	97
Carpet base 8 mm guide	75
Carpet clamp	24
Carpet cutter	97
Carpet cutter, green	98
Carpet cutter, red	98
Carpet shears	99
Carpet shears, serrated blade, 22 cm	99
Carpet strip cutter	98
Carpet strip cutter C-cut	98
Carrying case EF 135	45
CCM instrument WOLFF	71
CCM Set ECO	71
CCM-Gerät Alu Business Pro	71
Chamfer and mitre templates	105
Circular cutter	80
Circular cutter, 4 - 21cm	98
Claw tool	99
Cleanbox	114
Cleanfox 7,5 10 Ah	113
Cleanfox 7,5 20 Ah	113
Cleaning pads diameter 406 gray	32
Cleaning pads Ø 150mm beige 10 pcs.	32
Cleaning pads Ø 150mm black 10 pcs.	32
Cleaning pads Ø 150mm for oiling 10 pcs.	32
Cleaning pads Ø 150mm green 10 pcs.	32
Cleaning pads Ø 150mm red 10 pcs.	32
Cleaning pads Ø 150mm white 10 pcs.	32
Cleaning pads Ø 410/10 mm beige 10 pcs.	32
Cleaning pads Ø 410/10 mm black 10 pcs.	32
Cleaning pads Ø 410/10 mm green 10 pcs.	32
Cleaning pads Ø 410/10 mm white 10 pcs.	32
Cleaning pads Ø 410/20 mm beige 5 pcs.	32
Cleaning pads Ø 410/20 mm green 5 pcs.	32
Cleaning pads Ø 410/20 mm weiß 5 pcs.	32
Cleaning pads Ø 410/20MM black 5 pcs.	32
Cleaning pads Ø 410/20mm brown 5 pcs.	32
Cleaning pads Ø 410/20mm red 5 pcs.	32
Cleaning pads Ø 410mm for oiling 10 pcs.	32
Cleaning pads Ø410/10mm red 10 pcs.	32
Cleaning tank f. Mambo 2/Evo	26
Cleaning tank f. Samba 2010	28
Cleaning tank Rumba/Mambo	113
CM pressure gauge	71
Coir broom, 60 cm	107
Combi grooving disc, 5 mm	86, 87
Combi scriber	85
Combifilter ABE1P3	110
Combination filter A1P3	110
Combined hooked/straight blade	102
Concave blade	102
Cone nozzle f. Vacuclean2	48, 49
Connection adapter 70/50 Omega, Alpha, CT200 50	
Connecting kit, 50 mm	50
Connection piece 50 mm	48, 49
Conversion kit for diamond grinding plates	41
Conversion kit, to use hooked blade	79



Copper band ,Self-adhesive roll 2 cm x 25 m	63	Dust absorbing pad 410 mm	31
Copper band, Roll 200 m	63	Dust bag Cobra 09/Classic/Python CI	117, 118, 119
Copper band, Roll 50 m	63	Dust collar Spider cpl.	116
Cork rubbing board	84	Dust Door System	109
Correction nozzle Inlet 4 mm	94	Dust Door System	106
Corrugated link, 100 pcs.	45, 63	Dust mask	109
Corrugated wire brush	32, 114	Dust mask	108
Crevice nozzle Starvac MI55	46	Dust mask AIR + FFP2 (10 pcs.)	109
Cross stop for roller steel ruler 600 mm	104	Dust mask AIR + FFP3 (10 pcs.)	109
Cylindrical brush hard (black)	113	Dust ring	28
Cylindrical brush medium (blue)	113	Dust ring with extraction device Samba	28
Cylindrical brush soft (grey)	113	Dust bag endless 4x22m f.Vacuclean2 LP	49

## D

Deflector and oscillator set 450 mm	9
Deflector for Turbo versions New f. Turbo2	13
Design Collection in case	78
Design Cutter W0 330	82
Design Cutter W0 630	82
Designer cutting knife	102
DIA cutting disc EF 135	45
DIA Saw blade 230 mm (for soft floor - screed)	23
DIA saw blade 230 mm blue (for hard floors - concrete)	23
Diameter connecting piece 70 mm	50
Diamond grinding disc Raptor	38
Diamond grinding disc, double row	38
Diamond grinding disc, single row	38
Diamond grinding head, fan-type helical design	33
Diamond grinding plate, PCD	41
Diamond grindstone	95
Diamond grindstone	95
Diamond segment SC 20	41
Diamond segment SC 40	41
Diamond segment SC 60	41
Diamond segment SS 20	41
Diamond segment SS 40	41
Diamond segment SS 60	41
Digital CM pressure gauge	71
Digital scale	71
Disc for natural stone	32, 114
Disc holder Spider	116
Disc holder for pads	113
Disc holder for pads Ø 400mm	32
Disc holder with felt, Ø 375mm	30
Disc holder with sponge padding, Ø 375mm	30
Disc holder with sponge padding, Ø 400mm	30
Distance piece Wood Saw	23
Dolphin knife	102
Door case saw Piranha	100
Double action, with stop	103
Double head stretcher	97
Double knife sheath for WOLFF knife	102
Dry vacuum cleaner filter	46
DS BT K 20 gold	35
DS ES K 20 black	35
DS PCD scraper silver	35
DS PCD split silver	35
Duo pressure roller	84
Duro-Stripper 2.0 230V/50Hz	20
Duro-Stripper 2.0 230V/50Hz VG	20

## E

Elliptic diamond grooving disc, 130 mm, 4 teeth, 3.8 mm	86, 87
Elliptic grooving disc, 3.8 mm	86, 87
End fitting 70 mm	50
Ergo Cutter Pro	11, 24
Ergostar spatula 21cm	60
Ergostar spatula 28cm	60
Extension 200 mm	52
Extension cable	40, 111
Extension cable, 12.5 m	111
Extension cable, 25.0 m 111	
Extension hose 1.5 m	47
Extension rails up to 4.86 m radius	80
Extro-Stripper2 230V/50Hz	14

## F

FasTrimmer	85
FasTrimmer	85
Felt coat for glide	84
Felt padding Ø 375mm	30
Filter adapter	110
Filter H14/HEPA f.Vacuclean2+LP	48, 49
Filter PTFE f.Vacuclean2+LP	48, 49
Fine dust filter	50
Flat blade	89
Flat electrodes set FE-04	66, 68
Flat nozzle f. Vacuclean2	48, 49
Flat steel brush disc	31
Flexible steel straight edge 205 cm	104
Flexible steel straight edge 210 x 8 cm	104
Flexible steel straight edge 210 x 8 cm	104
Flexible steel straight edge 210 x 8 cm	104
Flexible steel straight edge 405 cm	104
Flexible steel straight edge 410 x 8 cm	104
Flexible steel straight edge 410 x 8 cm	104
Flexible steel straight edge 510 x 8 cm	104
Floor grinding machine BS 180	36
Floor milling machine CT 200	44
Floor nozzle 38 mm	48, 49
Floor nozzle Starvac+Pallmann Dust	46
Floor scraper	24
Floor spatula 530 mm	61
Floorcovering marker & cutter 385mm	98
Flow-Fix-Set	55
Foam rubber plate Alu Spider	116
Foam rubber plate plastic Spider	116

For 0 - 8 cm strips	79
For 3 - 20 cm strips	79
For 6 - 30 cm strips	79
Full face mask	110

## G

Gecko Flex 230 V	120
Gecko Star 2.0 D150 mm, long attachment	120
Gecko Star 2.0 D150 mm, short attachment	120
Gecko Star 2.0 D178 mm, long attachment	120
Gecko Star 2.0 D178 mm, short attachment	120
Glide with removable felt coat and handle	84
Gliding disc	33
Gooseneck nozzle	94
Grinding disc Ø125mm BT grit 20, gold BS 125	37, 38
Grinding disc Ø125mm ES grit 20, black, BS 125	37, 38
Grinding disc Ø125mm PCD Scraper, silver BS 125	37, 38
Grinding disc Ø125mm PCD Split, silver BS 125	37, 38
Grinding disc Ø180mm BT grit 20, gold BS 180	37, 38
Grinding disc Ø180mm ES grit 20, black, BS 180	36, 37, 38
Grinding disc Ø180mm PCD Scraper, silver BS 180	37, 38
Grinding disc Ø180mm PCD Split, silver BS 180	37, 38
Grinding disc with 6 stones	33
Grinding disc with 6 stones, grit 20	30
Grinding disc with diamond grinding heads	33
Grinding plate with hard metal ring K 16	31
Grinding plate with hard metal ring K 24	31
Grinding stone	54
Gripper insert for knee clamp, fine	97
Groover	89
Groover for rubber floors	89

## H

Half mask large	110
Half mask medium	110
Half mask small	110
Hammer bar, 42.5 cm	106
Hammer bar, 54.5 cm	108
Hand scraper WOLFF	24
Handheld grinder BS 125	36
Handle bracket	56
Handle for spare blade	102
Handle holder for doctor blade	57
Hard metal ring K 16	31
Hard metal ring K 24	31
Head seam straight edge	104
Hearing protection	109
Heating element 1.55 kW for Triac ST	93
Heating element Phoenix 1,6 kW 230 V	92
Heating element, 3.0 kW	90
Heating element, 3.3 kW	93
Height adjustment spatula stainless 280 mm	60
Height scribe	103
HM Box	72
HM cutter blade 130 x 20 x 6 straight Z6	88
HM Fix Adhesive	72
HM grinding disc Ø 375mm K 12	30
HM grinding disc Ø 375mm K 14	30
HM grinding disc Ø 375mm K 16	30

HM grinding disc Ø 375mm K 24	30
HM grinding disc Ø 400mm K 12	30
HM grinding disc Ø 400mm K 14	30
HM grinding disc Ø 400mm K 16	30
HM grinding disc Ø 400mm K 24	30
HM grinding disc Ø 400mm K 36	30
HM grinding disc, 180 mm, grit 16	38
HM grinding disc, 180 mm, grit 24	38
HM grinding stone, grit 24	54
HM milling plate disc	33
HM plate (1 pc.)	33
HM saw blade	100
HM-blade Ø 230 mm	23
Holding kit for perforated pads Ø 410mm kompl.	31
Hook-and-loop fastener	108
Hooked blade with titanium coating, 100 pcs.	102
Hooked blades, 0.65 mm, 100 pcs.	11, 24, 76, 79, 102
Hose 1.2 m	47
Hose clamp, 60 - 80 mm	50
Hose connection 50 mm	48, 49, 50
Hose damp 40 - 60 mm	50
Hose kit for dust ring	28
Hose kit with T-piece	28
Hose kit, 70 mm	50
Hose set for water dosing device	55
Hygrometer Universal V1-D4 Basic	65, 68
Hygrometer Universal V1-D4 Professional	65, 68

## I

Impact padding	97
Interchangeable spatula, 21 cm	60
Interchangeable spatula, 28 cm	60
Intermediate disc set for milling drum CT 200, 76 pcs.	44
Intermediate disc set for peeling blade drum CT 200, 72 pcs.	44
Intermediate disc set for peeling blade drum CT 200, 72 pcs.	44

## J

Joint groover for circular cutter	80
Joint groover with guiding pin	89
Joint groover with guiding wheels	89
Joint grooving machine Fräsjunior	87
Joint grooving machine Fräsmaster	86
Joint plane J-shape	89
Junio-Stripper 230V/50Hz	22

## K

Klimasensor CS-10	66, 68
Knee pads	108
Knee pads Safety Poly	108
Knee protector 200 Pro	108
Knee protector 200 Pro Extra elastics	108
Knee protector 200 Pro Extra inlays	108
Knee protectors	108

## L

Large area rake, 60 cm with handle	56
Large dust ring	26
Large spare brush Mambo	26
Laser-Distance-Analyser PT 400	73
Leather blade cover	13, 15
Leather blade cover f. Duro/Vario/Eco/Primo	22
Leather blade cover f. Junio	22
Leather knee protectors	108
Left-hand thread	30
Leister Electron ST	93
Leister Triac AT	93
Leister Triac Set AT 230V/50Hz	93
Leister Triac set ST	93
Leister Triac ST	93
Levelpin	63
Linocut seam cutter	75
Linoleum edge cutter	80
Locking device for torsion Robo	9
LS 35 (35 cm cutting width)	79
LS 65 (65 cm cutting width)	79

## M

Marking pin 45 mm	98
Measuring wedge	70
Membranfilter für Starvac	46
Metal carrying f. Duro-Stripper	21
Metal handle	107
Metal wheels	28
Micro fan for AIR + masks	109
Microfiber cloth (green)	113
Microfibre replacement cloth (for microfibre brush)	113
Milling and welding set Combi	91
Milling blade set for CT 200, 76 pcs.	44
Milling disc with rotation principle	33
Milling drum CT 200 (not shown) without blades	44
Milling drum CT 200 complete with peeling blades	44
Milling drum CT 200 complete with peeling blades	44
Milling drum CT 200 with milling blades	44
Milling drum with star-shaped-blades	44
Milling head	33
Milling module with HM plate	33
„Mipolam“ jet-nozzle	94
Mitre-box shears	103
Mitre-box stop	103
Mittag cutter	97
Mixed adhesive	71
Mixer Power X 1000	52
Mixer Power X 1600	52
Mixer Type MK 160 mm	52, 53
Mixing bucket 30 l	53, 55
Mixing bucket 110 l	53
Moisture meter GM-200	67
Monodisc grinding machine Mambo Evo 230V/50Hz	26
Monodisc grinding machine Mambo Evo 230V/50Hz	46
Mounting kit for brush cup set	31
Mozart speed Trimmer	95
Mozart trimming knife	95
Multi grinding plate	31

Multispider base plate 200 mm	81
Multispider base plate 450 mm	81
Multispider basic unit	81
Multispider clamping slide	81
Multispider connecting rod	81
Multispider probe arm 250 mm	81
Multispider probe arm 350 mm	81
Multispider probe arm 550 mm	81
Multispider push button pointed inside	81
Multispider push button pointed outside	81
Multispider push button round/round	81
Multispider push-button pointed/pointed	81

## N

Nail shoes	63
Nail shoes Spiky size L, for size 42 (8) - 44 (10)	63
Nail shoes Spiky size M, for size 42 (8) and smaller	63
Nail shoes Spiky size XL, for size 44 (10) - 48 (15)	63
Napping shears, 14 cm	99
Napping shears, 18 cm	99
Needle punch base 4 mm guide	75
NEO 230 2kW/230V	39
NEO 400 4kW/400V	40
Ninja complete with ES K20 segments	34
Ninja complete with PCD Scraper segments	34
Ninja complete with PCD Split segments	34
Ninja kpl. mit DS ES K 20 black	34
Nylon roller	59

## O

OneMix stirring attachments (10 pcs.)	53
OneMix stirring rod	53
One-way-Inlays Cobra 09/Classic (10 pcs.)	117, 118
Only Cleanspace EX without mask	110
Only Cleanspace without mask	110

## P

Paint-Checker	73
Paper filter bags 40cm f. 13503 10 pcs.	28
Paper filter bags 80cm f. 13503 5 pcs.	28
Paper filter bags f. Starvac 5 pcs.	46
Parquet sanding machine Cobra 09 230 V	117
Parquet sanding machine Cobra Classic 230 V	118
Parquet sanding machine Python Classic	119
Parquet sanding machine Spider 230 V 50 Hz	116
Particle filter (PU 3 pcs.)	110
PCD Scraper XT	41
PCD splinter segment	41
PCD ULTRA	41
PCD ULTRA XT	41
Peeling blade set for CT 200, 40 pcs., 10 mm	44
Peeling blade set for CT 200, 40 pcs., 10 mm	44
Peeling drill set 16-30.5 mm	80
Peeling drill set 8-20 mm	80
Perforated pads P 36 Ø 410mm	32
Perforated pads P 40 Ø 150 mm	32







# Your Floor. Our Passion.

The Uzin Utz Group represents the complete range of flooring competence.

With the brands UZIN, WOLFF, PALLMANN, Arturo and codex, we offer an extensive range of products, systems and services for the installation, renovation, and maintenance of all types of floor coverings, wood flooring, coatings, ceramic tiles and natural stone floors.

For all questions concerning flooring we are a competent and reliable partner.



UZIN. THE FLOOR BELONGS TO YOU.

## Installation systems for screeds, flooring and wood flooring.



## WOLFF going beyond your limits

Machinery and special tools for subfloor preparation and installation of floor coverings.



PALLMANN My wood floor. My life.

Complete product range for the installation, renovation and maintenance of wood flooring.



Arturo what a floor can do.

Functional floor coatings with manifold design options.



**codex** Exclusive to real tilers.

Installation systems for tiling and natural stone.



**going beyond your limits**

## **WOLFF | A COMPANY OF UZIN UTZ AG**

Wolff GmbH & Co. KG  
Ungerhalde 1 | 74360 Ilsfeld  
Telefon +49 7062 91556-0 Telefax +49 7062 91556-10  
Email [info@wolff-tools.com](mailto:info@wolff-tools.com) | Internet [www.wolff-tools.de](http://www.wolff-tools.de)

## **[WWW.WOLFF-TOOLS.DE](http://WWW.WOLFF-TOOLS.DE)**



going beyond your limits